


# Professor Arun S. Mujumdar

Professor of Mechanical Engineering & Director of M3TC  
National University of Singapore  
9 Engineering Drive 1, Singapore 117576  
Email: [mpeasm@nus.edu.sg](mailto:mpeasm@nus.edu.sg)

## Journal publications (Classified from 2007-2012)



**Fig 1. Percentage contribution to respective research themes**

*\* - Overlap between certain themes such drying/energy and drying/food engineering*

1. Xu, P., Qiu, S., Yu, M., Qiao, X., **Mujumdar, A.S.**, A study on the heat and mass transfer properties of multiple pulsating impinging jets, *International Communications in Heat and Mass Transfer* 2012;39:378-382. (Cited: 0 times; IF: 1.609)
2. Sasmito, A.P., Kurnia, J.C., **Mujumdar, A.S.**, Numerical evaluation of laminar heat transfer enhancement in nanofluid flow in coiled square tubes, *Nanoscale Research Letters* 2011;6:376. (Cited: 4 times; IF: 2.557)
3. Kurnia, J.C., Sasmito, A.P., **Mujumdar, A.S.**, Numerical investigation of laminar heat transfer performance of various cooling channel designs, *Applied Thermal Engineering* 2011;31:1293-1304. (Cited: 10 times; IF: 1.823)
4. Kurnia, J.C., Sasmito, A.P., **Mujumdar, A.S.** Evaluation of the heat transfer performance of helical coils of non-circular tubes, *Journal of Zhejiang University: Science A* 2011;12:63-70. (Cited: 4 times; IF: 0.332; top 10 accessed in J Zhejiang Univ Sci A)
5. Gong, Z.-X., StanovskÃ, J., **Mujumdar, A.S.**, Energy audit of a fiberboard drying production line using simprosys software, *Drying Technology* 2011;29:408-418. (Cited: 2 times; IF: 1.662)
6. Jangam, S.V., Karthikeyan, M., **Mujumdar, A.S.**, A critical assessment of industrial coal drying technologies: Role of energy, emissions, risk and sustainability, *Drying Technology* 2011;29:395-407. (Cited: 4 times; IF: 1.662)
7. Xu, P., **Mujumdar, A.S.**, Poh, H.J., Yu, B., Heat transfer under a pulsed slot turbulent impinging jet at large temperature differences, *Thermal Science* 2010;14:271-281. (Cited: 2 times; IF: 0.706)
8. Xu, P., Yu, B., Qiu, S., Poh, H.J., **Mujumdar, A.S.**, Turbulent impinging jet heat transfer enhancement due to intermittent pulsation, *International Journal of Thermal Sciences* 2010;49:1247-1252. (Cited: 3 times; IF: 1.667)
9. Wang, X.-Q., Xu, P., **Mujumdar, A.S.**, Yap, C., Flow and thermal characteristics of offset branching network, *International Journal of Thermal Sciences* 2010;49:272-280. (Cited: 4 times; IF: 1.667)
10. Xu, P., Wang, X.Q., **Mujumdar, A.S.**, Yap, C., Yu, B.M., Thermal characteristics of tree-shaped microchannel nets with/without loops, *International Journal of Thermal Sciences* 2009;48:2139-2147. (Cited: 8 times; IF: 1.667)
11. Lou, Z.Q., Yap, C., **Mujumdar, A.S.**, A numerical study of a heat sink fin under a laminar impinging jet, *Journal of Electronic Packaging, T-ASME* 2008;130:345011-345015. (Cited: 1 times; IF: 0.564)
12. Wu, D., Peng, X.-F., Su, A., **Mujumdar, A.S.**, Hsu, C., Lee, D.-J., Heat and mass transfer in unsaturated porous cake with heated walls, *Drying Technology* 2008;26:1079-1085. (Cited: 6 times; IF: 1.662)
13. Banooni, S., Hosseinalipour, S.M., **Mujumdar, A.S.**, Taheran, E., Bahiraei, M., Taherkhani, P., Baking of flat bread in an impingement oven: An experimental study of heat transfer and quality aspects, *Drying Technology* 2008;26:902-909. (Cited: 3 times; IF: 1.662)

14. Rahman, S.M.A., **Mujumdar, A.S.**, A novel atmospheric freeze-dryer using vortex tube and multimode heat input: Simulation and experiments, *Asia-Pacific Journal of Chemical Engineering* 2008;3:408-416. (Cited: 0 times; IF: 0.583)
15. Zhonghua, W., **Mujumdar, A.S.**, Pulse combustion characteristics of various gaseous fuels, *Energy&Fuels* 2008;22:915-924. (Cited: 4 times; IF: 2.444)
16. Wang, X.-Q., **Mujumdar, A.S.**, Heat transfer characteristics of nanofluids: a review, *International Journal of Thermal Sciences* 2007;46:1-19. (Cited: 300 times; IF: 1.667; Top cited)
17. Qgura, H., Yasuda, S., Otsubo, A., **Mujumdar, A.S.**, Continuous operation of a chemical heat pump, *Asia-Pacific Journal of Chemical Engineering* 2007;2:118-123. (Cited: 1 times; IF: 0.583)

### Fuel Cells / Battery

1. Sasmito, A.P., Birgersson, E., **Mujumdar, A.S.**, A novel flow reversal concept for improved thermal management in polymer electrolyte fuel cell stacks, *International Journal of Thermal Sciences* 2012;54:242-252. (Cited: 0 times; IF: 1.667)
2. Sasmito, A.P., Birgersson, E., Lum, K.W., **Mujumdar, A.S.**, Fan selection and stack design for open-cathode polymer electrolyte fuel cell stacks, *Renewable Energy* 2012;37:325-332. (Cited: 3 times; IF: 2.554)
3. Sasmito, A.P., Birgersson, E., **Mujumdar, A.S.**, Numerical evaluation of various thermal management strategies for polymer electrolyte fuel cell stacks, *International Journal of Hydrogen Energy* 2011;36:12991-13007. (Cited: 2 times; IF: 4.053)
4. Sasmito, A.P., **Mujumdar, A.S.**, Performance evaluation of a polymer electrolyte fuel cell with a dead-end anode: A computational fluid dynamic study, *International Journal of Hydrogen Energy* 2011;36:10971-10933. (Cited: 2 times; IF: 4.053 featured as Key Scientific Article in Renewable Energy Global Innovation)
5. Sasmito, A.P., Birgersson, E., **Mujumdar, A.S.**, Numerical investigation of liquid water cooling for a proton exchange membrane fuel cell stack, *Heat Transfer Engineering* 2011;32:151-167. (Cited: 11 times; IF: 0.932)
6. Sasmito, A.P., Lum, K.W., Birgersson, E., **Mujumdar, A.S.**, Computational study of forced air-convection in open-cathode polymer electrolyte fuel cell stacks, *Journal of Power Sources* 2010; 195:5550-5563. (Cited: 10 times; IF: 4.283)
7. Sasmito, A.P., Birgersson, E., **Mujumdar, A.S.**, A novel flow reversal concept for improved thermal management in polymer electrolyte fuel cell stacks, *International Journal of Thermal Sciences* 2012;54:242-252. (Cited: 0 times; IF: 1.667)
8. Somasundaram, K., Birgersson, E., **Mujumdar, A.S.**, Analysis of a model for an electrochemical capacitor, *Journal of the Electrochemical Society* 2011;158:A1220-A1230. (Cited: 0 times; IF: 2.420)

### Thermal Storage

1. Arasu, A.V., Sasmito, A.P., **Mujumdar, A.S.**, Numerical Performance Study of Paraffin Wax Dispersed with Alumina in a Concentric Pipe Latent Heat Storage System, *Thermal Science*, 2012; in press. (Cited: 0 times; IF: 0.706)
2. Kurnia, J.C., Sasmito, A.P., Jangam, S.V., **Mujumdar A.S.**, Heat transfer in coiled square tubes for laminar flow of a slurry of microencapsulated phase change material (MEPCM), *Heat Transfer Engineering* 2011; in press. (Cited: 0 times; IF: 0.932)
3. Kurnia, J.C., Sasmito, A.P., **Mujumdar, A.S.**, Laminar convective heat transfer for in-plane spiral coils of non-circular cross sections ducts: A computational fluid dynamics study, *Thermal Science* 2012;16:107-116. (Cited: 4 times; IF: 0.706)
4. An, H., Li, A., Sasmito, A.P., Kurnia, J.C., Jangam, S.V., **Mujumdar, A.S.**, Computational Fluid Dynamics (CFD) Analysis of Micro-reactor Performance: Effect of Various Configurations, *Chemical Engineering Science* 2012;75:85-95. (Cited: 0 times; IF: 2.379)
5. Somasundaram, K., Birgersson, E., **Mujumdar, A.S.**, Thermal-electrochemical model for passive thermal management of a spiral-wound lithium-ion battery, *Journal of Power Sources* 2012;203:84-96. (Cited: 0 times; IF: 4.283)
6. Shaker, M., Ghaedamini, H., Sasmito, A.P., Kurnia, J.C., Jangam, S.V., **Mujumdar, A.S.**, Numerical investigation of laminar mass transport enhancement in heterogeneous gaseous microreactors, *Chemical Engineering and Processing: Process Intensification* 2012;54:1-11. (Cited: 0 times; IF: 1.729)
7. Arasu, A.V., **Mujumdar, A.S.**, Numerical study on melting of paraffin wax with Al<sub>2</sub>O<sub>3</sub> in a square enclosure, *International Communications in Heat and Mass Transfer* 2012;39:8-16. (Cited: 0 times; IF: 1.609)
8. Valan Arasu, A., Sasmito, A.P., **Mujumdar, A.S.**, Thermal performance enhancement of paraffin wax with Al<sub>2</sub>O<sub>3</sub> and CuO nanoparticles - A numerical study, *Frontiers in Heat and Mass Transfer* 2011;2:41-7. (Cited: 0 times; IF: NA)
9. Wang, X.-Q., Yap, C., **Mujumdar, A.S.**, A parametric study of phase change material (PCM)-based heat sinks, *International Journal of Thermal Sciences* 2008;47:1055-1068. (Cited: 14 times; IF: 1.667)
10. Kandasamy, R., Wang, X.-Q., **Mujumdar, A.S.**, Transient cooling of electronics using phase change material (PCM)-based heat sinks, *Applied Thermal Engineering* 2008;28:1047-1057. (Cited: 23 times; IF: 1.823)
11. Kandasamy, R., Wang, X.-Q., **Mujumdar, A.S.**, Application of phase change materials in thermal management of electronics, *Applied Thermal Engineering* 2007;27:2822-2831. (Cited: 30 times; IF: 1.823)
12. Wang, X.-Q., **Mujumdar, A.S.**, Yap, C., Effect of orientation for phase change material (PCM)-based heat sinks for transient thermal management of electric components, *International Communications in Heat and Mass Transfer* 2007;34:801-808. (Cited: 18 times; IF: 1.609)

## Drying

1. Woo, M.W., Che, L.M., Daud, W.R.W., **Mujumdar, A.S.**, Chen, X.D., Highly swirling transient flows in spray dryers and consequent effect on modeling of particle deposition, *Chemical Engineering Research and Design* 2012;90:336-345. (Cited: 0 times; IF: 1.519)
2. Pawar, S.B., **Mujumdar, A.S.**, Thorat, B.N., Flow pattern and heat transfer in agitated thin film dryer, *Chemical Engineering and Processing: Process Intensification* 2011;50:687-693. (Cited: 0 times; IF: 1.729)
3. Pawar, S.B., Patil, R., **Mujumdar, A.S.**, Thorat, B.N., Mathematical modeling of agitated thin-film dryer, *Drying Technology* 2011;29:719-728. (Cited: 0 times; IF: 1.662)
4. Wang, Y., Zhang, M., **Mujumdar, A.S.**, Trends in processing technologies for dried aquatic products, *Drying Technology* 2011;29:382-394. (Cited: 0 times; IF: 1.662)
5. Bait, R.G., Pawar, S.B., Banerjee, A.N., **Mujumdar, A.S.**, Thorat, B.N., Mechanically agitated fluidized bed drying of cohesive particles at low air velocity, *Drying Technology* 2011;29:808-818. (Cited: 0 times; IF: 1.662)
6. Osman, H., Jangam, S.V., Lease, J.D., **Mujumdar, A.S.**, Drying of low-rank coal (LRC)-A Review of recent patents and innovations, *Drying Technology* 2011;29:1763-1783. (Cited: 1 times; IF: 1.662)
7. Yang, Z., Su, A., **Mujumdar, A.S.**, Lee, D.-J., Electroosmotic flows in sludge at dewatering, *Drying Technology* 2010;28:1133-1117. (Cited: 0 times; IF: 1.662)
8. Hsu, J.-P., Su, A., **Mujumdar, A.S.**, Lee, D.-J., Unified analysis of dewatering and drying of sludge cake, *Drying Technology* 2010;28:877-880. (Cited: 1 times; IF: 1.662)
9. Wu, Z.H., Hu, Y.J., Lee, D.J., **Mujumdar, A.S.**, Li, Z.Y., Dewatering and drying in mineral processing industry: Potential for innovation, *Drying Technology* 2010;28:834-842. (Cited: 1 times; IF: 1.662)
10. Yu, G.-H., He, P.-J., Shao, L.-M., Lee, D.-J., **Mujumdar, A.S.**, Extracellular polymeric substances (EPS) and extracellular enzymes in aerobic granules, *Drying Technology* 2010;28:910-915. (Cited: 1 times; IF: 1.662)
11. Hsu, J.-P., Tao, T., Su, A., **Mujumdar, A.S.**, Lee, D.-J., Model for sludge cake drying accounting for developing cracks, *Drying Technology* 2010;28:922-926. (Cited: 3 times; IF: 1.662)
12. Pang, S., **Mujumdar, A.S.**, Drying of woody biomass for bioenergy: Drying technologies and optimization for an integrated bioenergy plant, *Drying Technology* 2010;28:690-701. (Cited: 3 times; IF: 1.662)
13. **Mujumdar, A.S.**, Law, C.L., Drying Technology: Trends and Applications in Postharvest Processing, *Food and Bioprocess Technology* 2010;3:843-852. (Cited: 9 times; IF: 3.576)
14. Woo, M.W., **Mujumdar, A.S.**, Effects of electric and magnetic field on freezing and possible relevance in freeze drying, *Drying Technology* 2010;28:433-443. (Cited: 6 times; IF: 1.662)
15. Woo, M.W., Daud, W.R.W., **Mujumdar, A.S.**, Tasirin, S.M., Talib, M.Z.M., Role of rheological characteristics in amorphous food particle-wall collisions in spray drying, *Powder Technology* 2010;198:251-257. (Cited: 1 times; IF: 1.887)
16. Zhang, C.H., Huang, L.X., Wang, C.P., **Mujumdar, A.S.**, Experimental and numerical investigation of spray-drying parameters on the dried powder properties of ginkgo biloba seeds, *Drying Technology* 2010;28:380-388. (Cited: 3 times; IF: 1.662)

17. **Mujumdar, A.S.**, Huang, L.-X., Dong Chen, X., An overview of the recent advances in spray-drying, *Dairy Science and Technology* 2010;90:211-224. (Cited: 1 times; IF: 1.154)
18. Li, Z., Su, W., Wu, Z., Wang, R., **Mujumdar, A.S.**, Investigation of flow behaviors and bubble characteristics of a pulse fluidized bed via CFD modeling, *Drying Technology* 2010;28:78-93. (Cited: 3 times; IF: 1.662)
19. Gong, Z.-X., **Mujumdar, A.S.**, Simulation of drying nonaqueous systems-an application of simprosys software, *Drying Technology* 2010;28:111-115. (Cited: 3 times; IF: 1.662)
20. Jangam, S.V., **Mujumdar, A.S.**, Thorat, B.N., Design of an efficient gas distribution system for a fluidized bed dryer, *Drying Technology* 2009;27:1217-1228. (Cited: 0 times; IF: 1.662)
21. Xu, P., **Mujumdar, A.S.**, Yu, B., Drying-induced cracks in thin film fabricated from colloidal dispersions, *Drying Technology* 2009;636-652. (Cited: 6 times; IF: 1.662)
22. Yun, L., Wang, B., Jing, D., Lv, X., Yu, C., Wang, G., Huang, L., **Mujumdar, A.S.**, Drying kinetics of magnesium hydroxide of different morphological micro nanostructures, *Drying Technology* 2009;523-528. (Cited: 1 times; IF: 1.662)
23. Karthikeyan, M., Zhonghua, W., **Mujumdar, A.S.**, Low-rank coal drying technologies - Current status and new developments, *Drying Technology* 2009;27:403-415. (Cited: 19 times; IF: 1.662)
24. Xu, H.S., Zhang, M., Duan, X., **Mujumdar, A.S.**, Sun, J., Effect of power ultrasound pretreatment on edamame prior to freeze drying, *Drying Technology* 2009;27:186-193. (Cited: 7 times; IF: 1.662)
25. Banooni, S., Hosseinalipour, S.M., **Mujumdar, A.S.**, Taherkhani, P., Bahiraei, M., Baking of flat bread in an impingement oven: Modeling and optimization, *Drying Technology* 2009;27:103-112. (Cited: 0 times; IF: 1.662)
26. Woo, M.W., Daud, W.R.W., **Mujumdar, A.S.**, Wu, Z., Talib, M.Z.M., Tasirin, S.M., Non-swirling steady and transient flow simulations in short-form spray dryers, *Chemical Product and Process Modeling* 2009;4:20. (Cited: 5 times; IF: NA)
27. Chin, S.K., Law, C.L., Supramaniam, C.V., Cheng, P.G., **Mujumdar, A.S.**, Convective drying of *Ganoderma tsugae* Murrill and effect of temperature on basidiospores, *Drying Technology* 2008;26:1524-1533. (Cited: 2 times; IF: 1.662)
28. Rahman, S.M.A., **Mujumdar, A.S.**, A novel atmospheric freeze-drying system using a vortex tube and multimode heat supply, *International Journal of Postharvest Technology and Innovation* 2008;1:249-266. (Cited: 1 times; IF: NA)
29. Huang, L.X., **Mujumdar, A.S.**, The effect of rotary disk atomizer RPM on particle size distribution in a semi-industrial spray dryer, *Drying Technology* 2008;26:1319-1325. (Cited: 2 times; IF: 1.662)
30. Woo, M.W., Daud, W.R.W., **Mujumdar, A.S.**, Wu, Z.-H., Talib, M.Z.M., Tasirin, S.M., CFD evaluation of droplet drying models in a spray dryer fitted with a rotary atomizer, *Drying Technology* 2008;26:1180-1198. (Cited: 21 times; IF: 1.662)
31. Woo, M.W., Daud, W.R.W., **Mujumdar, A.S.**, Talib, M.Z.M., Hua, W.Z., Tasirin, S.M., Comparative study of droplet drying models for CFD modeling, *Chemical Engineering Research and Design* 2008;86:1038-1048. (Cited: 9 times; IF: 1.519)
32. Rahman, S.M.A., **Mujumdar, A.S.**, A novel atmospheric freeze-drying system using a vibro-fluidized bed with adsorbent, *Drying Technology* 2008;26:393-403. (Cited: 12 times; IF: 1.662)

33. Duan, X., Zhang, M., Li, X., **Mujumdar, A.S.**, Ultrasonically enhanced osmotic pretreatment of sea cucumber prior to microwave freeze drying, *Drying Technology* 2008;26:420-426. (Cited: 16 times; IF: 1.662)
34. Chen, H.-H., Huang, T.-C., Tsai, C.-H., Mujumdar, A.S., Development and performance analysis of a new solar energy-assisted photocatalytic dryer, *Drying Technology* 2008;26:503-507. (Cited: 7 times; IF: 1.662)
35. Pawar, S.B., Kumar, P.S.R., **Mujumdar, A.S.**, Thorat, B.N., Infrared-convective drying of organic pigments, *Drying Technology* 2008;26:313-322. (Cited: 2 times; IF: 1.662)
36. Yang, Z., Lee, D.-J., **Mujumdar, A.S.**, Peng, X.-F., Su, A., Hsu, C., Probing heterogeneous structure of aggregates, *Drying Technology* 2008;26:1018-1023. (Cited: 7 times; IF: 1.662)
37. Banooni, S., Hosseinalipour, S.M., **Mujumdar, A.S.**, Taheran, E., Mashaieki, M., Impingement heat transfer effects on baking of flat bread, *Drying Technology* 2008;26:910-919. (Cited: 0 times; IF: 1.662)
38. Gong, Z.-X., **Mujumdar, A.S.**, Software for design and analysis of drying systems, *Drying Technology* 2008;26:884-894. (Cited: 4 times; IF: 1.662)
39. Xu, P., **Mujumdar, A.S.**, Yu, B., Fractal theory on drying: A review, *Drying Technology* 2008;26:640-650. (Cited: 5 times; IF: 1.662)
40. Wang, Z., Peng, X.-F., **Mujumdar, A.S.**, Su, A., Lee, D.-J., Evaporation of ethanol-water mixture drop on horizontal substrate, *Drying Technology* 2008;26:806-810. (Cited: 2 times; IF: 1.662)
41. Tao, T., Peng, X.-P., Su, A., Lee, D.-J., **Mujumdar, A.S.**, Modeling convective drying of wet cake, *Journal of the Chinese Institute of Chemical Engineers* 2008;39:287-290. (Cited: 10 times; IF: 0.573)
42. Zhonghua, W., **Mujumdar, A.S.**, CFD modeling of the gas-particle flow behavior in spouted beds, *Powder Technology* 2008;183:260-272. (Cited: 32 times; IF: 1.887)
43. Chung, L.L., Waje, S.S., Thorat, B.N., **Mujumdar, A.S.**, Advances and recent developments in thermal drying for bio-origin and agricultural products, *Stewart Postharvest Review* 2008;4:1. (Cited: 2 times; IF: NA)
44. Gong, Z., Zhang, M., **Mujumdar, A.S.**, Sun, J., Spray drying and agglomeration of instant bayberry powder, *Drying Technology* 2008;26:116-121. (Cited: 16 times; IF: 1.662)
45. **Mujumdar, A.S.**, Zhonghua, W., Thermal drying technologies - Cost-effective innovation aided by mathematical modeling approach, *Drying Technology* 2008;26:146-154. (Cited: 14 times; IF: 1.662)
46. Gong, Z.-X., **Mujumdar, A.S.**, Review of R&D in drying of refractories, *Drying Technology* 2007;25:1917-1925. (Cited: 2 times; IF: 1.662)
47. Rahman, S.M.A., **Mujumdar, A.S.**, Effect of osmotic treatment with concentrated sugar and salt solutions on kinetics and color in vacuum contact drying, *Journal of Food Processing and Preservation* 2007;31:671-687. (Cited: 1 times; IF: 0.523)
48. Basu, S., Shivhare, U.S., **Mujumdar, A.S.**, Moisture adsorption isotherms and glass transition temperature of xanthan gum, *Drying Technology* 2007;25:1577-1582. (Cited: 4 times; IF: 1.662)
49. Suvarnakuta, P., Devahastin, S., **Mujumdar, A.S.**, A mathematical model for low-pressure superheated steam drying of a biomaterial, *Chemical Engineering and Processing: Process Intensification* 2007;46:675-683. (Cited: 16 times; IF: 1.729)

50. Rahman, S.M.A., Islam, M.R., **Mujumdar, A.S.**, A study of coupled heat and mass transfer in composite food products during convective drying, *Drying Technology* 2007;25:1359-1368. (Cited: 10 times; IF: 1.662)
51. Islam, Md.R., Thaker, K.S., **Mujumdar, A.S.**, A diffusion model for a drum dryer subjected to conduction, convection, and radiant heat input, *Drying Technology* 2007;25:1033-1043. (Cited: 7 times; IF: 1.662)
52. Konstantopoulos, D.K., Maroulis, V.Z., Karoglou, M., Moropoulou, A., **Mujumdar, A.S.**, Hygroscope: A moisture transfer a simulator for buildings, *Drying Technology* 2007;25:1119-1125. (Cited: 0 times; IF: 1.662)
53. Cao, H., Zhang, M., **Mujumdar, A.S.**, Xiao, G.-N., Sun, J.-C., Study on reduction of water activity and storage stability for dehydrated brassica parachinensis with intermediate moisture, *Drying Technology* 2007;25:669-674. (Cited: 0 times; IF: 1.662)
54. Hu, Q.-G., Zhang, M., **Mujumdar, A.S.**, Xiao, G.-N., Sun, J.-C., Performance evaluation of vacuum microwave drying of edamame in deep-bed drying, *Drying Technology* 2007;25:731-736. (Cited: 5 times; IF: 1.662)
55. Huang, L., **Mujumdar, A.S.**, Simulation of an industrial spray dryer and prediction of off-design performance, *Drying Technology* 2007;25:703-714. (Cited: 14 times; IF: 1.662)
56. Wang, B., Zhang, W., Zhang, W., Yu, C., Wang, G., Huang, L., **Mujumdar, A.S.**, Influence of drying processes on agglomeration and grain diameters of magnesium oxide nanoparticles, *Drying Technology* 2007;25:715-721. (Cited: 4 times; IF: 1.662)
57. Waje, S.S., Thorat, B.N., **Mujumdar, A.S.**, Hydrodynamic characteristics of a pilot-scale screw conveyor dryer, *Drying Technology* 2007;25:609-616. (Cited: 1 times; IF: 1.662)
58. Wang, W., Chen, G., **Mujumdar, A.S.**, Physical interpretation of solids drying: An overview on mathematical modeling research, *Drying Technology* 2007;25:659-668. (Cited: 8 times; IF: 1.662)
59. Yang, G.Y., Shi, Y.Ch., Liu, X.D., **Mujumdar, A.S.**, TG-DTG Analysis of Chemically Bound Moisture Removal of  $AlF_3 \cdot 3H_2O$ , *Drying Technology* 2007;25:675-680. (Cited: 0 times; IF: 1.662)
60. Xian, H., Liu, Dengying, Shang, F., Yang, Y., Du, X., **Mujumdar, A.S.**, Huang, L., Study on heat transfer enhancement of oscillating-flow heat pipe for drying, *Drying Technology* 2007;25:723-729. (Cited: 6 times; IF: 1.662)
61. Zhonghua, W., **Mujumdar, A.S.**, Simulation of the hydrodynamics and drying in a spouted bed dryer, *Drying Technology* 2007;25:59-74. (Cited: 29 times; IF: 1.662)
62. Huang, L.X., **Mujumdar, A.S.**, A computational fluid dynamic study of a low-humidity co-current spray dryer, *Asia-Pacific Journal of Chemical Engineering* 2007;2:12-19. (Cited: 2 times; IF: 0.583)
63. Waje, S.S., Thorat, B.N., **Mujumdar, A.S.**, Screw conveyor dryer: Process and equipment design, *Drying Technology* 2007;25:241-247. (Cited: 4 times; IF: 1.662)
64. Waje, S.S., Patel, A.K., Thorat, B.N., **Mujumdar, A.S.**, Study of residence time distribution in a pilot-Scale screw conveyor dryer, *Drying Technology* 2007;25:249-259. (Cited: 3 times; IF: 1.662)

## Food Engineering



1. Wang, Y., Zhang, M., **Mujumdar, A.S.**, Mothibe, K.J., Quality Changes of Dehydrated Restructured Fish Product from Silver Carp (*Hypophthalmichthys molitrix*) as Affected by Drying Methods, *Food and Bioprocess Technology* 2012; in press. **(Cited: 0 times; IF: 3.576)**
2. Jiang, H., Zhang, M., **Mujumdar, A.S.**, Lim, R.-X., Analysis of Temperature Distribution and SEM Images of Microwave Freeze Drying Banana Chips, *Food and Bioprocess Technology* 2012; in press. **(Cited: 0 times; IF: 3.576)**
3. Huang, L.-L., Zhang, M., Wang, L.-P., **Mujumdar, A.S.**, Sun, D.-F., Influence of combination drying methods on composition, texture, aroma and microstructure of apple slices, *LWT - Food Science and Technology* 2012;47:183-188. **(Cited: 0 times; IF: 2.292)**
4. Wang, Y., Zhang, M., **Mujumdar, A.S.**, Influence of green banana flour substitution for cassava starch on the nutrition, color, texture and sensory quality in two types of snacks, *LWT - Food Science and Technology* 2012;47:175-182. **(Cited: 0 times; IF: 2.292)**
5. Liu, P., Zhang, M., **Mujumdar, A.S.**, Comparison of three microwave-assisted drying methods on the physiochemical, nutritional and sensory qualities of re-structured purple-fleshed sweet potato granules, *International Journal of Food Science and Technology* 2012;47:141-147. **(Cited: 1 times; IF: 1.223)**
6. Wang, Y., Zhang, M., **Mujumdar, A.S.**, Convective drying kinetics and physical properties of silver carp (*Hypophthalmichthys molitrix*) fillets, *Journal of Aquatic Food Product Technology* 2011;20:361-378. **(Cited: 0 times; IF: 0.481)**
7. Nahimana, H., **Mujumdar, A.S.**, Zhang, M., Drying and radial shrinkage characteristics and changes in color and shape of carrot tissues (*Daucus Carota* L) during air drying, *African Journal of Biotechnology* 2011;10:15327-15345. **(Cited: 0 times; IF: 0.57)**
8. Wang, R., Zhang, M., **Mujumdar, A.S.**, Jiang, H., Effect of salt and sucrose content on dielectric properties and microwave freeze drying behavior of re-structured potato slices, *Journal of Food Engineering* 2011;106:290-297. **(Cited: 2 times; IF: 2.168)**
9. Nahimana, H., Zhang, M., **Mujumdar, A.S.**, Ding, Z., Mass transfer modeling and shrinkage consideration during osmotic dehydration of fruits and vegetables, *Food Reviews International* 2011;27:331-356. **(Cited: 2 times; IF: 1.250)**
10. Ren, A.-Q., Zhang, M., **Mujumdar, A.S.**, Effect of water activity and glass transition on critical preservation conditions of dried squids, *International Agrophysics* 2011;25:205-209. **(Cited: 0 times; IF: 0.714)**
11. Mestry, A.P., **Mujumdar, A.S.**, Thorat, B.N., Optimization of spray drying of an innovative functional food: Fermented mixed juice of carrot and watermelon, *Drying Technology* 2011;29:1121-1131. **(Cited: 2 times; IF: 1.662)**
12. Li, X., Zhang, M., Duan, X., **Mujumdar, A.S.**, Effect of nano-silver coating on microbial control of microwave-freeze combined dried sea cucumber, *International Agrophysics* 2011;25:181-186. **(Cited: 0 times; IF: 0.714)**
13. Zhang, F., Zhang, M., **Mujumdar, A.S.**, Drying characteristics and quality of restructured wild cabbage chips processed using different drying methods, *Drying Technology* 2011;29:682-688. **(Cited: 1 times; IF: 1.662)**

14. Huang, L.-L., Zhang, M., Yan, W.-Q., **Mujumdar, A.S.**, Sun, D.-F., Rehydration characteristics of freeze-dried strawberry pieces as affected by whey protein edible coatings, *International Journal of Food Science and Technology* 2011;46:671-677. **(Cited: 0 times; IF: 1.223)**
15. Huang, L.-L., Zhang, M., **Mujumdar, A.S.**, Lim, R.-X., Comparison of four drying methods for re-structured mixed potato with apple chips, *Journal of Food Engineering* 2011;103:279-284. **(Cited: 3 times; IF: 2.168)**
16. Jiang, H., Zhang, M., **Mujumdar, A.S.**, Lim, R.-X., Comparison of the effect of microwave freeze drying and microwave vacuum drying upon the process and quality characteristics of potato/banana re-structured chips, *International Journal of Food Science and Technology* 2011;46:570-576. **(Cited: 0 times; IF: 1.223)**
17. Fernandes, F.A.N., Rodrigues, S., Law, C.L., **Mujumdar, A.S.**, Drying of Exotic Tropical Fruits: A Comprehensive Review, *Food and Bioprocess Technology* 2011; 4:163-185. **(Cited: 6 times; IF: 3.576)**
18. Duan, X., Zhang, M., **Mujumdar, A.S.**, Huang, L.L., Wang, H., A novel dielectric drying method of sea cucumber, *International Journal of Food Science and Technology* 2010;45:2538-2545. **(Cited: 1 times; IF: 1.223)**
19. Wang, R., Zhang, M., **Mujumdar, A.S.**, Effects of vacuum and microwave freeze drying on microstructure and quality of potato slices, *Journal of Food Engineering* 2010; 101; 131-139. **(Cited: 6 times; IF: 2.168)**
20. Jiang, H., Zhang, M., **Mujumdar, A.S.**, Physico-chemical changes during different stages of MFD/FD banana chips, *Journal of Food Engineering* 2010; 101:131-139. **(Cited: 6 times; IF: 2.168)**
21. Yan, W.-Q., Zhang, M., Huang, L.-L., Tang, J., **Mujumdar, A.S.**, Sun, J.-C., Studies on different combined microwave drying of carrot pieces, *International Journal of Food Science and Technology* 2010;45:2141-2148. **(Cited: 5 times; IF: 1.223)**
22. Gong, Z., Zhang, M., Bhandari, B., **Mujumdar, A.S.**, Jin-Cai, S., Rheological properties of cabbage pulp, *International Journal of Food Properties* 2010; 13:1066-1073. **(Cited: 0 times; IF: 0.947)**
23. Wang, R., Zhang, M., **Mujumdar, A.S.**, Effect of food ingredient on microwave freeze drying of instant vegetable soup, *LWT - Food Science and Technology* 2010;43:1144-1150. **(Cited: 9 times; IF: 2.292)**
24. Yan, W., Zhang, M., Huang, L.-L., Tang, J., **Mujumdar, A.S.**, Sun, J.-C., Study of the optimisation of puffing characteristics of potato cubes by spouted bed drying enhanced with microwave, *Journal of the Science of Food and Agriculture* 2010;90:1300-1307. **(Cited: 5 times; IF: 1.360)**
25. Wang, R., Zhang, M., **Mujumdar, A.S.**, Effect of osmotic dehydration on microwave freeze-drying characteristics and quality of potato chips, *Drying Technology* 2010;28:798-806. **(Cited: 5 times; IF: 1.662)**
26. Wu, G.-C., Zhang, M., **Mujumdar, A.S.**, Wang, R., Effect of calcium ion and microwave power on structural and quality changes in drying of apple slices, *Drying Technology* 2010;28:517-522. **(Cited: 7 times; IF: 1.662)**
27. Duan, X., Zhang, M., **Mujumdar, A.S.**, Wang, S., Microwave freeze drying of sea cucumber (*Stichopus japonicus*), *Journal of Food Engineering* 2010;96:491-497. **(Cited: 11 times; IF: 2.168)**

28. Gong, Z., Gao, L., An, J., Zhang, M., **Mujumdar, A.S.**, Sun, J., Effects of predrying and vacuum impregnation with Nano-calcium carbonate solution on strawberries, carrots, corn, and blueberries, *Drying Technology* 2010;28:36-41. (Cited: 1 times; IF: 1.662)
29. Wang, R., Zhang, M., **Mujumdar, A.S.**, Sun, J.-C., Microwave freeze-drying characteristics and sensory quality of instant vegetable soup, *Drying Technology* 2009;27:962-968. (Cited: 17 times; IF: 1.662; top 20 cited in Dry Technol)
30. Song, X.-J., Zhang, M., **Mujumdar, A.S.**, Fan, L., Drying characteristics and kinetics of vacuum microwave-dried potato slices, *Drying Technology* 2009;27:969-974. (Cited: 8 times; IF: 1.662)
31. Huang, L.-L., Zhang, M., **Mujumdar, A.S.**, Sun, D.-F., Tan, G.-W., Tang, S., Studies on decreasing energy consumption for a freeze-drying process of apple slices, *Drying Technology* 2009;27:938-946. (Cited: 14 times; IF: 1.662)
32. Piacentini, R., **Mujumdar, A.S.**, Climate change and drying of agricultural products, *Drying Technology* 2009;27:629-635. (Cited: 3 times; IF: 1.662)
33. Huang, L.-l., Zhang, M., Yan, W.-q., **Mujumdar, A.S.**, Sun, D.-f., Effect of coating on post-drying of freeze-dried strawberry pieces, *Journal of Food Engineering* 2009;92:107-111. (Cited: 6 times; IF: 2.168)
34. BiaÅ,obrzewski, I., ZieliÅ,ska, M., **Mujumdar, A.S.**, Markowski, M., Heat and mass transfer during drying of a bed of shrinking particles - Simulation for carrot cubes dried in a spout-fluidized-bed drier, *International Journal of Heat and Mass Transfer* 2008;51:4704-4716. (Cited: 19 times; IF: 1.898)
35. Duan, X., Zhang, M., Li, X., **Mujumdar, A.S.**, Microwave freeze drying of sea cucumber coated with nanoscale silver, *Drying Technology* 2008;26:413-419. (Cited: 26 times; IF: 1.662)
36. Jangam, S.V., Joshi, V.S., **Mujumdar, A.S.**, Thorat, B.N., Studies on dehydration of sapota (*Achras zapota*), *Drying Technology* 2008;26:369-377. (Cited: 18 times; IF: 1.662)
37. Huang, L., Zhang, M., **Mujumdar, A.S.**, Zhang, C., Lu, D., Sun, J., Studies on controlling surface accumulation of glucose on dehydrated cabbage, *Drying Technology* 2008;26:931-935. (Cited: 0 times; IF: 1.662)
38. Song, X.-J., Zhang, M., **Mujumdar, A.S.**, Optimization of vacuum microwave predrying and vacuum frying conditions to produce fried potato chips, *Drying Technology* 2007;25:2027-2034. (Cited: 14 times; IF: 1.662)
39. Song, X.-J., Zhang, M., **Mujumdar, A.S.**, Effect of vacuum-microwave predrying on quality of vacuum-fried potato chips, *Drying Technology* 2007;25:2021-2026. (Cited: 14 times; IF: 1.662)
40. Duan, X., Zhang, M., **Mujumdar, A.S.**, Study on a combination drying technique of sea cucumber, *Drying Technology* 2007;25:2011-2019. (Cited: 21 times; IF: 1.662)
41. Duan, X., Zhang, M., **Mujumdar, A.S.**, Studies on the microwave freeze drying technique and sterilization characteristics of cabbage, *Drying Technology* 2007;25:1725-1731. (Cited: 27 times; IF: 1.662; top 20 cited in Dry Technol)
42. Liu-Ping, F., Zhang, M., **Mujumdar, A.S.**, Storage stability of carrot chips, *Drying Technology* 2007;25:1533-1539. (Cited: 2 times; IF: 1.662)

## Miscellaneous

1. Kurnia, J.C., Birgersson, E., **Mujumdar, A.S.**, Finite deformation of fast-response thermo-sensitive hydrogels - A computational study, *Polymer* 2012; in press. **(Cited: 0 times; IF: 3.828)**
2. Kurnia, J.C., Birgersson, E., **Mujumdar, A.S.**, A phenomenological model for hydrogels with rigid skin formation, *International Journal of Applied Mechanics* 2012;4:12001361. **(Cited: 0 times; IF: NA)**
3. Sasmito, A.P., Kurnia, J.C., **Mujumdar, A.S.**, Numerical evaluation of transport phenomena in a T-junction microreactor with coils of different configurations, *Industrial and Engineering Chemistry Research* 2012;51:1970-1980. **(Cited: 2 times; IF: 2.071)**
4. Kurnia, J.C., Birgersson, E., **Mujumdar, A.S.**, Analysis of a model for pH-sensitive hydrogels, *Polymer* 2012;53:613-622. **(Cited: 1 times; IF: 3.828)**
5. Kurnia, J.C., Birgersson, E., **Mujumdar, A.S.**, Tay, S.P., Yew, Y.K., Li, H., Phenomenological model for coupled alcohol and temperature sensitive hydrogels, *International Journal of Applied Mechanics* 2011;3:279-298. **(Cited: 1 times; IF: NA)**
6. Ghaedamini, H., Salimpour, M.R., **Mujumdar, A.S.**, The effect of svelteness on the bifurcation angles role in pressure drop and flow uniformity of tree-shaped microchannels, *Applied Thermal Engineering* 2011;31:708-716. **(Cited: 1 times; IF: 1.823)**
7. Ghasemi, N., Sohrabi, M., Khosravi, M., **Mujumdar, A.S.**, Goodarzi, M., CFD simulation of solid-liquid flow in a two impinging streams cyclone reactor: Prediction of mean residence time and holdup of solid particles, *Chemical Engineering and Processing: Process Intensification* 2010; 49:1277-1283. **(Cited: 2 times; IF: 1.729)**
8. Cheng, Y.-L., Wong, R.-J., Lin, J.C.-T., Huang, C., Lee, D.-J., **Mujumdar, A.S.**, Water coagulation using electrostatic patch coagulation (EPC) mechanism, *Drying Technology* 2010;28:850-857. **(Cited: 0 times; IF: 1.662)**
9. Kurnia, J.C., Birgersson, E., **Mujumdar, A.S.**, Quah, L.C., Mathematical modeling of hydrogels for microfluidic flow control, *Advanced Materials Research* 2009;74:33-36. **(Cited: 2 times; IF: NA)**
10. Kandasamy, R., **Mujumdar, A.S.**, Interface thermal characteristics of flip chip packages - A numerical study, *Applied Thermal Engineering* 2009;27:822-829. **(Cited: 8 times; IF: 1.823)**
11. Mahbub, F., Hawlader, M.N.A., **Mujumdar, A.S.**, Combined water and power plant (CWPP) - A novel desalination technology, *Desalination and Water Treatment* 2009;5:172-177. **(Cited: 4 times; IF: 0.752)**
12. Xu, P., Wu, Z., **Mujumdar, A.S.**, Yu, B., Innovative hydrocyclone inlet designs to reduce erosion-induced wear in mineral dewatering processes, *Drying Technology* 2009;27:201-211. **(Cited: 6 times; IF: 1.662)**
13. Wang, X.-Q., **Mujumdar, A.S.**, A review on nanofluids - Part I: Theoretical and numerical investigations, *Brazilian Journal of Chemical Engineering* 2008;25:613-630. **(Cited: 45 times; IF: 0.811; Top cited in Braz J Chem Eng)**
14. Wang, X.-Q., **Mujumdar, A.S.**, A review on nanofluids - Part II: Experiments and Applications, *Brazilian Journal of Chemical Engineering* 2008;25:631-648. **(Cited: 45 times; IF: 0.811; Top cited in Braz J Chem Eng)**
15. Min, Q., Duan, Y.-Y., Peng, X.-F., **Mujumdar, A.S.**, Hsu, C., Lee, D.-J., Froth flotation of mineral particles: Mechanism, *Drying Technology* 2008;26:985-995. **(Cited: 3 times; IF: 1.662)**

16. Sung, S.-S., Ju, S.-P., Hsu, C., **Mujumdar, A.S.**, Lee, D.-J., Floc strength evaluation at alternative shearing with presence of natural organic matters, *Drying Technology* 2008;26:996-1001. (**Cited: 8 times; IF: 1.662**)
17. Patel, A.K., Waje, S.S., Thorat, B.N., **Mujumdar, A.S.**, Tomographic diagnosis of gas maldistribution in gas-solid fluidized beds, *Powder Technology* 2008;185:239-250. (**Cited: 8 times; IF: 1.887**)
18. Kandasamy, R., **Mujumdar, A.S.**, Thermal analysis of a flip chip ceramic ball grid array (CBGA) package, *Microelectronics Reliability* 2008;48:261-273. (**Cited: 4 times; IF: 1.066**)
19. Wang, X.-Q., **Mujumdar, A.S.**, Yap, C., Effect of bifurcation angle in tree-shaped microchannel networks, *Journal of Applied Physics* 2007;102:73530. (**Cited: 9 times; IF: 2.064**)
20. Wang, S.J., **Mujumdar, A.S.**, Flow and mixing characteristics of multiple and multi-set opposing jets, *Chemical Engineering and Processing: Process Intensification* 2007;46:703-712. (**Cited: 7 times; IF: 1.729**)
21. Wang, S.J., **Mujumdar, A.S.**, Three-dimensional analysis of flow and mixing characteristics of a novel in-line opposing-jet mixer, *Industrial & Engineering Chemistry Research* 2007;46:632-642. (**Cited: 7 times; IF: 2.071**)