

List of Scopus Indexed Publications by Professor

Mujumdar

(From 1969 to Dec, 2019)

1. Zhang, X. L.; Zhong, C. S.; Mujumdar, A. S.; Yang, X. H.; Deng, L. Z.; Wang, J.; Xiao, H. W., Cold plasma pretreatment enhances drying kinetics and quality attributes of chili pepper (*Capsicum annuum* L.). *Journal of Food Engineering*, 2019, 241, 51-57, DOI: 10.1016/j.jfoodeng.2018.08.002.
2. Yu, X. L.; Ju, H. Y.; Mujumdar, A. S.; Zheng, Z. A.; Wang, J.; Deng, L. Z.; Gao, Z. J.; Xiao, H. W., Experimental and simulation studies of heat transfer in high-humidity hot air impingement blanching (HHAIB) of carrot. *Food and Bioproducts Processing*, 2019, 114, 196-204, DOI: 10.1016/j.fbp.2019.01.001.
3. Xue, L.; Wang, S.; Mujumdar, A. S.; Wang, J.; Yu, X.; Gao, Z., Heating Control Technology of Vacuum Pulse Drying Based on Drying Uniformity. *Nongye Jixie Xuebao/Transactions of the Chinese Society for Agricultural Machinery*, 2019, 50, 317-325, DOI: 10.6041/j.issn.1000-1298.2019.04.036.
4. Xiao, H. W. Mujumdar, A. S., Importance of drying in support of human welfare. *Drying Technology*, 2019, DOI: 10.1080/07373937.2019.1686476.
5. Wu, X. F.; Zhang, M.; Mujumdar, A. S.; Yang, C. H., Effect of ultrasound-assisted osmotic dehydration pretreatment on the infrared drying of Pakchoi Stems. *Drying Technology*, 2019, DOI: 10.1080/07373937.2019.1608232.
6. Waghulde, M.; Rajput, R.; Mujumdar, A.; Naik, J., Production and evaluation of vildagliptin-loaded poly(dl-lactide) and poly(dl-lactide-glycolide) micro-/nanoparticles: Response surface methodology approach. *Drying Technology*, 2019, 37, 1265-1276, DOI: 10.1080/07373937.2018.1495231.
7. Waghulde, M.; Mujumdar, A.; Naik, J., Preparation and characterization of miglitol-loaded Poly (d, l-lactide-co-glycolide) microparticles using high pressure homogenization-solvent evaporation method. *International Journal of Polymeric Materials and Polymeric Biomaterials*, 2019, 68, 198-207, DOI: 10.1080/00914037.2018.1434652.
8. Wagh, P.; Mujumdar, A.; Naik, J. B., Preparation and characterization of ketorolac tromethamine-loaded ethyl cellulose micro-/nanospheres using different techniques. *Particulate Science and Technology*, 2019, 37, 347-357, DOI: 10.1080/02726351.2017.1383330.
9. Verma, U.; Mujumdar, A.; Naik, J., Preparation of Efavirenz resinate by spray drying using response surface methodology and its physicochemical characterization for taste masking. *Drying Technology*, 2019, DOI: 10.1080/07373937.2019.1590845.
10. Sun, Y.; Zhang, M.; Mujumdar, A., Berry Drying: Mechanism, Pretreatment, Drying Technology, Nutrient Preservation, and Mathematical Models. *Food Engineering Reviews*, 2019, 11, 61-77, DOI: 10.1007/s12393-019-9188-3.
11. Sun, Q.; Zhang, M.; Mujumdar, A. S.; Yang, P., Combined LF-NMR and Artificial Intelligence for Continuous Real-Time Monitoring of Carrot in Microwave Vacuum

- Drying. Food and Bioprocess Technology, 2019, 12, 551-562, DOI: 10.1007/s11947-018-2231-1.
- 12. Sun, Q.; Zhang, M.; Mujumdar, A. S., Recent developments of artificial intelligence in drying of fresh food: A review. Critical Reviews in Food Science and Nutrition, 2019, 59, 2258-2275, DOI: 10.1080 10408398.2018.1446900.
 - 13. Song, X. D.; Mujumdar, A. S.; Law, C. L.; Fang, X. M.; Peng, W. J.; Deng, L. Z.; Wang, J.; Xiao, H. W., Effect of drying air temperature on drying kinetics, color, carotenoid content, antioxidant capacity and oxidation of fat for lotus pollen. Drying Technology, 2019, DOI: 10.1080/07373937.2019.1616752.
 - 14. Shirkole, S. S.; Mujumdar, A. S.; Sutar, P. P., Studies on thermal stability of high-power short time microwave dried paprika (*Capsicum annuum* L.) considering the interaction of water molecules with sorption sites. Drying Technology, 2019, DOI: 10.1080/07373937.2019.1693399.
 - 15. Roknul Azam, S. M.; Zhang, M.; Law, C. L.; Mujumdar, A. S., Effects of drying methods on quality attributes of peach (*Prunus persica*) leather. Drying Technology, 2019, 37, 341-351, DOI: 10.1080/07373937.2018.1454942.
 - 16. Mujumdar, A. S., Perspectives on role of IDS series on global R&D in drying. Drying Technology, 2019, DOI: 10.1080/07373937.2019.1560963.
 - 17. Mujumdar, A. S., Tribute to late professor Czesław Strumiłło: Dedicated educator, outstanding researcher, conscientious mentor, and exceptional human being. Drying Technology, 2019, DOI: 10.1080 07373937.2019.1637349.
 - 18. Mujumdar, A. S., Editorial. Drying Technology, 2019, 37, 269, DOI: 10.1080/07373937.2018.1464341.
 - 19. Mujumdar, A. S., Role of academia in industrial developments. Drying Technology, 2019, 37, 679, DOI: 10.1080/07373937.2018.1453442.
 - 20. Mujumdar, A. S., IDS in 1992 and 2020. Drying Technology, 2019, 37, 1743-1744, DOI: 10.1080 07373937.2019.1650451.
 - 21. Li, K.; Zhang, M.; Mujumdar, A. S.; Chitrakar, B., Recent developments in physical field-based drying techniques for fruits and vegetables. Drying Technology, 2019, 37, 1954-1973, DOI: 10.1080 07373937.2018.1546733.
 - 22. Li, J.; An, H.; Sasmito, A. P.; Mujumdar, A. S.; Ling, X., Performance evaluation of mass transport enhancement in novel dual-channel design of micro-reactors. Heat and Mass Transfer/Waerme- und Stoffuebertragung, 2019, DOI: 10.1007/s00231-019-02727-6.
 - 23. Khairnar, G.; Mokale, V.; Mujumdar, A.; Naik, J., Development of nanoparticulate sustained release oral drug delivery system for the antihyperglycemic with antihypertensive drug. Materials Technology, 2019, 34, 880-888, DOI: 10.1080/10667857.2019.1639019.
 - 24. Khaing Hnin, K.; Zhang, M.; Mujumdar, A. S.; Zhu, Y., Emerging food drying technologies with energy-saving characteristics: A review. Drying Technology, 2019, 37, 1465-1480, DOI: 10.1080/07373937.2018.1510417.
 - 25. Kar, S.; Mujumdar, A. S.; Sutar, P. P., Aspergillus niger inactivation in microwave rotary drum drying of whole garlic bulbs and effect on quality of dried garlic powder. Drying Technology, 2019, 37, 1528-1540, DOI: 10.1080/07373937.2018.1517777.

26. Ju, H. Y.; Zhao, S. H.; Mujumdar, A. S.; Zhao, H. Y.; Duan, X.; Zheng, Z. A.; Gao, Z. J.; Xiao, H. W., Step-down relative humidity convective air-drying strategy to enhance drying kinetics, efficiency, and quality of American ginseng root (*Panax quinquefolium*). *Drying Technology*, 2019, DOI: 10.1080/07373937.2019.1597373.
27. H. Bagheri, M.; Esmailpour, K.; Hoseinalipour, S. M.; Mujumdar, A. S., Numerical study and POD snapshot analysis of flow characteristics for pulsating turbulent opposing jets. *International Journal of Numerical Methods for Heat and Fluid Flow*, 2019, 29, 2009-2031, DOI: 10.1108/HFF-07-2018-0382.
28. Guo, C.; Mujumdar, A. S.; Zhang, M., New Development in Radio Frequency Heating for Fresh Food Processing: a Review. *Food Engineering Reviews*, 2019, 11, 29-43, DOI: 10.1007/s12393-018-9184-z.
29. Fan, K.; Zhang, M.; Mujumdar, A. S., Recent developments in high efficient freeze-drying of fruits and vegetables assisted by microwave: A review. *Critical Reviews in Food Science and Nutrition*, 2019, 59, 1357-1366, DOI: 10.1080/10408398.2017.1420624.
30. Devi, S.; Zhang, M.; Ju, R.; Mujumdar, A. S., Co-influence of ultrasound and microwave in vacuum frying on the frying kinetics and nutrient retention properties of mushroom chips. *Drying Technology*, 2019, DOI: 10.1080/07373937.2019.1604542.
31. Deng, L. Z.; Pan, Z.; Mujumdar, A. S.; Zhao, J. H.; Zheng, Z. A.; Gao, Z. J.; Xiao, H. W., High-humidity hot air impingement blanching (HHAIB) enhances drying quality of apricots by inactivating the enzymes, reducing drying time and altering cellular structure. *Food Control*, 2019, 96, 104-111, DOI: 10.1016/j.foodcont.2018.09.008.
32. Deng, L. Z.; Mujumdar, A. S.; Zhang, Q.; Yang, X. H.; Wang, J.; Zheng, Z. A.; Gao, Z. J.; Xiao, H. W., Chemical and physical pretreatments of fruits and vegetables: Effects on drying characteristics and quality attributes—a comprehensive review. *Critical Reviews in Food Science and Nutrition*, 2019, 59, 1408-1432, DOI: 10.1080/10408398.2017.1409192.
33. Deng, L. Z.; Mujumdar, A. S.; Yang, W. X.; Zhang, Q.; Zheng, Z. A.; Wu, M.; Xiao, H. W., Hot air impingement drying kinetics and quality attributes of orange peel. *Journal of Food Processing and Preservation*, 2019, DOI: 10.1111/jfpp.14294.
34. Deng, L. Z.; Mujumdar, A. S.; Pan, Z.; Vidyarthi, S. K.; Xu, J.; Zielinska, M.; Xiao, H. W., Emerging chemical and physical disinfection technologies of fruits and vegetables: a comprehensive review. *Critical Reviews in Food Science and Nutrition*, 2019, DOI: 10.1080/10408398.2019.1649633.
35. Cao, X.; Zhang, M.; Mujumdar, A. S.; Zhong, Q., Evaluation of quality properties and water mobility in vacuum microwave-dried carrot slices using pulse-spouted bed with hot air. *Drying Technology*, 2019, 37, 1087-1096, DOI: 10.1080/07373937.2018.1484758.
36. Cao, X.; Zhang, M.; Mujumdar, A. S.; Wang, Z., Effect of microwave freeze-drying on microbial inactivation, antioxidant substance and flavor quality of Ashitaba leaves (*Angelica keiskei* Koidzumi). *Drying Technology*, 2019, 37, 793-800, DOI: 10.1080/07373937.2018.1463245.
37. Cao, X.; Zhang, M.; Chitrakar, B.; Mujumdar, A. S.; Zhong, Q.; Wang, Z.; Wang, L., Radiofrequency heating for powder pasteurization of barley grass: antioxidant

- substances, sensory quality, microbial load and energy consumption. *Journal of the Science of Food and Agriculture*, 2019, 99, 4460-4467, DOI: 10.1002/jsfa.9683.
38. Yang, X. H.; Deng, L. Z.; Mujumdar, A. S.; Xiao, H. W.; Zhang, Q.; Kan, Z., Evolution and modeling of colour changes of red pepper (*Capsicum annuum* L.) during hot air drying. *Journal of Food Engineering*, 2018, 231, 101-108, DOI: 10.1016/j.jfoodeng.2018.03.013.
39. Yang, F.; Zhang, M.; Mujumdar, A. S.; Zhong, Q.; Wang, Z., Enhancing drying efficiency and product quality using advanced pretreatments and analytical tools—An overview. *Drying Technology*, 2018, 36, 1824-1838, DOI: 10.1080/07373937.2018.1431658.
40. Xie, L.; Zheng, Z. A.; Mujumdar, A. S.; Fang, X. M.; Wang, J.; Zhang, Q.; Ma, Q.; Xiao, H. W.; Liu, Y. H.; Gao, Z. J., Pulsed vacuum drying (PVD) of wolfberry: Drying kinetics and quality attributes. *Drying Technology*, 2018, 36, 1501-1514, DOI: 10.1080/07373937.2017.1414055.
41. Wang, J.; Yang, X. H.; Mujumdar, A. S.; Fang, X. M.; Zhang, Q.; Zheng, Z. A.; Gao, Z. J.; Xiao, H. W., Effects of high-humidity hot air impingement blanching (HHAIB) pretreatment on the change of antioxidant capacity, the degradation kinetics of red pigment, ascorbic acid in dehydrated red peppers during storage. *Food Chemistry*, 2018, 259, 65-72, DOI: 10.1016/j.foodchem.2018.03.123.
42. Wang, J.; Mujumdar, A. S.; Deng, L. Z.; Gao, Z. J.; Xiao, H. W.; Raghavan, G. S. V., High-humidity hot air impingement blanching alters texture, cell-wall polysaccharides, water status and distribution of seedless grape. *Carbohydrate Polymers*, 2018, 194, 9-17, DOI: 10.1016/j.carbpol.2018.04.023.
43. Su, Y.; Zhang, M.; Adhikari, B.; Mujumdar, A. S.; Zhang, W., Improving the energy efficiency and the quality of fried products using a novel vacuum frying assisted by combined ultrasound and microwave technology. *Innovative Food Science and Emerging Technologies*, 2018, 50, 148-159, DOI: 10.1016/j.ifset.2018.10.011.
44. Shrimal, P.; Sanklecha, H.; Patil, P.; Mujumdar, A.; Naik, J., Biodiesel Production in Tubular Microreactor: Optimization by Response Surface Methodology. *Arabian Journal for Science and Engineering*, 2018, 43, 6133-6141, DOI: 10.1007/s13369-018-3245-8.
45. Mujumdar, A. S., Editorial: On academia–industry collaboration in drying research. *Drying Technology*, 2018, 36, 763, DOI: 10.1080/07373937.2017.1350626.
46. Mujumdar, A. S., On thirty years of editorship of *Drying Technology*. *Drying Technology*, 2018, 36, 1781-1782, DOI: 10.1080/07373937.2018.1465323.
47. Kulkarni, S.; Patil, P.; Mujumdar, A.; Naik, J., Synthesis and evaluation of gas sensing properties of PANI, PANI SnO₂ and PANI/SnO₂/rGO nanocomposites at room temperature. *Inorganic Chemistry Communications*, 2018, 96, 90-96, DOI: 10.1016/j.inoche.2018.08.008.
48. Ju, H. Y.; Zhao, S. H.; Mujumdar, A. S.; Fang, X. M.; Gao, Z. J.; Zheng, Z. A.; Xiao, H. W., Energy efficient improvements in hot air drying by controlling relative humidity based on Weibull and Bi-Di models. *Food and Bioproducts Processing*, 2018, 111, 20-29, DOI: 10.1016/j.fbp.2018.06.002.

49. Jin, W.; Mujumdar, A. S.; Zhang, M.; Shi, W., Novel Drying Techniques for Spices and Herbs: a Review. *Food Engineering Reviews*, 2018, 10, 34-45, DOI: 10.1007/s12393-017-9165-7.
50. Gao, Y.; Wang, H.; Sasmito, A. P.; Mujumdar, A. S., Measurement and modeling of thermal conductivity of graphene nanoplatelet water and ethylene glycol base nanofluids. *International Journal of Heat and Mass Transfer*, 2018, 123, 97-109, DOI: 10.1016/j.ijheatmasstransfer.2018.02.089.
51. Feng, Y.; Zhang, M.; Fan, K.; Mujumdar, A. S., Effects of drying methods on quality of fermented plant extract powder. *Drying Technology*, 2018, 36, 1913-1919, DOI: 10.1080/07373937.2018.1461649.
52. Deshmukh, R.; Mujumdar, A.; Naik, J., Production of aceclofenac-loaded sustained release micro nanoparticles using pressure homogenization and spray drying. *Drying Technology*, 2018, 36, 459-467, DOI: 10.1080/07373937.2017.1341418.
53. Deng, L. Z.; Yang, X. H.; Mujumdar, A. S.; Zhao, J. H.; Wang, D.; Zhang, Q.; Wang, J.; Gao, Z. J.; Xiao, H. W., Red pepper (*Capsicum annuum* L.) drying: Effects of different drying methods on drying kinetics, physicochemical properties, antioxidant capacity, and microstructure. *Drying Technology*, 2018, 36, 893-907, DOI: 10.1080/07373937.2017.1361439.
54. Deng, L. Z.; Mujumdar, A. S.; Yang, X. H.; Wang, J.; Zhang, Q.; Zheng, Z. A.; Gao, Z. J.; Xiao, H. W., High humidity hot air impingement blanching (HHAIB) enhances drying rate and softens texture of apricot via cell wall pectin polysaccharides degradation and ultrastructure modification. *Food Chemistry*, 2018, 261, 292-300, DOI: 10.1016/j.foodchem.2018.04.062.
55. Cao, X.; Zhang, M.; Mujumdar, A. S.; Zhong, Q.; Wang, Z., Effects of ultrasonic pretreatments on quality, energy consumption and sterilization of barley grass in freeze drying. *Ultrasonics Sonochemistry*, 2018, 40, 333-340, DOI: 10.1016/j.ulstsonch.2017.06.014.
56. Cao, X.; Zhang, M.; Mujumdar, A. S.; Zhong, Q.; Wang, Z., Effect of microwave freeze drying on quality and energy supply in drying of barley grass. *Journal of the Science of Food and Agriculture*, 2018, 98, 1599-1605, DOI: 10.1002/jsfa.8634.
57. Cao, X.; Zhang, M.; Mujumdar, A. S.; Zhong, Q.; Wang, Z., Effect of nano-scale powder processing on physicochemical and nutritional properties of barley grass. *Powder Technology*, 2018, 336, 161-167, DOI: 10.1016/j.powtec.2018.05.054.
58. Cao, X.; Zhang, M.; Mujumdar, A. S.; Zhong, Q.; Wang, Z., Measurement of water mobility and distribution in vacuum microwave-dried barley grass using Low-Field-NMR. *Drying Technology*, 2018, 36, 1892-1899, DOI: 10.1080/07373937.2018.1449753.
59. Bawornruttanabunya, K.; Laosiripojana, N.; Mujumdar, A. S.; Devahastin, S., Catalytic partial oxidation of CH_{4} over bimetallic Ni-Re/Al₂O₃: Kinetic determination for application in microreactor. *AIChE Journal*, 2018, 64, 1691-1701, DOI: 10.1002/aic.16037.
60. Bawornruttanabunya, K.; Devahastin, S.; Mujumdar, A. S.; Laosiripojana, N., Comparative evaluation of autothermal reforming of biogas into synthesis gas over bimetallic Ni-Re/Al₂O₃ catalyst in fixed-bed and coated-wall

- microreactors: A computational study. *International Journal of Hydrogen Energy*, 2018, 43, 13237-13255, DOI: 10.1016/j.ijhydene.2018.05.086.
- 61. Bawornruttanaboonya, K.; Devahastin, S.; Mujumdar, A. S.; Laosiripojana, N., Comparative numerical evaluation of autothermal biogas reforming in conventional and split-and-recombine microreactors. *International Journal of Hydrogen Energy*, 2018, 43, 22874-22884, DOI: 10.1016/j.ijhydene.2018.10.140.
 - 62. Azam, S. M. R.; Zhang, M.; Mujumdar, A. S.; Yang, C., Study on 3D printing of orange concentrate and material characteristics. *Journal of Food Process Engineering*, 2018, 41, DOI: 10.1111/jfpe.12689.
 - 63. Zhang, M.; Chen, H.; Mujumdar, A. S.; Tang, J.; Miao, S.; Wang, Y., Recent developments in high-quality drying of vegetables, fruits, and aquatic products. *Critical Reviews in Food Science and Nutrition*, 2017, 57, 1239-1255, DOI: 10.1080/10408398.2014.979280.
 - 64. Xu, J. C.; Zhang, M.; Mujumdar, A. S.; Adhikari, B., Recent developments in smart freezing technology applied to fresh foods. *Critical Reviews in Food Science and Nutrition*, 2017, 57, 2835-2843, DOI: 10.1080/10408398.2015.1074158.
 - 65. Xie, L.; Mujumdar, A. S.; Zhang, Q.; Wang, J.; Liu, S.; Deng, L.; Wang, D.; Xiao, H. W.; Liu, Y. H.; Gao, Z. J., Pulsed vacuum drying of wolfberry: Effects of infrared radiation heating and electronic panel contact heating methods on drying kinetics, color profile, and volatile compounds. *Drying Technology*, 2017, 35, 1312-1326, DOI: 10.1080/07373937.2017.1319854.
 - 66. Xie, L.; Mujumdar, A. S.; Fang, X. M.; Wang, J.; Dai, J. W.; Du, Z. L.; Xiao, H. W.; Liu, Y.; Gao, Z. J., Far-infrared radiation heating assisted pulsed vacuum drying (FIR-PVD) of wolfberry (*Lycium barbarum* L.): Effects on drying kinetics and quality attributes. *Food and Bioproducts Processing*, 2017, 102, 320-331, DOI: 10.1016/j.fbp.2017.01.012.
 - 67. Xiao, H. W.; Pan, Z.; Deng, L. Z.; El-Mashad, H. M.; Yang, X. H.; Mujumdar, A. S.; Gao, Z. J.; Zhang, Q., Recent developments and trends in thermal blanching – A comprehensive review. *Information Processing in Agriculture*, 2017, 4, 101-127, DOI: 10.1016/j.inpa.2017.02.001.
 - 68. Xiao, H. W. Mujumdar, A. S., Role of expert reviews in guiding future drying R&D. *Drying Technology*, 2017, 35, 525-526, DOI: 10.1080/07373937.2017.1295666.
 - 69. Wang, Y.; Mujumdar, A. S.; Zhang, M., Microwave-assisted pulsed fluidized and spouted bed drying, in *Intermittent and Nonstationary Drying Technologies: Principles and Applications*. 2017. p. 139-162.
 - 70. Wang, J.; Yang, X. H.; Mujumdar, A. S.; Wang, D.; Zhao, J. H.; Fang, X. M.; Zhang, Q.; Xie, L.; Gao, Z. J.; Xiao, H. W., Effects of various blanching methods on weight loss, enzymes inactivation, phytochemical contents, antioxidant capacity, ultrastructure and drying kinetics of red bell pepper (*Capsicum annuum* L.). *LWT*, 2017, 77, 337-347, DOI: 10.1016/j.lwt.2016.11.070.
 - 71. Wang, J.; Mu, W. S.; Fang, X. M.; Mujumdar, A. S.; Yang, X. H.; Xue, L. Y.; Xie, L.; Xiao, H. W.; Gao, Z. J.; Zhang, Q., Pulsed vacuum drying of Thompson seedless grape: Effects of berry ripeness on physicochemical properties and drying

- characteristic. *Food and Bioproducts Processing*, 2017, 106, 117-126, DOI: 10.1016/j.fbp.2017.09.003.
- 72. Wang, J.; Fang, X. M.; Mujumdar, A. S.; Qian, J. Y.; Zhang, Q.; Yang, X. H.; Liu, Y. H.; Gao, Z. J.; Xiao, H. W., Effect of high-humidity hot air impingement blanching (HHAIB) on drying and quality of red pepper (*Capsicum annuum L.*). *Food Chemistry*, 2017, 220, 145-152, DOI: 10.1016/j.foodchem.2016.09.200.
 - 73. Su, Y.; Zhang, M.; Mujumdar, A. S., Smart drying technology for vegetable products, in *Handbook of Drying of Vegetables and Vegetable Products*. 2017. p. 117-134.
 - 74. Sasmito, A. P.; Kurnia, J. C.; Shamim, T.; Mujumdar, A. S., Optimization of an open-cathode polymer electrolyte fuel cells stack utilizing Taguchi method. *Applied Energy*, 2017, 185, 1225-1232, DOI: 10.1016/j.apenergy.2015.12.098.
 - 75. Sasmito, A. P.; Kurnia, J. C.; Birgersson, E.; Mujumdar, A. S., Computational evaluation of thermal management strategies in an underground mine. *Applied Thermal Engineering*, 2017, 90, DOI: 10.1016/j.applthermaleng.2015.01.062.
 - 76. Rajkumar, G.; Shanmugam, S.; Galvão, M. D. S.; Leite Neta, M. T. S.; Dutra Sandes, R. D.; Mujumdar, A. S.; Narain, N., Comparative evaluation of physical properties and aroma profile of carrot slices subjected to hot air and freeze drying. *Drying Technology*, 2017, 35, 699-708, DOI: 10.1080/07373937.2016.1206925.
 - 77. Rajkumar, G.; Shanmugam, S.; Galvão, M. D. S.; Dutra Sandes, R. D.; Leite Neta, M. T. S.; Narain, N.; Mujumdar, A. S., Comparative evaluation of physical properties and volatiles profile of cabbages subjected to hot air and freeze drying. *LWT - Food Science and Technology*, 2017, 80, 501-509, DOI: 10.1016/j.lwt.2017.03.020.
 - 78. Narain, N.; Rajkumar, G.; Leite Neta, M. T. S.; Barros, R. G. C.; Shanmugam, S.; Denadai, M.; Mujumdar, A. S., Aroma aspects of fresh and dried vegetables, in *Handbook of Drying of Vegetables and Vegetable Products*. 2017. p. 317-345.
 - 79. Mujumdar, A. S.; Douglas, W. J.; Woodard, E. R.; Hahn, E. R.; Shaffer, M. R.; Thompson, L. L.; Parker, G.; Lickacz, L.; Shu, S.; Bareiss, R. A.; Chari, N. C.; Gudaz, J. A.; Sperry, R. E.; Potterton, S. T.; Kenney, R. J., TAPPI, Engineering Conference, New Orleans, LA, OCT 3-5 1972. 2017.
 - 80. Mujumdar, A. S.; Ali Ashraf, F.; Menon, A. S.; Weber, M. E., PCM Thermal Energy Storage In Cylindrical Containers Of Various Configurations. *Alternative Energy Sources: Proceedings of the Miami International Congress on Energy and the Environment*, 2017, 1, 367-382.
 - 81. Mujumdar, A. S., Series preface. *Intermittent and Nonstationary Drying Technologies: Principles and Applications*, 2017, ix, DOI: 10.4324/9781351251303.
 - 82. Mujumdar, A. S., Drying R&D in China. *Drying Technology*, 2017, 35, 1289, DOI: 10.1080/07373937.2017.1342524.
 - 83. Kurnia, J. C.; Sasmito, A. P.; Xu, P.; Mujumdar, A. S., Performance and potential energy saving of thermal dryer with intermittent impinging jet. *Applied Thermal Engineering*, 2017, 113, 246-258, DOI: 10.1016/j.applthermaleng.2016.11.036.
 - 84. Jangam, S. V. Mujumdar, A. S., Developments in intermittent and non-stationary drying technologies, in *Intermittent and Nonstationary Drying Technologies: Principles and Applications*. 2017. p. 1-17.

85. Jangam, S. V. Mujumdar, A. S., Drying of herbs and spices, in *Handbook of Drying of Vegetables and Vegetable Products*. 2017. p. 157-172.
86. Huang, B.; Douglas, W. J. M.; Mujumdar, A. S., Heat Transfer Under A Laminar Swirling Impinging Jet - A Numerical Study. 2017.
87. Feng, Y.; Zhang, M.; Mujumdar, A. S.; Gao, Z., Recent research process of fermented plant extract: A review. *Trends in Food Science and Technology*, 2017, 65, 40-48, DOI: 10.1016/j.tifs.2017.04.006.
88. Fan, K.; Zhang, M.; Mujumdar, A. S., Application of airborne ultrasound in the convective drying of fruits and vegetables: A review. *Ultrasonics Sonochemistry*, 2017, 39, 47-57, DOI: 10.1016/j.ultsonch.2017.04.001.
89. Cao, X.; Zhang, M.; Qian, H.; Mujumdar, A. S.; Wang, Z., Physicochemical and nutraceutical properties of barley grass powder microencapsulated by spray drying. *Drying Technology*, 2017, 35, 1358-1367, DOI: 10.1080/07373937.2017.1332074.
90. Cao, X.; Zhang, M.; Qian, H.; Mujumdar, A. S., Drying based on temperature-detection-assisted control in microwave-assisted pulse-spouted vacuum drying. *Journal of the Science of Food and Agriculture*, 2017, 97, 2307-2315, DOI: 10.1002/jsfa.8040.
91. Cao, X.; Zhang, M.; Fang, Z.; Mujumdar, A. S.; Jiang, H.; Qian, H.; Ai, H., Drying kinetics and product quality of green soybean under different microwave drying methods. *Drying Technology*, 2017, 35, 240-248, DOI: 10.1080/07373937.2016.1170698.
92. Bawornruttanabonya, K.; Devahastin, S.; Mujumdar, A. S.; Laosiripojana, N., A computational fluid dynamic evaluation of a new microreactor design for catalytic partial oxidation of methane. *International Journal of Heat and Mass Transfer*, 2017, 115, 174-185, DOI: 10.1016/j.ijheatmasstransfer.2017.08.027.
93. Xu, P.; Sasmito, A. P.; Yu, B.; Mujumdar, A. S., Transport Phenomena and Properties in Treelike Networks. *Applied Mechanics Reviews*, 2016, 68, DOI: 10.1115/1.4033966.
94. Xu, P.; Sasmito, A. P.; Qiu, S.; Mujumdar, A. S.; Xu, L.; Geng, L., Heat transfer and entropy generation in air jet impingement on a model rough surface. *International Communications in Heat and Mass Transfer*, 2016, 72, 48-56, DOI: 10.1016/j.icheatmasstransfer.2016.01.007.
95. Xu, P.; Sasmito, A. P.; Mujumdar, A. S., A computational study of heat transfer under twin turbulent slot jets impinging on planar smooth and rough surfaces. *Thermal Science*, 2016, 20, s47-s57, DOI: 10.2298 TSC1151130016X.
96. Tong, W.; Somasundaram, K.; Birgersson, E.; Mujumdar, A. S.; Yap, C., Thermo-electrochemical model for forced convection air cooling of a lithium-ion battery module. *Applied Thermal Engineering*, 2016, 99, 672-682, DOI: 10.1016/j.applthermaleng.2016.01.050.
97. Sookjitsumran, W.; Devahastin, S.; Mujumdar, A. S.; Chiewchan, N., Comparative evaluation of microwave-assisted extraction and preheated solvent extraction of bioactive compounds from a plant material: a case study with cabbages. *International Journal of Food Science and Technology*, 2016, 51, 2440-2449, DOI: 10.1111/ijfs.13225.

98. Kurnia, J. C.; Sasmito, A. P.; Shamim, T.; Mujumdar, A. S., Numerical investigation of heat transfer and entropy generation of laminar flow in helical tubes with various cross sections. *Applied Thermal Engineering*, 2016, 102, 849-860, DOI: 10.1016/j.applthermaleng.2016.04.037.
99. Kurnia, J. C.; Sasmito, A. P.; Mujumdar, A. S., Potential catalyst savings in heterogeneous gaseous spiral coiled reactor utilizing selective wall coating - A computational study. *Computers and Chemical Engineering*, 2016, 88, 59-72, DOI: 10.1016/j.compchemeng.2016.02.004.
100. Kurnia, J. C.; Sasmito, A. P.; Mujumdar, A. S., Thermal Performance of Coiled Square Tubes at Large Temperature Differences for Heat Exchanger Application. *Heat Transfer Engineering*, 2016, 37, 1341-1356, DOI: 10.1080/01457632.2015.1136141.
101. Kurnia, J. C.; Jangam, S. V.; Akhtar, S.; Sasmito, A. P.; Mujumdar, A. S., Advances in biofuel production from oil palm and palm oil processing wastes: A review. *Biofuel Research Journal*, 2016, 3, 332-346, DOI: 10.18331 BRJ2016.3.1.3.
102. Ju, H. Y.; Zhang, Q.; Mujumdar, A. S.; Fang, X. M.; Xiao, H. W.; Gao, Z. J., Hot-air Drying Kinetics of Yam Slices under Step Change in Relative Humidity. *International Journal of Food Engineering*, 2016, 12, 783-792, DOI: 10.1515/ijfe-2015-0340.
103. Jiang, H.; Zhang, M.; Mujumdar, A. S.; Lim, R. X., Drying uniformity analysis of pulse-spouted microwave-freeze drying of banana cubes. *Drying Technology*, 2016, 34, 539-546, DOI: 10.1080 07373937.2015.1061000.
104. Jiang, H.; Zhang, M.; Fang, Z.; Mujumdar, A. S.; Xu, B., Effect of different dielectric drying methods on the physic-chemical properties of a starch-water model system. *Food Hydrocolloids*, 2016, 52, 192-200, DOI: 10.1016/j.foodhyd.2015.06.021.
105. Ghasemkhani, H.; Keyhani, A.; Aghbashlo, M.; Rafiee, S.; Mujumdar, A. S., Improving exergetic performance parameters of a rotating-tray air dryer via a simple heat exchanger. *Applied Thermal Engineering*, 2016, 94, 13-23, DOI: 10.1016/j.applthermaleng.2015.10.114.
106. Ghadi, S.; Esmailpour, K.; Hosseinalipour, S. M.; Mujumdar, A., Experimental study of formation and development of coherent vortical structures in pulsed turbulent impinging jet. *Experimental Thermal and Fluid Science*, 2016, 74, 382-389, DOI: 10.1016/j.expthermflusci.2015.12.007.
107. Ahmadi, H.; Moghari, R. M.; Esmailpour, K.; Mujumdar, A. S., Numerical investigation of semi-confined turbulent slot jet impingement on a concave surface using an Al₂O₃-water nanofluid. *Applied Mathematical Modelling*, 2016, 40, 1110-1125, DOI: 10.1016/j.apm.2015.06.021.
108. Zhang, M.; Chen, H.; Mujumdar, A. S.; Zhong, Q.; Sun, J., Recent Developments in High-Quality Drying with Energy-Saving Characteristic for Fresh Foods. *Drying Technology*, 2015, 33, 1590-1600, DOI: 10.1080 07373937.2015.1012267.
109. Xiao, H. W.; Mujumdar, A. S.; Che, L., Uncouple from economy boom. *Nature*, 2015, 517, 145, DOI: 10.1038 517145e.
110. Xiao, H. W.; Mujumdar, A. S.; Che, L., Pollution: Uncouple from economy boom. *Nature*, 2015, 517, 145, DOI: 10.1038/517145b.
111. Xiao, H. W.; Gao, Z. J.; Mujumdar, A. S., Seafood: Mining shell waste will not be easy. *Nature*, 2015, 525, 321, DOI: 10.1038/525321c.

112. Tong, W.; Somasundaram, K.; Birgersson, E.; Mujumdar, A. S.; Yap, C., Numerical investigation of water cooling for a lithium-ion bipolar battery pack. *International Journal of Thermal Sciences*, 2015, 94, 259-269, DOI: 10.1016/j.ijthermalsci.2015.03.005.
113. Tong, W.; Koh, W. Q.; Birgersson, E.; Mujumdar, A. S.; Yap, C., Correlating uncertainties of a lithium-ion battery - A Monte Carlo simulation. *International Journal of Energy Research*, 2015, 39, 778-788, DOI: 10.1002/er.3282.
114. Tohidi, A.; Hosseinalipour, S. M.; Shokrpour, M.; Mujumdar, A. S., Heat transfer enhancement utilizing chaotic advection in coiled tube heat exchangers. *Applied Thermal Engineering*, 2015, 76, 185-195, DOI: 10.1016/j.applthermaleng.2014.10.073.
115. Tohidi, A.; Ghaffari, H.; Nasibi, H.; Mujumdar, A. S., Heat transfer enhancement by combination of chaotic advection and nanofluids flow in helically coiled tube. *Applied Thermal Engineering*, 2015, 86, 91-105, DOI: 10.1016/j.applthermaleng.2015.04.043.
116. Su, Y.; Zhang, M.; Mujumdar, A. S., Recent Developments in Smart Drying Technology. *Drying Technology*, 2015, 33, 260-276, DOI: 10.1080/07373937.2014.985382.
117. Song, C. F.; Cui, Z. W.; Jin, G. Y.; Mujumdar, A. S.; Yu, J. F., Effects of Four Different Drying Methods on the Quality Characteristics of Peeled Litchis (*Litchi chinensis* Sonn.). *Drying Technology*, 2015, 33, 583-590, DOI: 10.1080/07373937.2014.963203.
118. Show, K. Y.; Lee, D. J.; Mujumdar, A. S., Advances and Challenges on Algae Harvesting and Drying. *Drying Technology*, 2015, 33, 386-394, DOI: 10.1080/07373937.2014.948554.
119. Sasmito, A. P.; Kurnia, J. C.; Shamim, T.; Mujumdar, A. S. Optimization of Design Parameters for an Open-cathode Polymer Electrolyte Fuel Cells Stack Utilizing Taguchi Method. in *Energy Procedia*. 2015.
120. Mujumdar, A. S.; Law, C. L.; Woo, M. W., Freeze Drying: Effects on Sensory and Nutritional Properties, in *Encyclopedia of Food and Health*. 2015. p. 99-103.
121. Mujumdar, A. S., Editorial: IDS and Global Drying R&D. *Drying Technology*, 2015, 33, 1, DOI: 10.1080/07373937.2014.892331.
122. Mujumdar, A. S., Editorial: Academic Research Under Resource-Challenged Conditions. *Drying Technology*, 2015, 33, 257, DOI: 10.1080/07373937.2014.997608.
123. Mujumdar, A. S., Editorial: Role of Global Networking in Research Collaboration. *Drying Technology*, 2015, 33, 513, DOI: 10.1080/07373937.2014.998504.
124. Mujumdar, A. S., Editorial: On the Occasion of the 85th Birthday of Professor Czeslaw Strumillo. *Drying Technology*, 2015, 33, 633, DOI: 10.1080/07373937.2015.1027107.
125. Liu, P.; Mujumdar, A. S.; Zhang, M.; Jiang, H., Comparison of Three Blanching Treatments on the Color and Anthocyanin Level of the Microwave-Assisted Spouted Bed Drying of Purple Flesh Sweet Potato. *Drying Technology*, 2015, 33, 66-71, DOI: 10.1080/07373937.2014.936558.
126. Kurnia, J. C.; Sasmito, A. P.; Hassani, F. P.; Mujumdar, A. S., Introduction and evaluation of a novel hybrid brattice for improved dust control in underground mining faces: A computational study. *International Journal of Mining Science and Technology*, 2015, 25, 537-543, DOI: 10.1016/j.ijmst.2015.05.004.

127. Kurnia, J. C.; Sasmito, A. P.; Akhtar, S.; Shamim, T.; Mujumdar, A. S. Numerical Investigation of Heat Transfer Performance of Various Coiled Square Tubes for Heat Exchanger Application. in Energy Procedia. 2015.
128. Jangam, S. V.; Mujumdar, A. S.; Adhikari, B., Drying: Physical and Structural Changes, in Encyclopedia of Food and Health. 2015. p. 446-455.
129. Gao, Y.; Zhang, M.; Wang, Y.; Mujumdar, A. S.; Chen, W., Textural and sensory properties of herring (*Clupea harengus*) cubes in Chinese-type paste as affected by prefrying methods. Journal of Aquatic Food Product Technology, 2015, 24, 179-190, DOI: 10.1080/10498850.2013.767297.
130. Esmailpour, K.; Hosseinalipour, M.; Bozorgmehr, B.; Mujumdar, A. S., A numerical study of heat transfer in a turbulent pulsating impinging jet. Canadian Journal of Chemical Engineering, 2015, 93, 959-969, DOI: 10.1002/cjce.22169.
131. Esmailpour, K.; Bozorgmehr, B.; Hosseinalipour, S. M.; Mujumdar, A. S., Entropy generation and second law analysis of pulsed impinging jet. International Journal of Numerical Methods for Heat and Fluid Flow, 2015, 25, 1089-1106, DOI: 10.1108/HFF-05-2014-0148.
132. Chiewchan, N.; Mujumdar, A. S.; Devahastin, S., Application of Drying Technology to Control Aflatoxins in Foods and Feeds: A Review. Drying Technology, 2015, 33, 1700-1707, DOI: 10.1080/07373937.2015.1068795.
133. Chang, Y. R.; Lee, D. J.; Chang, J. S.; Mujumdar, A. S., Enhancement of Lutein Yield from Coagulated Chlorella sp. ESP-6 with Sodium Hypochlorite. Drying Technology, 2015, 33, 429-433, DOI: 10.1080/07373937.2014.970261.
134. Ahmadi, H.; Rajabi-Zargarabadi, M.; Mujumdar, A. S.; Mohammadpour, J., Numerical modeling of a turbulent semi-confined slot jet impinging on a concave surface. Thermal Science, 2015, 19, 129-140, DOI: 10.2298/TSCI121003057A.
135. Aghbashlo, M.; Hosseinpour, S.; Mujumdar, A. S., Application of Artificial Neural Networks (ANNs) in Drying Technology: A Comprehensive Review. Drying Technology, 2015, 33, 1397-1462, DOI: 10.1080/07373937.2015.1036288.
136. Zolfagharian, M. M.; Rajabi-Zargarabadi, M.; Mujumdar, A. S.; Valipour, M. S.; Asadollahi, M., Optimization of turbine blade cooling using combined cooling techniques. Engineering Applications of Computational Fluid Mechanics, 2014, 8, 462-475.
137. Wu, Z.; Yue, L.; Li, Z.; Li, J.; Mujumdar, A. S.; Rehkopf, J. A., Pulse Combustion Spray Drying of Egg White: Energy Efficiency and Product Quality. Food and Bioprocess Technology, 2014, 8, 148-157, DOI: 10.1007/s11947-014-1384-9.
138. Woo, M. W. Mujumdar, A. S., Product functionality-oriented drying process related to pharmaceutical particles engineering, in Handbook of Industrial Drying, Fourth Edition. 2014. p. 985-998.
139. Wang, Y.; Zhang, M.; Mujumdar, A. S.; Chen, H., Drying and Quality Characteristics of Shredded Squid in an Infrared-Assisted Convective Dryer. Drying Technology, 2014, 32, 1828-1839, DOI: 10.1080/07373937.2014.952379.
140. Wang, Y.; Zhang, M.; Mujumdar, A. S., Microwave-Assisted Drying of Foods - Equipment, Process and Product Quality, in Modern Drying Technology. 2014. p. 279-315.

141. Wang, R.; Huo, H.; Dou, R.; Li, Z.; Mujumdar, A. S., Effect of the Inside Placement of Electrically Conductive Beads on Electric Field Uniformity in a Microwave Applicator. *Drying Technology*, 2014, 32, 1997-2004, DOI: 10.1080/07373937.2014.929585.
142. Wang, H.; Zhang, M.; Mujumdar, A. S., Comparison of Three New Drying Methods for Drying Characteristics and Quality of Shiitake Mushroom (*Lentinus edodes*). *Drying Technology*, 2014, 32, 1791-1802, DOI: 10.1080 07373937.2014.947426.
143. Wang, B.; Huang, L. X.; Mujumdar, A. S., Drying of nanosize products, in *Handbook of Industrial Drying*, Fourth Edition. 2014. p. 703-716.
144. Tunçalı, T.; Jangam, S. V.; Mujumdar, A. S., Physicochemical aspects of sludge drying, in *Handbook of Industrial Drying*, Fourth Edition. 2014. p. 883-894.
145. Tsotsas, E. Mujumdar, A. S., Modern Drying Technology. *Modern Drying Technology*. Vol. 5. 2014. 1-372.
146. Tsotsas, E. Mujumdar, A. S., Preface of Volume 5. *Modern Drying Technology*, 2014, 5, xv-xviii.
147. Tsotsas, E. Mujumdar, A. S., Series Preface. *Modern Drying Technology*, 2014, 5, xi-xiv.
148. Tsotsas, E. Mujumdar, A. S., Preface of Volume 3. *Modern Drying Technology*, 2014, 3-4, xvii-xix.
149. Tsotsas, E. Mujumdar, A. S., Preface of Volume 4. *Modern Drying Technology*, 2014, 4-4, xv-xviii.
150. Tsotsas, E. Mujumdar, A. S., Preface of Volume 2. *Modern Drying Technology*, 2014, 2-4, xvii-xxii.
151. Tsotsas, E. Mujumdar, A. S., Series Preface 1. *Modern Drying Technology*, 2014, 1-4, xi-xiv.
152. Tsotsas, E. Mujumdar, A. S., Modern Drying Technology. *Modern Drying Technology*. Vol. 1-4. 2014. 1-394.
153. Tsotsas, E. Mujumdar, A. S., Preface of Volume 1. *Modern Drying Technology*, 2014, 1-4, xv-xx.
154. Tsotsas, E. Mujumdar, A. S., Series Preface 4. *Modern Drying Technology*, 2014, 4-4, xi-xiv.
155. Tsotsas, E. Mujumdar, A. S., Series Preface 3. *Modern Drying Technology*, 2014, 3-4, xiii-xvi.
156. Tsotsas, E. Mujumdar, A. S., Series Preface 2. *Modern Drying Technology*, 2014, 2-4, xiii-xvi.
157. Tohidi, A.; Hosseinalipour, S. M.; Monfared, Z. G.; Mujumdar, A. S., Laminar heat transfer enhancement utilizing nanofluids in a chaotic flow. *Journal of Heat Transfer*, 2014, 136, DOI: 10.1115/1.4027773.
158. Shaker, M.; Birgersson, E.; Mujumdar, A. S., Extended Maxwell model for the thermal conductivity of nanofluids that accounts for nonlocal heat transfer. *International Journal of Thermal Sciences*, 2014, 84, 260-266, DOI: 10.1016/j.ijthermalsci.2014.05.010.

159. Sablani, S. S. Mujumdar, A. S., Drying of potato, sweet potato, and other roots, in Handbook of Industrial Drying, Fourth Edition. 2014. p. 647-660.
160. Roknul, A. S. M.; Zhang, M.; Mujumdar, A. S.; Wang, Y., A Comparative Study of Four Drying Methods on Drying Time and Quality Characteristics of Stem Lettuce Slices (*Lactuca sativa* L.). *Drying Technology*, 2014, 32, 657-666, DOI: 10.1080/07373937.2013.850435.
161. Ratti, C. Mujumdar, A. S., Infrared drying, in Handbook of Industrial Drying, Fourth Edition. 2014. p. 405-420.
162. Qi, L. L.; Zhang, M.; Mujumdar, A. S.; Meng, X. Y.; Chen, H. Z., Comparison of Drying Characteristics and Quality of Shiitake Mushrooms (*Lentinus edodes*) Using Different Drying Methods. *Drying Technology*, 2014, 32, 1751-1761, DOI: 10.1080/07373937.2014.929588.
163. Polat, O. Mujumdar, A. S., Drying of pulp and paper, in Handbook of Industrial Drying, Fourth Edition. 2014. p. 773-796.
164. Pallai, E.; Szentmarjay, T.; Mujumdar, A. S., Spouted bed drying, in Handbook of Industrial Drying, Fourth Edition. 2014. p. 351-370.
165. Pakowski, Z. Mujumdar, A. S., Basic process calculations and simulations in drying, in Handbook of Industrial Drying, Fourth Edition. 2014. p. 51-76.
166. Pakowski, Z. Mujumdar, A. S., Drying of pharmaceutical products, in Handbook of Industrial Drying, Fourth Edition. 2014. p. 681-702.
167. Mujumdar, A. S.; Jangam, S. V.; Pikoń, J., Drying of coal, in Handbook of Industrial Drying, Fourth Edition. 2014. p. 999-1022.
168. Mujumdar, A. S. Hasan, M., Drying of polymers, in Handbook of Industrial Drying, Fourth Edition. 2014. p. 937-960.
169. Mujumdar, A. S., Editorial: Role of R&D in Innovation. *Drying Technology*, 2014, 32, 1, DOI: 10.1080/07373937.2013.813217.
170. Mujumdar, A. S., Editorial: 14th Chinese Drying Conference, Changzhou, China, October 2013. *Drying Technology*, 2014, 32, 127, DOI: 10.1080/07373937.2013.866862.
171. Mujumdar, A. S., Proceedings of the First International Drying Symposium McGill University, Montreal, Canada, August 1978. *Drying Technology*, 2014, 32, 128-129, DOI: 10.1080/07373937.2013.813231.
172. Mujumdar, A. S., Editorial: Role of Insight, Oversight, and Foresight in Successful R&D. *Drying Technology*, 2014, 32, 247-248, DOI: 10.1080/07373937.2013.813220.
173. Mujumdar, A. S., Editorial: The Making of the Handbook of Industrial Drying. *Drying Technology*, 2014, 32, 627-628, DOI: 10.1080/07373937.2013.822648.
174. Mujumdar, A. S., Editorial: On Revised and Enhanced Versions of the Handbook of Industrial Drying. *Drying Technology*, 2014, 32, 755-756, DOI: 10.1080/07373937.2013.822649.
175. Mujumdar, A. S., Editorial: A Historical Perspective on Various Books and Book Series in Drying Edited by Prof. Arun S. Mujumdar. *Drying Technology*, 2014, 32, 877-878, DOI: 10.1080/07373937.2013.836934.

176. Mujumdar, A. S., Editorial: Vision 2020 for Global Drying R&D. *Drying Technology*, 2014, 32, 1125-1126, DOI: 10.1080/07373937.2013.830046.
177. Mujumdar, A. S., Editorial: Higher Education in Engineering: Need for Paradigm Shift. *Drying Technology*, 2014, 32, 1397, DOI: 10.1080/07373937.2014.928063.
178. Mujumdar, A. S., Editorial: Green Innovation. *Drying Technology*, 2014, 32, 1523, DOI: 10.1080/07373937.2013.830047.
179. Mujumdar, A. S., Editorial: Outsourcing, Insourcing, and Rightsourcing of R&D. *Drying Technology*, 2014, 32, 1641, DOI: 10.1080/07373937.2013.830049.
180. Mujumdar, A. S., Editorial: Some Perspectives on the International Drying Symposium (IDS) Series. *Drying Technology*, 2014, 32, 1887, DOI: 10.1080/07373937.2014.967036.
181. Mujumdar, A. S., Editorial: Food Dehydration R&D at Jiangnan University (JU), Wuxi, Jiangsu, P.R. China. *Drying Technology*, 2014, 32, 1741, DOI: 10.1080/07373937.2014.954093.
182. Mujumdar, A. S., Drying in mineral processing, in *Handbook of Industrial Drying*, Fourth Edition. 2014. p. 861-866.
183. Mujumdar, A. S., Impingement drying, in *Handbook of Industrial Drying*, Fourth Edition. 2014. p. 371-380.
184. Mujumdar, A. S., Superheated steam drying, in *Handbook of Industrial Drying*, Fourth Edition. 2014. p. 421-432.
185. Mujumdar, A. S., Principles, classification, and selection of dryers, in *Handbook of Industrial Drying*, Fourth Edition. 2014. p. 3-30.
186. Mujumdar, A. S., Handbook of industrial drying, fourth edition. *Handbook of Industrial Drying*, Fourth Edition. 2014. 1-1303.
187. Mujumdar, A. S., Preface to the first edition. *Handbook of Industrial Drying*, Fourth Edition, 2014, xxiii, DOI: 10.1201/b17208.
188. Mujumdar, A. S., Preface to the third edition. *Handbook of Industrial Drying*, Fourth Edition, 2014, xix, DOI: 10.1201/b17208.
189. Mujumdar, A. S., Preface to the fourth edition. *Handbook of Industrial Drying*, Fourth Edition, 2014, xvii-xviii, DOI: 10.1201/b17208.
190. Mujumdar, A. S., Preface to the second edition. *Handbook of Industrial Drying*, Fourth Edition, 2014, xxi, DOI: 10.1201/b17208.
191. Mujumdar, A. S., Editorial: Role of International Collaboration in Effective R&D. *Drying Technology*, 2014, 32, 373, DOI: 10.1080/07373937.2014.887340.
192. Mujumdar, A. S., Editorial: Leadership in Drying R&D. *Drying Technology*, 2014, 32, 495-496, DOI: 10.1080/07373937.2013.813227.
193. Mothibe, K. J.; Zhang, M.; Mujumdar, A. S.; Wang, Y. C.; Cheng, X., Effects of Ultrasound and Microwave Pretreatments of Apple Before Spouted Bed Drying on Rate of Dehydration and Physical Properties. *Drying Technology*, 2014, 32, 1848-1856, DOI: 10.1080/07373937.2014.952381.
194. Mothibe, K. J.; Wang, C. Y.; Mujumdar, A. S.; Zhang, M., Microwave-Assisted Pulse-Spouted Vacuum Drying of Apple Cubes. *Drying Technology*, 2014, 32, 1762-1768, DOI: 10.1080/07373937.2014.934830.

195. Mohan, B.; Puqing, J.; Sasmito, A. P.; Kurnia, J. C.; Jangam, S. V.; Mujumdar, A. S., Energy-efficient novel heterogeneous gaseous T-junction microreactor design utilizing inlet flow pulsation. *Industrial and Engineering Chemistry Research*, 2014, 53, 18699-18710, DOI: 10.1021/ie500797f.
196. Mohammadpour, J.; Zolfagharian, M. M.; Mujumdar, A. S.; Zargarabadi, M. R.; Abdulahzadeh, M., Heat transfer under composite arrangement of pulsed and steady turbulent submerged multiple jets impinging on a flat surface. *International Journal of Thermal Sciences*, 2014, 86, 139-147, DOI: 10.1016/j.ijthermalsci.2014.07.004.
197. Mohammadpour, J.; Rajabi-Zargarabadi, M.; Mujumdar, A. S.; Ahmadi, H., Effect of intermittent and sinusoidal pulsed flows on impingement heat transfer from a concave surface. *International Journal of Thermal Sciences*, 2014, 76, 118-127, DOI: 10.1016/j.ijthermalsci.2013.08.018.
198. Maroulis, Z. B.; Saravacos, G. D.; Mujumdar, A. S., Spreadsheet-aided dryer design, in *Handbook of Industrial Drying*, Fourth Edition. 2014. p. 111-124.
199. Markowski, A. S. Mujumdar, A. S., Safety aspects of industrial dryers, in *Handbook of Industrial Drying*, Fourth Edition. 2014. p. 1127-1152.
200. Lu, Y.; Zhang, M.; Liu, H.; Mujumdar, A. S.; Sun, J.; Zheng, D., Optimization of Potato Cube Drying in a Microwave-Assisted Pulsed Spouted Bed. *Drying Technology*, 2014, 32, 960-968, DOI: 10.1080/07373937.2013.877024.
201. Liu, P.; Zhang, M.; Mujumdar, A. S., Purple-Fleshed Sweet Potato Cubes Drying in a Microwave-Assisted Spouted Bed Dryer. *Drying Technology*, 2014, 32, 1865-1871, DOI: 10.1080/07373937.2014.953174.
202. Lim Law, C.; Wang Daud, W. R.; Mujumdar, A. S., Emerging drying technologies for agricultural products, in *Introduction to Advanced Food Process Engineering*. 2014. p. 31-78.
203. Li, R.; Huang, L.; Zhang, M.; Mujumdar, A. S.; Wang, Y. C., Freeze Drying of Apple Slices with and without Application of Microwaves. *Drying Technology*, 2014, 32, 1769-1776, DOI: 10.1080/07373937.2014.934831. Law, C. L. Mujumdar, A. S., Fluidized bed dryers, in *Handbook of Industrial Drying*, Fourth Edition. 2014. p. 161-190.
205. Law, C. L.; Chen, H. H. H.; Mujumdar, A. S., Food Technologies: Drying, in *Encyclopedia of Food Safety*. 2014. p. 156-167.
206. Kurnia, J. C.; Sasmito, A. P.; Wong, W. Y.; Mujumdar, A. S., Prediction and innovative control strategies for oxygen and hazardous gases from diesel emission in underground mines. *Science of the Total Environment*, 2014, 481, 317-334, DOI: 10.1016/j.scitotenv.2014.02.058.
207. Kurnia, J. C.; Sasmito, A. P.; Mujumdar, A. S., Dust dispersion and management in underground mining faces. *International Journal of Mining Science and Technology*, 2014, 24, 39-44, DOI: 10.1016/j.ijmst.2013.12.007.
208. Kurnia, J. C.; Sasmito, A. P.; Mujumdar, A. S., Simulation of a novel intermittent ventilation system for underground mines. *Tunnelling and Underground Space Technology*, 2014, 42, 206-215, DOI: 10.1016/j.tust.2014.03.009.
209. Kurnia, J. C.; Sasmito, A. P.; Mujumdar, A. S., Laminar heat transfer performance of power law fluids in coiled square tube with various configurations. *International*

- Communications in Heat and Mass Transfer, 2014, 57, 100-108, DOI: 10.1016/j.icheatmasstransfer.2014.07.016.
- 210. Kurnia, J. C.; Sasmito, A. P.; Mujumdar, A. S., CFD simulation of methane dispersion and innovative methane management in underground mining faces. Applied Mathematical Modelling, 2014, 38, 3467-3484, DOI: 10.1016/j.apm.2013.11.067.
 - 211. Kurnia, J. C.; Sasmito, A. P.; Birgersson, E.; Shamim, T.; Mujumdar, A. S., Evaluation of mass transport performance in heterogeneous gaseous in-plane spiral reactors with various cross-section geometries at fixed cross-section area. Chemical Engineering and Processing: Process Intensification, 2014, 82, 101-111, DOI: 10.1016/j.cep.2014.06.004.
 - 212. Kudra, T. Mujumdar, A. S., Special drying techniques and novel dryers, in Handbook of Industrial Drying, Fourth Edition. 2014. p. 433-490.
 - 213. Krokida, M.; Marinos-Kouris, D.; Mujumdar, A. S., Rotary drying, in Handbook of Industrial Drying, Fourth Edition. 2014. p. 139-160.
 - 214. Jumah, R. Y.; Mujumdar, A. S.; Raghavan, V. G. S., Control of industrial dryers, in Handbook of Industrial Drying, Fourth Edition. 2014. p. 1153-1170.
 - 215. Jumah, R. Y. Mujumdar, A. S., Dryer feeding systems, in Handbook of Industrial Drying, Fourth Edition. 2014. p. 1025-1044.
 - 216. Jumah, R. Y. Mujumdar, A. S., Dryer emission control systems, in Handbook of Industrial Drying, Fourth Edition. 2014. p. 1045-1076.
 - 217. Jiang, H.; Zhang, M.; Mujumdar, A. S.; Lim, R. X., Changes of microwave structure/dielectric properties during microwave freeze-drying process banana chips. International Journal of Food Science and Technology, 2014, 49, 1142-1148, DOI: 10.1111/ijfs.12410.
 - 218. Jiang, H.; Zhang, M.; Mujumdar, A. S.; Lim, R. X., Comparison of drying characteristic and uniformity of banana cubes dried by pulse-spouted microwave vacuum drying, freeze drying and microwave freeze drying. Journal of the Science of Food and Agriculture, 2014, 94, 1827-1834, DOI: 10.1002/jsfa.6501.
 - 219. Jangam, S. V. Mujumdar, A. S., Heat Pump Assisted Drying Technology - Overview with Focus on Energy, Environment and Product Quality, in Modern Drying Technology. 2014. p. 121-162.
 - 220. Hung, J. Y.; Wimberger, R. J.; Mujumdar, A. S., Drying of coated webs, in Handbook of Industrial Drying, Fourth Edition. 2014. p. 917-936.
 - 221. Hosseinalipour, S. M.; Tohidi, A.; Mashaei, P. R.; Mujumdar, A. S., Experimental investigation of mixing in a novel continuous chaotic mixer. Korean Journal of Chemical Engineering, 2014, 31, 1757-1765, DOI: 10.1007/s11814-014-0071-x.
 - 222. Haque, N.; Jangam, S. V.; Mujumdar, A. S., Life Cycle Assessment of Drying Systems, in Handbook of Industrial Drying, Fourth Edition. 2014. p. 1229-1238.
 - 223. Gong, Z. X. Mujumdar, A. S., Process Simulation of Combustion Drying with Simprosys Software. Drying Technology, 2014, 32, 447-454, DOI: 10.1080/07373937.2013.835319.
 - 224. Gong, Z. X.; Jangam, S. V.; Mujumdar, A. S., Simprosys: Software for dryer calculations, in Handbook of Industrial Drying, Fourth Edition. 2014. p. 1209-1228.

225. Freire, F. B.; Vieira, G. N. A.; Freire, J. T.; Mujumdar, A. S., Trends in Modeling and Sensing Approaches for Drying Control. *Drying Technology*, 2014, 32, 1524-1532, DOI: 10.1080/07373937.2014.925471.
226. Filková, I.; Huang, L. X.; Mujumdar, A. S., Industrial spray drying systems, in *Handbook of Industrial Drying*, Fourth Edition. 2014. p. 191-226.
227. Devahastin, S. Mujumdar, A. S., Indirect dryers, in *Handbook of Industrial Drying*, Fourth Edition. 2014. p. 127-138.
228. Devahastin, S. Mujumdar, A. S., Superheated Steam Drying of Foods and Biomaterials, in *Modern Drying Technology*. 2014. p. 57-84.
229. Chen, G.; Yue, P. L.; Mujumdar, A. S., Dewatering and drying of wastewater treatment sludge, in *Handbook of Industrial Drying*, Fourth Edition. 2014. p. 867-882.
230. Chen, G. Mujumdar, A. S., Drying of herbal medicines and tea, in *Handbook of Industrial Drying*, Fourth Edition. 2014. p. 637-646.
231. Chen, F.; Zhang, M.; Mujumdar, A. S.; Jiang, H.; Wang, L., Production of Crispy Granules of Fish: A Comparative Study of Alternate Drying Techniques. *Drying Technology*, 2014, 32, 1512-1521, DOI: 10.1080/07373937.2014.903410.
232. Barrozo, M. A. S.; Mujumdar, A.; Freire, J. T., Air-Drying of Seeds: A Review. *Drying Technology*, 2014, 32, 1127-1141, DOI: 10.1080/07373937.2014.915220.
233. Allaf, K.; Mounir, S.; Negm, M.; Allaf, T.; Ferrasse, H.; Mujumdar, A. S., Intermittent drying, in *Handbook of Industrial Drying*, Fourth Edition. 2014. p. 491-502.
234. Aghbashlo, M.; Sotudeh-Gharebagh, R.; Zarghami, R.; Mujumdar, A. S.; Mostoufi, N., Measurement Techniques to Monitor and Control Fluidization Quality in Fluidized Bed Dryers: A Review. *Drying Technology*, 2014, 32, 1005-1051, DOI: 10.1080/07373937.2014.899250.
235. Zhang, C. H.; Huang, L. X.; Xie, P. J.; You, F.; Zhang, Y. L.; Mujumdar, A. S., Numerical Simulation of a Spouted Bed Using Computational Fluid Dynamics (CFD). *Drying Technology*, 2013, 31, 1879-1887, DOI: 10.1080/07373937.2013.840312.
236. Zeng, Q. R.; Zhang, M.; Adhikari, B. P.; Mujumdar, A. S., Effect of Drying Processes on the Functional Properties of Collagen Peptides Produced from Chicken Skin. *Drying Technology*, 2013, 31, 1653-1660, DOI: 10.1080/07373937.2013.790826.
237. Yan, W. Q.; Zhang, M.; Huang, L. L.; Mujumdar, A. S.; Tang, J., Influence of microwave drying method on the characteristics of the sweet potato dices. *Journal of Food Processing and Preservation*, 2013, 37, 662-669, DOI: 10.1111/j.1745-4549.2012.00707.x.
238. Yahyaei, A.; Esmailpour, K.; Hosseinalipour, M.; Mujumdar, A. S., Simulation of Drying Characteristics of Evaporation from a Wet Particle in a Turbulent Pulsed Opposing Jet Contactor. *Drying Technology*, 2013, 31, 1994-2006, DOI: 10.1080/07373937.2013.834500.
239. Wu, Z.; Xie, J.; Li, E.; Mujumdar, A. S., Novel gas-fired pulse combustors-design evaluation via simulation. *JP Journal of Heat and Mass Transfer*, 2013, 7, 129-156.
240. Wang, Y.; Zhang, M.; Mujumdar, A. S.; Mothibe, K. J.; Roknul Azam, S. M., Study of Drying Uniformity in Pulsed Spouted Microwave-Vacuum Drying of Stem Lettuce Slices with Regard to Product Quality. *Drying Technology*, 2013, 31, 91-101, DOI: 10.1080/07373937.2012.721431.

241. Wang, Y.; Zhang, M.; Mujumdar, A. S.; Mothibe, K. J., Quality Changes of Dehydrated Restructured Fish Product from Silver Carp (*Hypophthalmichthys molitrix*) as Affected by Drying Methods. *Food and Bioprocess Technology*, 2013, 6, 1664-1680, DOI: 10.1007/s11947-012-0812-y.
242. Wang, Y.; Zhang, M.; Mujumdar, A. S.; Mothibe, K. J., Microwave-Assisted Pulse-Spouted Bed Freeze-Drying of Stem Lettuce Slices-Effect on Product Quality. *Food and Bioprocess Technology*, 2013, 6, 3530-3543, DOI: 10.1007/s11947-012-1017-0.
243. Wang, Y.; Zhang, M.; Mujumdar, A. S., Effect of cassava starch gel, fish gel and mixed gels and thermal treatment on structure development and various quality parameters in microwave vacuum-dried gel slices. *Food Hydrocolloids*, 2013, 33, 26-37, DOI: 10.1016/j.foodhyd.2013.02.005.
244. Wang, Y.; Zhang, M.; Adhikari, B.; Mujumdar, A. S.; Zhou, B., The Application of Ultrasound Pretreatment and Pulse-Spouted Bed Microwave Freeze Drying to Produce Desalted Duck Egg White Powders. *Drying Technology*, 2013, 31, 1826-1836, DOI: 10.1080/07373937.2013.829851.
245. Wang, L.; Zhang, M.; Mujumdar, A. S.; Wang, Y.; Zhu, C., Restructured crispy fish cubes containing *Salicornia bigelovii* Torr. developed with microwave vacuum drying. *Journal of Aquatic Food Product Technology*, 2013, 22, 226-240, DOI: 10.1080/10498850.2011.641672.
246. Wan, J.; Zhang, M.; Wang, Y.; Mujumdar, A. S.; Yong-Jun, W., Drying kinetics and quality characteristics of slightly salted grass carp fillets by hot air drying and vacuum microwave drying. *Journal of Aquatic Food Product Technology*, 2013, 22, 595-604, DOI: 10.1080/10498850.2012.677969.
247. Tohidi, A.; Hosseinalipour, S. M.; Taheri, P.; Nouri, N. M.; Mujumdar, A. S., Chaotic advection induced heat transfer enhancement in a chevron-type plate heat exchanger. *Heat and Mass Transfer/Waerme- und Stoffuebertragung*, 2013, 49, 1535-1548, DOI: 10.1007/s00231-013-1180-5.
248. Tang, W. L.; Zhang, M.; Adhikari, B.; Mujumdar, A. S., Effects of Preparation and Drying Methods on the Antioxidant Activity of Enzymatically Hydrolyzed Porcine Placenta Hydrolysates. *Drying Technology*, 2013, 31, 1600-1610, DOI: 10.1080/07373937.2013.808660.
249. Sasmito, A. P.; Shamim, T.; Mujumdar, A. S., Passive thermal management for PEM fuel cell stack under cold weather condition using phase change materials (PCM). *Applied Thermal Engineering*, 2013, 58, 615-625, DOI: 10.1016/j.applthermaleng.2013.04.064.
250. Sasmito, A. P.; Shamim, T.; Birgersson, E.; Mujumdar, A. S., Numerical investigation of water and temperature distributions for open-cathode polymer electrolyte fuel cell stack with edge cooling. *Journal of Fuel Cell Science and Technology*, 2013, 10, DOI: 10.1115/1.4025054.
251. Sasmito, A. P.; Shamim, T.; Birgersson, E.; Mujumdar, A. S. Numerical investigation of water and temperature distributions for open-cathode polymer electrolyte fuel cell stack with edge cooling. in ASME 2013 11th Int. Conf. on Fuel Cell Science, Eng. and Technology Collocated with the ASME 2013 Heat Transfer Summer Conf. and the ASME 2013 7th Int. Conf. on Energy Sustainability, FUELCELL 2013. 2013.

252. Sasmito, A. P.; Khan, S. A.; Mujumdar, A. S., Nanofluids heat transfer: Preparation, characterization and theoretical aspects, in *Nanofluids: Research, Development and Applications*. 2013. p. 55-90.
253. Sasmito, A. P.; Birgersson, E.; Ly, H. C.; Mujumdar, A. S., Some approaches to improve ventilation system in underground coal mines environment - A computational fluid dynamic study. *Tunnelling and Underground Space Technology*, 2013, 34, 82-95, DOI: 10.1016/j.tust.2012.09.006.
254. Qiufang, T.; Zhonghua, W.; Mujumdar, A. S., Optimization of liquid steel flow in an industrial tundish, in *Advanced Materials Research*. 2013. p. 1752-1755.
255. Qiu, S.; Xu, P.; Qiao, X.; Mujumdar, A. S., Flow and mixing characteristics of pulsed confined opposed jets in turbulent flow regime. *Heat and Mass Transfer/Waerme- und Stoffuebertragung*, 2013, 49, 277-284, DOI: 10.1007/s00231-012-1092-9.
256. Mujumdar, A. S. Piacentini, R. D., Guest Editorial: Urgent Need for Reduction in Greenhouse Gas Emissions in Industrial Processes: Are We Past the Tipping Point for Global Warming? *Drying Technology*, 2013, 31, 3-4, DOI: 10.1080/07373937.2013.756665.
257. Mujumdar, A. S., Editorial: On Right-Brain Activity to Stimulate Creativity in Academic R&D. *Drying Technology*, 2013, 31, 253-254, DOI: 10.1080/07373937.2013.756664.
258. Mujumdar, A. S., Networking-A New Paradigm for Increased R&D Productivity. *Drying Technology*, 2013, 31, 365-366, DOI: 10.1080/07373937.2012.756669.
259. Mujumdar, A. S., Editorial: The Extreme Future. *Drying Technology*, 2013, 31, 489-490, DOI: 10.1080/07373937.2013.787305.
260. Mujumdar, A. S., Editorial: Why Four Decades of R&D in Drying? *Drying Technology*, 2013, 31, 617-618, DOI: 10.1080/07373937.2013.793129.
261. Mujumdar, A. S., Editorial: On the Moving Goalposts and Changing Goalkeepers Syndrome. *Drying Technology*, 2013, 31, 741-742, DOI: 10.1080/07373937.2013.799014.
262. Mujumdar, A. S., Editorial: How Industry May Benefit from Interaction with Academia. *Drying Technology*, 2013, 31, 1083, DOI: 10.1080/07373937.2013.812766.
263. Mujumdar, A. S., Editorial: On Industry-Academia Interaction: Hallmark of Engineering Research. *Drying Technology*, 2013, 31, 965, DOI: 10.1080/07373937.2013.812472.
264. Mujumdar, A. S., Editorial: R&D: A Historical Perspective. *Drying Technology*, 2013, 31, 1191, DOI: 10.1080/07373937.2013.812768.
265. Mujumdar, A. S., Editorial: The Role of Art in Innovative R&D. *Drying Technology*, 2013, 31, 1317-1318, DOI: 10.1080/07373937.2013.813211.
266. Mujumdar, A. S., Editorial: Role of Quality and Quantity on Impact of Archival Publications. *Drying Technology*, 2013, 31, 1-2, DOI: 10.1080/07373937.2012.711213.
267. Mujumdar, A. S., Editorial: On Citation Statistics-What Do They Really Mean? *Drying Technology*, 2013, 31, 1897-1898, DOI: 10.1080/07373937.2013.813216.

268. Moghari, R. M.; Mujumdar, A. S.; Shariat, M.; Talebi, F.; Sajjadi, S. M.; Akbarinia, A., Investigation effect of nanoparticle mean diameter on mixed convection Al₂O₃-water nanofluid flow in an annulus by two phase mixture model. *International Communications in Heat and Mass Transfer*, 2013, 49, 25-35, DOI: 10.1016/j.icheatmasstransfer.2013.08.017.
269. Lee, D. J.; Su, A.; Mujumdar, A. S., Bound Water Content in Wet Materials. *Drying Technology*, 2013, 31, 202-206, DOI: 10.1080/07373937.2012.694946.
270. Lee, D. J.; Chen, G. Y.; Chang, Y. R.; Mujumdar, A. S.; Chang, J. S., Cyclic Filtration-Cleaning of Chlorella vulgaris Using Surface-Modified Hydrophilic Polytetrafluoroethylene Membrane with Polyaluminum Chloride as Coagulant. *Drying Technology*, 2013, 31, 207-212, DOI: 10.1080/07373937.2012.700358.
271. Kurnia, J. C.; Sasmito, A. P.; Tong, W.; Mujumdar, A. S., Energy-efficient thermal drying using impinging-jets with time-varying heat input - A computational study. *Journal of Food Engineering*, 2013, 114, 269-277, DOI: 10.1016/j.jfoodeng.2012.08.029.
272. Kurnia, J. C.; Sasmito, A. P.; Jangam, S. V.; Mujumdar, A. S., Improved design for heat transfer performance of a novel phase change material (PCM) thermal energy storage (TES). *Applied Thermal Engineering*, 2013, 50, 896-907, DOI: 10.1016/j.applthermaleng.2012.08.015.
273. Kurnia, J. C.; Sasmito, A. P.; Jangam, S. V.; Mujumdar, A. S., Heat transfer in coiled square tubes for laminar flow of slurry of microencapsulated phase change material. *Heat Transfer Engineering*, 2013, 34, 994-1007, DOI: 10.1080/01457632.2012.753821.
274. Jiang, H.; Zhang, M.; Mujumdar, A. S.; Lim, R. X., Analysis of Temperature Distribution and SEM Images of Microwave Freeze Drying Banana Chips. *Food and Bioprocess Technology*, 2013, 6, 1144-1152, DOI: 10.1007 s11947-012-0801-1.
275. Jiang, H.; Zhang, M.; Liu, Y.; Mujumdar, A. S.; Liu, H., The energy consumption and color analysis of freeze microwave freeze banana chips. *Food and Bioproducts Processing*, 2013, 91, 464-472, DOI: 10.1016 j.fbp.2013.04.004.
276. Jangam, S. V. Mujumdar, A. S., Recent Developments in Drying Technologies for Foods, in *Food Engineering Series*. 2013. p. 153-172.
277. Hosseinalipour, M.; Esmailpour, K.; Yahyaei, A.; Mujumdar, A. S., Numerical simulation of flow and thermal characteristics of harmonic pulsed laminar impinging streams. *Asia-Pacific Journal of Chemical Engineering*, 2013, 8, 607-617, DOI: 10.1002/apj.1700.
278. Bai, J. W.; Sun, D. W.; Xiao, H. W.; Mujumdar, A. S.; Gao, Z. J., Novel high-humidity hot air impingement blanching (HHAIB) pretreatment enhances drying kinetics and color attributes of seedless grapes. *Innovative Food Science and Emerging Technologies*, 2013, 20, 230-237, DOI: 10.1016/j.ifset.2013.08.011.
279. Arasu, A. V.; Sasmito, A. P.; Mujumdar, A. S., Numerical performance study of paraffin wax dispersed with alumina in a concentric pipe latent heat storage system. *Thermal Science*, 2013, 17, 419-430, DOI: 10.2298 TSCI110417004A.
280. Adhikari, B.; Devahastin, S.; Mujumdar, A. S., Guest Editorial: Special Thematic Issue on Drying of Proteins and Enzymes. *Drying Technology*, 2013, 31, 1439-1440, DOI: 10.1080/07373937.2013.819262.

281. Zhonghua Dr, W.; Long, W.; Zhanyong, L.; Mujumdar, A. S., Atomization and Drying Characteristics of Sewage Sludge inside a Helmholtz Pulse Combustor. *Drying Technology*, 2012, 30, 1105-1112, DOI: 10.1080 07373937.2012.683122.
282. Xu, P.; Qiu, S.; Yu, M.; Qiao, X.; Mujumdar, A. S., A study on the heat and mass transfer properties of multiple pulsating impinging jets. *International Communications in Heat and Mass Transfer*, 2012, 39, 378-382, DOI: 10.1016/j.icheatmasstransfer.2012.01.001.
283. Wu, Z.; Zhang, J.; Li, Z.; Xie, J.; Mujumdar, A. S., Production of a solid fuel using sewage sludge and spent cooking oil by immersion frying. *Journal of Hazardous Materials*, 2012, 243, 357-363, DOI: 10.1016/j.jhazmat.2012.10.054.
284. Woo, M. W.; Che, L. M.; Daud, W. R. W.; Mujumdar, A. S.; Chen, X. D., Highly swirling transient flows in spray dryers and consequent effect on modeling of particle deposition. *Chemical Engineering Research and Design*, 2012, 90, 336-345, DOI: 10.1016/j.cherd.2011.06.019.
285. Wang, Y.; Zhang, M.; Mujumdar, A. S.; Mothibe, K. J.; Roknul Azam, S. M., Effect of blanching on microwave freeze drying of stem lettuce cubes in a circular conduit drying chamber. *Journal of Food Engineering*, 2012, 113, 177-185, DOI: 10.1016/j.jfoodeng.2012.06.007.
286. Wang, Y.; Zhang, M.; Mujumdar, A. S.; Mothibe, K. J., Experimental Investigation and Mechanism Analysis on Microwave Freeze Drying of Stem Lettuce Cubes in a Circular Conduit. *Drying Technology*, 2012, 30, 1377-1386, DOI: 10.1080/07373937.2012.667470.
287. Wang, Y.; Zhang, M.; Mujumdar, A. S., Influence of green banana flour substitution for cassava starch on the nutrition, color, texture and sensory quality in two types of snacks. *LWT - Food Science and Technology*, 2012, 47, 175-182, DOI: 10.1016/j.lwt.2011.12.011.
288. Tsotsas, E. Mujumdar, A. S., Preface of Volume 4. *Modern Drying Technology*, 2012, 4, xv-xviii, DOI: 10.1002 9783527631681.
289. Tsotsas, E. Mujumdar, A. S., Series Preface. *Modern Drying Technology*, 2012, 4, xi-xiv, DOI: 10.1002 9783527631681.
290. Tsotsas, E. Mujumdar, A. S., Modern Drying Technology. *Modern Drying Technology*. Vol. 4. 2012.
291. Somasundaram, K.; Birgersson, E.; Mujumdar, A. S., Thermal-electrochemical model for passive thermal management of a spiral-wound lithium-ion battery. *Journal of Power Sources*, 2012, 203, 84-96, DOI: 10.1016/j.jpowsour.2011.11.075.
292. Somasundaram, K.; Birgersson, E.; Mujumdar, A. S., Model for a bipolar Li-ion battery module: Automated model generation, validation and verification. *Applied Mathematics and Computation*, 2012, 219, 2231-2245, DOI: 10.1016/j.amc.2012.08.070.
293. Shaker, M.; Ghaedamini, H.; Sasmito, A. P.; Kurnia, J. C.; Jangam, S. V.; Mujumdar, A. S., Numerical investigation of laminar mass transport enhancement in heterogeneous gaseous microreactors. *Chemical Engineering and Processing: Process Intensification*, 2012, 54, 1-11, DOI: 10.1016/j.cep.2012.02.001.

294. Sasmito, A. P.; Shamim, T.; Birgersson, E.; Mujumdar, A. S., Computational study of edge cooling for open-cathode polymer electrolyte fuel cell stacks. *Journal of Fuel Cell Science and Technology*, 2012, 9, DOI: 10.1115/1.4007792.
295. Sasmito, A. P.; Shamim, T.; Birgersson, E.; Mujumdar, A. S. Computational study of edge cooling for open-cathode polymer electrolyte fuel cell stacks. in ASME International Mechanical Engineering Congress and Exposition, Proceedings (IMECE). 2012.
296. Sasmito, A. P.; Kurnia, J. C.; Wang, W.; Jangam, S. V.; Mujumdar, A. S., Numerical analysis of laminar heat transfer performance of in-plane spiral ducts with various cross-sections at fixed cross-section area. *International Journal of Heat and Mass Transfer*, 2012, 55, 5882-5890, DOI: 10.1016/j.ijheatmasstransfer.2012.05.085.
297. Sasmito, A. P.; Kurnia, J. C.; Mujumdar, A. S., Numerical evaluation of various gas and coolant channel designs for high performance liquid-cooled proton exchange membrane fuel cell stacks. *Energy*, 2012, 44, 278-291, DOI: 10.1016/j.energy.2012.06.030.
298. Sasmito, A. P.; Kurnia, J. C.; Mujumdar, A. S., Numerical evaluation of transport phenomena in a T-junction microreactor with coils of different configurations. *Industrial and Engineering Chemistry Research*, 2012, 51, 1970-1980, DOI: 10.1021/ie200139s.
299. Sasmito, A. P.; Birgersson, E.; Mujumdar, A. S., A novel flow reversal concept for improved thermal management in polymer electrolyte fuel cell stacks. *International Journal of Thermal Sciences*, 2012, 54, 242-252, DOI: 10.1016/j.ijthermalsci.2011.11.020.
300. Sasmito, A. P.; Birgersson, E.; Lum, K. W.; Mujumdar, A. S., Fan selection and stack design for open-cathode polymer electrolyte fuel cell stacks. *Renewable Energy*, 2012, 37, 325-332, DOI: 10.1016/j.renene.2011.06.037.
301. Rahman, S. M. A. Mujumdar, A. S., Atmospheric Freeze Drying, in *Progress in Food Preservation*. 2012. p. 143-160.
302. Qiu, S.; Xu, P.; Jiang, Z.; Mujumdar, A. S., Numerical modeling of pulsed laminar opposed impinging jets. *Engineering Applications of Computational Fluid Mechanics*, 2012, 6, 195-202, DOI: 10.1080/19942060.2012.11015414.
303. Pawar, S. B.; Mujumdar, A. S.; Thorat, B. N., CFD analysis of flow pattern in the agitated thin film evaporator. *Chemical Engineering Research and Design*, 2012, 90, 757-765, DOI: 10.1016/j.cherd.2011.09.017.
304. Mujumdar, A. S., Editorial. *Drying Technology*, 2012, 30, 127, DOI: 10.1080/07373937.2011.633848.
305. Mujumdar, A. S., Editorial: Some Challenging Ideas for Future Drying R&D. *Drying Technology*, 2012, 30, 227-228, DOI: 10.1080/07373937.2011.638260.
306. Mujumdar, A. S., Editorial. *Drying Technology*, 2012, 30, 447, DOI: 10.1080/07373937.2011.652495.
307. Mujumdar, A. S., Editorial: Effective research done by Teams or Individuals? *Drying Technology*, 2012, 30, 559, DOI: 10.1080/07373937.2012.666157.
308. Mujumdar, A. S., Professor Min Zhang, Jiangnan University, Wuxi, China. *Drying Technology*, 2012, 30, 799, DOI: 10.1080/07373937.2012.673407.

309. Mujumdar, A. S., Editorial: The Role of Drying Technology in Sustainable R&D and Innovation. *Drying Technology*, 2012, 30, 1387, DOI: 10.1080/07373937.2012.703088.
310. Mujumdar, A. S., Editorial. *Drying Technology*, 2012, 30, 1505, DOI: 10.1080/07373937.2012.711215.
311. Mounir, S.; Allaf, T.; Mujumdar, A. S.; Allaf, K., Swell Drying: Coupling Instant Controlled Pressure Drop DIC to Standard Convection Drying Processes to Intensify Transfer Phenomena and Improve Quality-An Overview. *Drying Technology*, 2012, 30, 1508-1531, DOI: 10.1080/07373937.2012.693145.
312. Liu, P.; Zhang, M.; Mujumdar, A. S., Comparison of three microwave-assisted drying methods on the physiochemical, nutritional and sensory qualities of re-structured purple-fleshed sweet potato granules. *International Journal of Food Science and Technology*, 2012, 47, 141-147, DOI: 10.1111/j.1365-2621.2011.02819.x.
313. Lee, D. J.; Jangam, S.; Mujumdar, A. S., Some recent advances in drying technologies to produce particulate solids. *KONA Powder and Particle Journal*, 2012, 30, 69-83.
314. Kurnia, J. C.; Sasmito, A. P.; Mujumdar, A. S., Laminar convective heat transfer for in-plane spiral coils of non-circular cross-sections ducts: A computational fluid dynamics study. *Thermal Science*, 2012, 16, 109-118, DOI: 10.2298/TSCI100627014K.
315. Kurnia, J. C.; Birgersson, E.; Mujumdar, A. S., Analysis of a model for pH-sensitive hydrogels. *Polymer*, 2012, 53, 613-622, DOI: 10.1016/j.polymer.2011.11.054.
316. Kurnia, J. C.; Birgersson, E.; Mujumdar, A. S., A phenomenological model for hydrogels with rigid skin formation. *International Journal of Applied Mechanics*, 2012, 4, DOI: 10.1142/S1758825112001361.
317. Kurnia, J. C.; Birgersson, E.; Mujumdar, A. S., Finite deformation of fast-response thermo-sensitive hydrogels A computational study. *Polymer*, 2012, 53, 2500-2508, DOI: 10.1016/j.polymer.2012.03.049.
318. Jiang, Y.; Xu, P.; Mujumdar, A. S.; Qiu, S.; Jiang, Z., A Numerical Study on the Convective Heat Transfer Characteristics of Pulsed Impingement Drying. *Drying Technology*, 2012, 30, 1056-1061, DOI: 10.1080/07373937.2012.683121.
319. Jangam, S. V. Mujumdar, A. S., Heat Pump Assisted Drying Technology - Overview with Focus on Energy, Environment and Product Quality, in *Modern Drying Technology*. 2012. p. 121-162.
320. Huang, L. L.; Zhang, M.; Wang, L. P.; Mujumdar, A. S.; Sun, D. F., Influence of combination drying methods on composition, texture, aroma and microstructure of apple slices. *LWT - Food Science and Technology*, 2012, 47, 183-188, DOI: 10.1016/j.lwt.2011.12.009.
321. Chiewchan, N.; Devahastin, S.; Mujumdar, A. S., Drying of Foods, in *Handbook of Food Safety Engineering*. 2012. p. 394-411.
322. Arasu, A. V. Mujumdar, A. S., Numerical study on melting of paraffin wax with $A_1 <inf>2</inf>O <inf>3</inf>$ in a square enclosure. *International Communications in Heat and Mass Transfer*, 2012, 39, 8-16, DOI: 10.1016/j.icheatmasstransfer.2011.09.013.

323. An, H.; Li, A.; Sasmito, A. P.; Kurnia, J. C.; Jangam, S. V.; Mujumdar, A. S., Computational fluid dynamics (CFD) analysis of micro-reactor performance: Effect of various configurations. *Chemical Engineering Science*, 2012, 75, 85-95, DOI: 10.1016/j.ces.2012.03.004.
324. Zhang, F.; Zhang, M.; Mujumdar, A. S., Drying characteristics and quality of restructured wild cabbage chips processed using different drying methods. *Drying Technology*, 2011, 29, 682-688, DOI: 10.1080/07373937.2010.525729.
325. Wang, Y.; Zhang, M.; Mujumdar, A. S., Trends in processing technologies for dried aquatic products. *Drying Technology*, 2011, 29, 382-394, DOI: 10.1080/07373937.2011.551624.
326. Wang, Y.; Zhang, M.; Mujumdar, A. S., Convective drying kinetics and physical properties of silver carp (*Hypophthalmichthys molitrix*) fillets. *Journal of Aquatic Food Product Technology*, 2011, 20, 361-378, DOI: 10.1080/10498850.2011.575536.
327. Wang, R.; Zhang, M.; Mujumdar, A. S.; Jiang, H., Effect of salt and sucrose content on dielectric properties and microwave freeze drying behavior of re-structured potato slices. *Journal of Food Engineering*, 2011, 106, 290-297, DOI: 10.1016/j.jfoodeng.2011.05.015.
328. Valan Arasu, A.; Sasmito, A. P.; Mujumdar, A. S., Thermal performance enhancement of paraffin wax with AL $<\inf>2</\inf>$ O $<\inf>3</\inf>$ and CuO nanoparticles - A numerical study. *Frontiers in Heat and Mass Transfer*, 2011, 2, 1-7, DOI: 10.5098/hmt.v2.4.3005.
329. Tsotsas, E. Mujumdar, A. S., Preface of Volume 1. *Modern Drying Technology*, 2011, 1, xv-xx, DOI: 10.1002/9783527631629.
330. Tsotsas, E. Mujumdar, A. S., Series Preface. *Modern Drying Technology*, 2011, 1, xi-xiv, DOI: 10.1002/9783527631629.
331. Tsotsas, E. Mujumdar, A. S., Modern Drying Technology. *Modern Drying Technology*. Vol. 1. 2011. 332. Tsotsas, E. Mujumdar, A. S., Preface. *Modern Drying Technology*, 2011, 3, XIII-XVI, DOI: 10.1002/9783527631667.
333. Tsotsas, E. Mujumdar, A. S., Modern Drying Technology. *Modern Drying Technology*. Vol. 3. 2011.
334. Somasundaram, K.; Birgersson, E.; Mujumdar, A. S., Analysis of a model for an electrochemical capacitor. *Journal of the Electrochemical Society*, 2011, 158, A1220-A1230, DOI: 10.1149/2.062111jes.
335. Sasmito, A. P. Mujumdar, A. S., Performance evaluation of a polymer electrolyte fuel cell with a dead-end anode: A computational fluid dynamic study. *International Journal of Hydrogen Energy*, 2011, 36, 10917-10933, DOI: 10.1016/j.ijhydene.2011.05.171.
336. Sasmito, A. P.; Kurnia, J. C.; Mujumdar, A. S., Numerical evaluation of laminar heat transfer enhancement in nanofluid flow in coiled square tubes. *Nanoscale Research Letters*, 2011, 6, 1-14, DOI: 10.1186/1556-276X-6-376.
337. Sasmito, A. P.; Birgersson, E.; Mujumdar, A. S., Numerical investigation of liquid water cooling for a proton exchange membrane fuel cell stack. *Heat Transfer Engineering*, 2011, 32, 151-167, DOI: 10.1080/01457631003769302.
338. Sasmito, A. P.; Birgersson, E.; Mujumdar, A. S., Numerical evaluation of various thermal management strategies for polymer electrolyte fuel cell stacks. *International*

Journal of Hydrogen Energy, 2011, 36, 12991-13007, DOI: 10.1016/j.ijhydene.2011.07.028.

339. Ren, A. Q.; Zhang, M.; Mujumdar, A. S., Effect of water activity and glass transition on critical preservation conditions of dried squids. International Agrophysics, 2011, 25, 205-209.
340. Rahman, S. M. A. Mujumdar, A. S., Aerodynamic and thermal characteristics of a maxwell type vortex tube. Central European Journal of Engineering, 2011, 1, 369-379, DOI: 10.2478/s13531-011-0035-4.
341. Pawar, S. B.; Patil, R.; Mujumdar, A. S.; Thorat, B. N., Mathematical modeling of agitated thin-film dryer. Drying Technology, 2011, 29, 719-728, DOI: 10.1080/07373937.2010.526732.
342. Pawar, S. B.; Mujumdar, A. S.; Thorat, B. N., Flow pattern and heat transfer in agitated thin film dryer. Chemical Engineering and Processing: Process Intensification, 2011, 50, 687-693, DOI: 10.1016/j.cep.2011.04.005.
343. Osman, H.; Jangam, S. V.; Lease, J. D.; Mujumdar, A. S., Drying of low-rank coal (LRC)-A Review of recent patents and innovations. Drying Technology, 2011, 29, 1763-1783, DOI: 10.1080/07373937.2011.616443.
344. Nahimana, H.; Zhang, M.; Mujumdar, A. S.; Ding, Z., Mass transfer modeling and shrinkage consideration during osmotic dehydration of fruits and vegetables. Food Reviews International, 2011, 27, 331-356, DOI: 10.1080/87559129.2010.518298.
345. Nahimana, H.; Mujumdar, A. S.; Zhang, M., Drying and radial shrinkage characteristics and changes in color and shape of carrot tissues (*Daucus Carota L*) during air drying. African Journal of Biotechnology, 2011, 10, 15327-15345, DOI: 10.5897/AJB11.576.
346. Mujumdar, A. S. Tsotsas, E., Preface of Volume 2. Modern Drying Technology, 2011, 2, XVII-XXII, DOI: 10.1002 9783527631643.
347. Mujumdar, A. S. Tsotsas, E., Series Preface. Modern Drying Technology, 2011, 2, XIII-XVI, DOI: 10.1002 9783527631643.
348. Mujumdar, A. S. Tsotsas, E., Modern Drying Technology. Modern Drying Technology. Vol. 2. 2011.
349. Mujumdar, A. S., Editorial: R&D as a growth engine for national economies. Drying Technology, 2011, 29, 255-256, DOI: 10.1080/07373937.2011.555292.
350. Mujumdar, A. S., Editorial: The global R&D scene-challenges and opportunities. Drying Technology, 2011, 29, 381, DOI: 10.1080/07373937.2011.555293.
351. Mujumdar, A. S., Editorial: Development of new industrial drying technologies. Drying Technology, 2011, 29, 1249-1250, DOI: 10.1080/07373937.2011.598708.
352. Mujumdar, A. S., Editorial: Some thoughts on R&D. Drying Technology, 2011, 29, 1759, DOI: 10.1080 07373937.2011.619442.
353. Mujumdar, A. S., Editorial: Is the R&D world flat, hot and crowded? Drying Technology, 2011, 29, 749, DOI: 10.1080/07373937.2011.560766.
354. Mujumdar, A. S., Industrial innovation-is academic research a significant influence? Drying Technology, 2011, 29, 609, DOI: 10.1080/07373937.2011.560794.

355. Mestry, A. P.; Mujumdar, A. S.; Thorat, B. N., Optimization of spray drying of an innovative functional food: Fermented mixed juice of carrot and watermelon. *Drying Technology*, 2011, 29, 1121-1131, DOI: 10.1080 07373937.2011.566968.
356. Li, X.; Zhang, M.; Duan, X.; Mujumdar, A. S., Effect of nano-silver coating on microbial control of microwave-freeze combined dried sea cucumber. *International Agrophysics*, 2011, 25, 181-186.
357. Kurnia, J. C.; Sasmito, A. P.; Mujumdar, A. S., Evaluation of the heat transfer performance of helical coils of non-circular tubes. *Journal of Zhejiang University: Science A*, 2011, 12, 63-70, DOI: 10.1631/jzus.A1000296.
358. Kurnia, J. C.; Sasmito, A. P.; Mujumdar, A. S., Numerical investigation of laminar heat transfer performance of various cooling channel designs. *Applied Thermal Engineering*, 2011, 31, 1293-1304, DOI: 10.1016 j.applthermaleng.2010.12.036.
359. Kurnia, J. C.; Birgersson, E.; Mujumdar, A. S.; Tay, S. P.; Yew, Y. K.; Li, H., Phenomenological model for coupled alcohol and temperature sensitive hydrogels. *International Journal of Applied Mechanics*, 2011, 3, 279-298, DOI: 10.1142/S1758825111000981.
360. Jiang, H.; Zhang, M.; Mujumdar, A. S.; Lim, R. X., Comparison of the effect of microwave freeze drying and microwave vacuum drying upon the process and quality characteristics of potato/banana re-structured chips. *International Journal of Food Science and Technology*, 2011, 46, 570-576, DOI: 10.1111 j.1365-2621.2010.02523.x.
361. Jangam, S. V.; Karthikeyan, M.; Mujumdar, A. S., A critical assessment of industrial coal drying technologies: Role of energy, emissions, risk and sustainability. *Drying Technology*, 2011, 29, 395-407, DOI: 10.1080 07373937.2010.498070.
362. Huang, L. L.; Zhang, M.; Yan, W. Q.; Mujumdar, A. S.; Sun, D. F., Rehydration characteristics of freeze-dried strawberry pieces as affected by whey protein edible coatings. *International Journal of Food Science and Technology*, 2011, 46, 671-677, DOI: 10.1111/j.1365-2621.2010.02495.x.
363. Huang, L. L.; Zhang, M.; Mujumdar, A. S.; Lim, R. X., Comparison of four drying methods for re-structured mixed potato with apple chips. *Journal of Food Engineering*, 2011, 103, 279-284, DOI: 10.1016 j.jfoodeng.2010.10.025.
364. Gong, Z. X.; Stanovský, J.; Mujumdar, A. S., Energy audit of a fiberboard drying production line using simprosys software. *Drying Technology*, 2011, 29, 408-418, DOI: 10.1080/07373937.2010.498069.
365. Ghaedamini, H.; Salimpour, M. R.; Mujumdar, A. S., The effect of svelteness on the bifurcation angles role in pressure drop and flow uniformity of tree-shaped microchannels. *Applied Thermal Engineering*, 2011, 31, 708-716, DOI: 10.1016/j.applthermaleng.2010.10.005.
366. Fernandes, F. A. N.; Rodrigues, S.; Law, C. L.; Mujumdar, A. S., Drying of Exotic Tropical Fruits: A Comprehensive Review. *Food and Bioprocess Technology*, 2011, 4, 163-185, DOI: 10.1007/s11947-010-0323-7.
367. Bait, R. G.; Pawar, S. B.; Banerjee, A. N.; Mujumdar, A. S.; Thorat, B. N., Mechanically agitated fluidized bed drying of cohesive particles at low air velocity. *Drying Technology*, 2011, 29, 808-818, DOI: 10.1080 07373937.2010.541574.

368. Zhang, C. H.; Huang, L. X.; Wang, C. P.; Mujumdar, A. S., Experimental and numerical investigation of spray-drying parameters on the dried powder properties of ginkgo biloba seeds. *Drying Technology*, 2010, 28, 380-388, DOI: 10.1080/07373931003645033.
369. Yu, G. H.; He, P. J.; Shao, L. M.; Lee, D. J.; Mujumdar, A. S., Extracellular polymeric substances (EPS) and extracellular enzymes in aerobic granules. *Drying Technology*, 2010, 28, 910-915, DOI: 10.1080 07373937.2010.490766.
370. Yang, Z.; Su, A.; Mujumdar, A. S.; Lee, D. J., Electroosmotic flows in sludge at dewatering. *Drying Technology*, 2010, 28, 1113-1117, DOI: 10.1080/07373937.2010.506172.
371. Yan, W. Q.; Zhang, M.; Huang, L. L.; Tang, J.; Mujumdar, A. S.; Sun, J. C., Studies on different combined microwave drying of carrot pieces. *International Journal of Food Science and Technology*, 2010, 45, 2141-2148, DOI: 10.1111/j.1365-2621.2010.02380.x.
372. Yan, W.; Zhang, M.; Huang, L. L.; Tang, J.; Mujumdar, A. S.; Sun, J. C., Study of the optimisation of puffing characteristics of potato cubes by spouted bed drying enhanced with microwave. *Journal of the Science of Food and Agriculture*, 2010, 90, 1300-1307, DOI: 10.1002/jsfa.3940.
373. Xu, P.; Yu, B.; Qiu, S.; Poh, H. J.; Mujumdar, A. S., Turbulent impinging jet heat transfer enhancement due to intermittent pulsation. *International Journal of Thermal Sciences*, 2010, 49, 1247-1252, DOI: 10.1016/j.ijthermalsci.2010.01.020.
374. Xu, P.; Mujumdar, A. S.; Poh, H. J.; Yu, B., Heat transfer under a pulsed slot turbulent impinging jet at large temperature differences. *Thermal Science*, 2010, 14, 271-281, DOI: 10.2298/TSCI1001271X.
375. Wu, Z. H.; Hu, Y. J.; Lee, D. J.; Mujumdar, A. S.; Li, Z. Y., Dewatering and drying in mineral processing industry: Potential for innovation. *Drying Technology*, 2010, 28, 834-842, DOI: 10.1080/07373937.2010.490485.
376. Wu, G. C.; Zhang, M.; Mujumdar, A. S.; Wang, R., Effect of calcium ion and microwave power on structural and quality changes in drying of apple slices. *Drying Technology*, 2010, 28, 517-522, DOI: 10.1080 07373931003618667.
377. Woo, M. W. Mujumdar, A. S., Effects of electric and magnetic field on freezing and possible relevance in freeze drying. *Drying Technology*, 2010, 28, 433-443, DOI: 10.1080/07373930903202077.
378. Woo, M. W.; Daud, W. R. W.; Mujumdar, A. S.; Tasirin, S. M.; Talib, M. Z. M., Role of rheological characteristics in amorphous food particle-wall collisions in spray drying. *Powder Technology*, 2010, 198, 251-257, DOI: 10.1016/j.powtec.2009.11.015.
379. Wang, X. Q.; Xu, P.; Mujumdar, A. S.; Yap, C., Flow and thermal characteristics of offset branching network. *International Journal of Thermal Sciences*, 2010, 49, 272-280, DOI: 10.1016/j.ijthermalsci.2009.07.019.
380. Wang, R.; Zhang, M.; Mujumdar, A. S., Effect of food ingredient on microwave freeze drying of instant vegetable soup. *LWT - Food Science and Technology*, 2010, 43, 1144-1150, DOI: 10.1016/j.lwt.2010.03.007.

381. Wang, R.; Zhang, M.; Mujumdar, A. S., Effect of osmotic dehydration on microwave freeze-drying characteristics and quality of potato chips. *Drying Technology*, 2010, 28, 798-806, DOI: 10.1080 07373937.2010.482700.
382. Wang, R.; Zhang, M.; Mujumdar, A. S., Effects of vacuum and microwave freeze drying on microstructure and quality of potato slices. *Journal of Food Engineering*, 2010, 101, 131-139, DOI: 10.1016/j.jfoodeng.2010.05.021.
383. Sasmito, A. P.; Lum, K. W.; Birgersson, E.; Mujumdar, A. S., Computational study of forced air-convection in open-cathode polymer electrolyte fuel cell stacks. *Journal of Power Sources*, 2010, 195, 5550-5563, DOI: 10.1016/j.jpowsour.2010.02.083.
384. Sasmito, A. P.; Birgersson, E.; Mujumdar, A. S. Computational study of flow reversal for improved thermal management in a PEMFC stack with forced air convection cooling. in 2010 14th International Heat Transfer Conference, IHTC 14. 2010.
385. Passos, M. L.; da Costa, E. F.; Mujumdar, A. S., Drying of particulate solids, in *Spouted and Spout-Fluid Beds: Fundamentals and Applications*. 2010. p. 187-205.
386. Pang, S. Mujumdar, A. S., Drying of woody biomass for bioenergy: Drying technologies and optimization for an integrated bioenergy plant. *Drying Technology*, 2010, 28, 690-701, DOI: 10.1080/07373931003799236.
387. Mujumdar, A. S. Law, C. L., Drying Technology: Trends and Applications in Postharvest Processing. *Food and Bioprocess Technology*, 2010, 3, 843-852, DOI: 10.1007/s11947-010-0353-1.
388. Mujumdar, A. S.; Huang, L. X.; Dong Chen, X., An overview of the recent advances in spray-drying. *Dairy Science and Technology*, 2010, 90, 211-224, DOI: 10.1051/dst/2010015.
389. Mujumdar, A. S., Editorial: Evaluation of R&D productivity. *Drying Technology*, 2010, 28, 117-117, DOI: 10.1080/07373930903517359.
390. Mujumdar, A. S., Editorial. *Drying Technology*, 2010, 28, 321-321, DOI: 10.1080/07373931003626926.
391. Mujumdar, A. S., Editorial on industry-academia collaboration in R&D. *Drying Technology*, 2010, 28, 431-432, DOI: 10.1080/07373931003609427.
392. Mujumdar, A. S., Editorial: Is R & D in a hot field really cool? *Drying Technology*, 2010, 28, 563-564, DOI: 10.1080/07373931003787728.
393. Mujumdar, A. S., Editorial on measurement of outcome of R&D. *Drying Technology*, 2010, 28, 743-744, DOI: 10.1080/07373937.2010.485079.
394. Mujumdar, A. S., Editorial: How not to do R & D. *Drying Technology*, 2010, 28, 831-832, DOI: 10.1080 07373937.2010.490482.
395. Mujumdar, A. S., Editorial: Research & development: Why is sustainable support important? *Drying Technology*, 2010, 28, 927-928, DOI: 10.1080/07373937.2010.497097.
396. Mujumdar, A. S., Editorial: R&D-how to evaluate value of R&D. *Drying Technology*, 2010, 28, 1033, DOI: 10.1080/07373937.2010.505487.
397. Mujumdar, A. S., Editorial: Some thoughts on open innovation. *Drying Technology*, 2010, 28, 1125, DOI: 10.1080/07373937.2010.513299.

398. Mujumdar, A. S., Editorial: Contribution of drying technology to global drying R&D effort. *Drying Technology*, 2010, 28, 1233-1234, DOI: 10.1080/07373937.2010.525166.
399. Li, Z.; Su, W.; Wu, Z.; Wang, R.; Mujumdar, A. S., Investigation of flow behaviors and bubble characteristics of a pulse fluidized bed via CFD modeling. *Drying Technology*, 2010, 28, 78-93, DOI: 10.1080 07373930903430785.
400. Jiang, H.; Zhang, M.; Mujumdar, A. S., Physico-chemical changes during different stages of MFD/FD banana chips. *Journal of Food Engineering*, 2010, 101, 140-145, DOI: 10.1016/j.jfoodeng.2010.06.002.
401. Jiang, H.; Zhang, M.; Mujumdar, A. S., Microwave freeze-drying characteristics of banana crisps. *Drying Technology*, 2010, 28, 1377-1384, DOI: 10.1080/07373937.2010.482702.
402. Huang, L. X. Mujumdar, A. S., Guest Editorial: Recent R&D in liquid drying. *Drying Technology*, 2010, 28, 322-322, DOI: 10.1080/07373931003626959.
403. Hsu, J. P.; Tao, T.; Su, A.; Mujumdar, A. S.; Lee, D. J., Model for sludge cake drying accounting for developing cracks. *Drying Technology*, 2010, 28, 922-926, DOI: 10.1080/07373937.2010.490775.
404. Hsu, J. P.; Su, A.; Mujumdar, A. S.; Lee, D. J., Unified analysis of dewatering and drying of sludge cake. *Drying Technology*, 2010, 28, 877-880, DOI: 10.1080/07373937.2010.490501.
405. Gong, Z. X. Mujumdar, A. S., Simulation of drying nonaqueous systems-an application of simprosys software. *Drying Technology*, 2010, 28, 111-115, DOI: 10.1080/07373930903430876.
406. Gong, Z.; Zhang, M.; Bhandari, B.; Mujumdar, A. S.; Jin-Cai, S., Rheological properties of cabbage pulp. *International Journal of Food Properties*, 2010, 13, 1066-1073, DOI: 10.1080/10942910902954551.
407. Gong, Z.; Gao, L.; An, J.; Zhang, M.; Mujumdar, A. S.; Sun, J., Effects of predrying and vacuum impregnation with Nano-calcium carbonate solution on strawberries, carrots, corn, and blueberries. *Drying Technology*, 2010, 28, 36-41, DOI: 10.1080/07373930903423913.
408. Ghasemi, N.; Sohrabi, M.; Khosravi, M.; Mujumdar, A. S.; Goodarzi, M., CFD simulation of solid-liquid flow in a two impinging streams cyclone reactor: Prediction of mean residence time and holdup of solid particles. *Chemical Engineering and Processing: Process Intensification*, 2010, 49, 1277-1283, DOI: 10.1016/j.cep.2010.09.016.
409. Duan, X.; Zhang, M.; Mujumdar, S.; Wang, R., Trends in microwave-assisted freeze drying of foods. *Drying Technology*, 2010, 28, 444-453, DOI: 10.1080/07373931003609666.
410. Duan, X.; Zhang, M.; Mujumdar, A. S.; Wang, S., Microwave freeze drying of sea cucumber (*Stichopus japonicus*). *Journal of Food Engineering*, 2010, 96, 491-497, DOI: 10.1016/j.jfoodeng.2009.08.031.
411. Duan, X.; Zhang, M.; Mujumdar, A. S.; Huang, L. L.; Wang, H., A novel dielectric drying method of sea cucumber. *International Journal of Food Science and Technology*, 2010, 45, 2538-2545, DOI: 10.1111 j.1365-2621.2010.02419.x.

412. Cheng, Y. L.; Wong, R. J.; Lin, J. C. T.; Huang, C.; Lee, D. J.; Mujumdar, A. S., Water coagulation using electrostatic patch coagulation (EPC) mechanism. *Drying Technology*, 2010, 28, 850-857, DOI: 10.1080 07373937.2010.490492.
413. Zhonghua, W. Mujumdar, A. S., Guest editorial. *Drying Technology*, 2009, 27, 171-172, DOI: 10.1080 07373930802603326.
414. Zhonghua, W. Mujumdar, A. S. Novel gas-fired pulse combustors-design evaluation via simulation. in The Minerals, Metals and Materials Society - 3rd International Conference on Processing Materials for Properties 2008, PMP III. 2009.
415. Zhonghua, W.; Mazumdar, D.; Mujumdar, A. S. Optimization of post combustion in an electric arc furnace for advanced steelmaking. in The Minerals, Metals and Materials Society - 3rd International Conference on Processing Materials for Properties 2008, PMP III. 2009.
416. Yun, L.; Wang, B.; Jing, D.; Lv, X.; Yu, C.; Wang, G.; Huang, L.; Mujumdar, A. S., Drying kinetics of magnesium hydroxide of different morphological micro nanostructures. *Drying Technology*, 2009, 27, 523-528, DOI: 10.1080/07373930802715252.
417. Xu, P.; Wu, Z.; Mujumdar, A. S.; Yu, B., Innovative hydrocyclone inlet designs to reduce erosion-induced wear in mineral dewatering processes. *Drying Technology*, 2009, 27, 201-211, DOI: 10.1080/07373930802603433.
418. Xu, P.; Wang, X. Q.; Mujumdar, A. S.; Yap, C.; Yu, B. M., Thermal characteristics of tree-shaped microchannel nets with/without loops. *International Journal of Thermal Sciences*, 2009, 48, 2139-2147, DOI: 10.1016/j.ijthermalsci.2009.03.018.
419. Xu, P.; Mujumdar, A. S.; Yu, B., Drying-induced cracks in thin film fabricated from colloidal dispersions. *Drying Technology*, 2009, 27, 636-652, DOI: 10.1080/07373930902820804.
420. Xu, H. S.; Zhang, M.; Duan, X.; Mujumdar, A.; Sun, J., Effect of power ultrasound pretreatment on edamame prior to freeze drying. *Drying Technology*, 2009, 27, 186-193, DOI: 10.1080/07373930802603342.
421. Woo, M. W.; Daud, W. R. W.; Mujumdar, A. S.; Wu, Z.; Talib, M. Z. M.; Tasirin, S. M., Non-swirling steady and transient flow simulations in short-form spray dryers. *Chemical Product and Process Modeling*, 2009, 4, DOI: 10.2202/1934-2659.1351.
422. Wang, R.; Zhang, M.; Mujumdar, A. S.; Sun, J. C., Microwave freeze-drying characteristics and sensory quality of instant vegetable soup. *Drying Technology*, 2009, 27, 962-968, DOI: 10.1080/07373930902902040.
423. Song, X. J.; Zhang, M.; Mujumdar, A. S.; Fan, L., Drying characteristics and kinetics of vacuum microwave-dried potato slices. *Drying Technology*, 2009, 27, 969-974, DOI: 10.1080/07373930902902099.
424. Poh, H. J.; Birgersson, E.; Mujumdar, A. S. Enhanced performance with an impinging jet flow configuration for PEMFC. in Proceedings of the ASME 3rd International Conference on Energy Sustainability 2009, ES2009. 2009.
425. Piacentini, R. Mujumdar, A., Climate change and drying of agricultural products. *Drying Technology*, 2009, 27, 629-635, DOI: 10.1080/07373930902820770.

426. Mujumdar, A. S. Law, C. L. Drying technology: Trends and applications in postharvest processing. in 5th International Technical Symposium on Food Processing, Monitoring Technology in Bioprocesses and Food Quality Management. 2009.
427. Mujumdar, A. S., Editorial. Drying Technology, 2009, 27, 1-2, DOI: 10.1080/07373930802565608.
428. Mujumdar, A. S., Editorial. Drying Technology, 2009, 27, 169-170, DOI: 10.1080/07373930802603318.
429. Mujumdar, A. S., Editorial. Drying Technology, 2009, 27, 315, DOI: 10.1080/07373930802682841.
430. Mujumdar, A. S., Editorial. Drying Technology, 2009, 27, 829, DOI: 10.1080/07373930903041715.
431. Mujumdar, A. S., Editorial. Drying Technology, 2009, 27, 521, DOI: 10.1080/07373930802715187.
432. Mujumdar, A. S., Editorial: Future of engineering education. Drying Technology, 2009, 27, 627-628, DOI: 10.1080/07373930902820705.
433. Mujumdar, A. S., Editorial: Case for a global project on green drying technologies. Drying Technology, 2009, 27, 725, DOI: 10.1080/07373930902900655.
434. Mujumdar, A. S., Editorial. Drying Technology, 2009, 27, 1017, DOI: 10.1080/07373930903203489.
435. Mujumdar, A. S., Editorial role of intellectual property in journal publication. Drying Technology, 2009, 27, 1169-1169, DOI: 10.1080/07373930903262824.
436. Mahbub, F.; Hawlader, M. N. A.; Mujumdar, A. S., Combined water and power plant (CWPP) - A novel desalination technology. Desalination and Water Treatment, 2009, 5, 172-177, DOI: 10.5004/dwt.2009.581.
437. Mahbub, F.; Hawlader, M. N. A.; Mujumdar, A. S. Exergoeconomic analyses of a Combined Water and Power Plant (CWPP). in Proceedings of the ASME 3rd International Conference on Energy Sustainability 2009, ES2009. 2009.
438. Kurnia, J. C.; Birgersson, E.; Mujumdar, A. S.; Quah, L. C., Mathematical modeling of hydrogels for microfluidic flow control, in Advanced Materials Research. 2009. p. 33-36.
439. Kudra, T. Mujumdar, A. S., Advanced drying technologies, second edition. Advanced Drying Technologies, Second Edition. 2009. 1-457.
440. Karthikeyan, M.; Zhonghua, W.; Mujumdar, A. S., Low-rank coal drying technologies - Current status and new developments. Drying Technology, 2009, 27, 403-415, DOI: 10.1080/07373930802683005.
441. Kandasamy, R. Mujumdar, A. S., Interface thermal characteristics of flip chip packages - A numerical study. Applied Thermal Engineering, 2009, 29, 822-829, DOI: 10.1016/j.applthermaleng.2008.04.002.
442. Jangam, S. V.; Mujumdar, A. S.; Thorat, B. N., Design of an efficient gas distribution system for a fluidized bed dryer. Drying Technology, 2009, 27, 1217-1228, DOI: 10.1080/07373930903266700.

443. Huang, L. I.; Zhang, M.; Yan, W. q.; Mujumdar, A. S.; Sun, D. f., Effect of coating on post-drying of freeze-dried strawberry pieces. *Journal of Food Engineering*, 2009, 92, 107-111, DOI: 10.1016/j.jfoodeng.2008.10.031.
444. Huang, L. L.; Zhang, M.; Mujumdar, A. S.; Sun, D. F.; Tan, G. W.; Tang, S., Studies on decreasing energy consumption for a freeze-drying process of apple slices. *Drying Technology*, 2009, 27, 938-946, DOI: 10.1080 07373930902901844.
445. Banooni, S.; Hosseinalipour, S. M.; Mujumdar, A. S.; Taherkhani, P.; Bahraei, M., Baking of flat bread in an impingement oven: Modeling and optimization. *Drying Technology*, 2009, 27, 103-112, DOI: 10.1080 07373930802565954.
446. Zhonghua, W. Mujumdar, A. S., Pulse combustion characteristics of various gaseous fuels. *Energy and Fuels*, 2008, 22, 915-924, DOI: 10.1021/ef7004207.
447. Zhonghua, W. Mujumdar, A. S., CFD modeling of the gas-particle flow behavior in spouted beds. *Powder Technology*, 2008, 183, 260-272, DOI: 10.1016/j.powtec.2007.07.040.
448. Yang, Z.; Lee, D. J.; Mujumdar, A.; Peng, X. F.; Su, A.; Hsu, C., Probing heterogeneous structure of aggregates. *Drying Technology*, 2008, 26, 1018-1023, DOI: 10.1080/07373930802177719.
449. Xu, P.; Mujumdar, A. S.; Yu, B., Fractal theory on drying: A review. *Drying Technology*, 2008, 26, 640-650, DOI: 10.1080/07373930802045932.
450. Wu, D.; Peng, X. F.; Su, A.; Mujumdar, A.; Hsu, C.; Lee, D. J., Heat and mass transfer in unsaturated porous cake with heated walls. *Drying Technology*, 2008, 26, 1079-1085, DOI: 10.1080/07373930802179491.
451. Woo, M. W.; Daud, W. R. W.; Mujumdar, A. S.; Wu, Z. H.; Talib, M. Z. M.; Tasirin, S. M., CFD evaluation of droplet drying models in a spray dryer fitted with a rotary atomizer. *Drying Technology*, 2008, 26, 1180-1198, DOI: 10.1080/07373930802306953.
452. Woo, M. W.; Daud, W. R. W.; Mujumdar, A. S.; Talib, M. Z. M.; Hua, W. Z.; Tasirin, S. M., Comparative study of droplet drying models for CFD modelling. *Chemical Engineering Research and Design*, 2008, 86, 1038-1048, DOI: 10.1016/j.cherd.2008.04.003.
453. Wang, Z.; Peng, X. F.; Mujumdar, A. S.; Su, A.; Lee, D. J., Evaporation of ethanol-water mixture drop on horizontal substrate. *Drying Technology*, 2008, 26, 806-810, DOI: 10.1080/07373930802046526.
454. Wang, X. Q.; Yap, C.; Mujumdar, A. S., A parametric study of phase change material (PCM)-based heat sinks. *International Journal of Thermal Sciences*, 2008, 47, 1055-1068, DOI: 10.1016/j.ijthermalsci.2007.07.016.
455. Wang, X. Q. Mujumdar, A. S., A review on nanofluids - Part II: Experiments and applications. *Brazilian Journal of Chemical Engineering*, 2008, 25, 631-648, DOI: 10.1590/S0104-66322008000400002.
456. Wang, X. Q. Mujumdar, A. S., A review on nanofluids - Part I: Theoretical and numerical investigations. *Brazilian Journal of Chemical Engineering*, 2008, 25, 613-630, DOI: 10.1590/S0104-66322008000400001.

457. Tao, T.; Peng, X. P.; Su, A.; Lee, D. J.; Mujumdar, A. S., Modeling convective drying of wet cake. *Journal of the Chinese Institute of Chemical Engineers*, 2008, 39, 287-290, DOI: 10.1016/j.jcice.2007.12.010.
458. Sung, S. S.; Ju, S. P.; Hsu, C.; Mujumdar, A. S.; Lee, D. J., Floc strength evaluation at alternative shearing with presence of natural organic matters. *Drying Technology*, 2008, 26, 996-1001, DOI: 10.1080 07373930802115669.
459. Rahman, S. M. A. Mujumdar, A. S., A novel atmospheric freeze-dryer using vortex tube and multimode heat input: Simulation and experiments. *Asia-Pacific Journal of Chemical Engineering*, 2008, 3, 408-416, DOI: 10.1002/apj.135.
460. Rahman, S. M. A. Mujumdar, A. S., A novel atmospheric freeze-drying system using a vibro-fluidized bed with adsorbent. *Drying Technology*, 2008, 26, 393-403, DOI: 10.1080/07373930801928914.
461. Rahman, S. M. A. Mujumdar, A. S., A novel atmospheric freeze-drying system using a vortex tube and multimode heat supply. *International Journal of Postharvest Technology and Innovation*, 2008, 1, 249-266, DOI: 10.1504/IJPTI.2008.021460.
462. Pawar, S. B.; Kumar, P. S. R.; Mujumdar, A. S.; Thorat, B. N., Infrared-convective drying of organic pigments. *Drying Technology*, 2008, 26, 315-322, DOI: 10.1080/07373930801898042.
463. Patel, A. K.; Waje, S. S.; Thorat, B. N.; Mujumdar, A. S., Tomographic diagnosis of gas maldistribution in gas-solid fluidized beds. *Powder Technology*, 2008, 185, 239-250, DOI: 10.1016/j.powtec.2007.10.019. 464. Mujumdar, A. S. Zhonghua, W., Editorial. *Drying Technology*, 2008, 26, 389-390, DOI: 10.1080 07373930801928864.
465. Mujumdar, A. S. Yoshida, H., Electro-osmotic dewatering (EOD) of bio-materials, in *Food Engineering Series*. 2008. p. 121-154.
466. Mujumdar, A. S., Editorial. *Drying Technology*, 2008, 26, 1-2, DOI: 10.1080/07373930701780845.
467. Mujumdar, A. S., Editorial. *Drying Technology*, 2008, 26, 155, DOI: 10.1080/07373930701830988.
468. Mujumdar, A. S., Editorial. *Drying Technology*, 2008, 26, 523, DOI: 10.1080/07373930801963432.
469. Mujumdar, A. S., Editorial. *Drying Technology*, 2008, 26, 1087, DOI: 10.1080/07373930802266017.
470. Mujumdar, A. S., Editorial. *Drying Technology*, 2008, 26, 1305, DOI: 10.1080/07373930802330722.
471. Mujumdar, A. S., Editorial. *Drying Technology*, 2008, 26, 1407, DOI: 10.1080/07373930802412025.
472. Mujumdar, A. Zhonghua, W., Thermal drying technologies - Cost-effective innovation aided by mathematical modeling approach. *Drying Technology*, 2008, 26, 146-154, DOI: 10.1080/07373930701812606.
473. Mujumdar, A., Editorial. *Drying Technology*, 2008, 26, 621-622, DOI: 10.1080/07373930802045833.
474. Mujumdar, A., Editorial. *Drying Technology*, 2008, 26, 815, DOI: 10.1080/07373930802135907.

475. Mujumdar, A., Editorial. Drying Technology, 2008, 26, 983, DOI: 10.1080/07373930802115578.
476. Mujumdar, A., Editorial. Drying Technology, 2008, 26, 257, DOI: 10.1080/07373930801897333.
477. Mujumdar, A., Editorial. Drying Technology, 2008, 26, 1171, DOI: 10.1080/07373930802306920.
478. Min, Q.; Duan, Y. Y.; Peng, X. F.; Mujumdar, A.; Hsu, C.; Lee, D. J., Froth flotation of mineral particles: Mechanism. Drying Technology, 2008, 26, 985-995, DOI: 10.1080/07373930802115628.
479. Lou, Z. Q.; Yap, C.; Mujumdar, A. S., A numerical study of a heat sink fin under a laminar impinging jet. Journal of Electronic Packaging, Transactions of the ASME, 2008, 130, 0345011-0345015, DOI: 10.11151.2809447.
480. Kandasamy, R.; Wang, X. Q.; Mujumdar, A. S., Transient cooling of electronics using phase change material (PCM)-based heat sinks. Applied Thermal Engineering, 2008, 28, 1047-1057, DOI: 10.1016/j.applthermaleng.2007.06.010.
481. Kandasamy, R. Mujumdar, A. S., Thermal analysis of a flip chip ceramic ball grid array (CBGA) package. Microelectronics Reliability, 2008, 48, 261-273, DOI: 10.1016/j.microrel.2007.05.005.
482. Jangam, S. V.; Joshi, V. S.; Mujumdar, A. S.; Thorat, B. N., Studies on dehydration of sapota (Achras zapota). Drying Technology, 2008, 26, 369-377, DOI: 10.1080/07373930801898190.
483. Huang, L. X. Mujumdar, A. S., The effect of rotary disk atomizer RPM on particle size distribution in a semi-industrial spray dryer. Drying Technology, 2008, 26, 1319-1325, DOI: 10.1080/07373930802330938.
484. Huang, L.; Zhang, M.; Mujumdar, A.; Zhang, C.; Lu, D.; Sun, J., Studies on controlling surface accumulation of glucose on dehydrated cabbage. Drying Technology, 2008, 26, 931-935, DOI: 10.1080/07373930802142762.
485. Gong, Z. X. Mujumdar, A. S., Software for design and analysis of drying systems. Drying Technology, 2008, 26, 884-894, DOI: 10.1080/07373930802142390.
486. Gong, Z.; Zhang, M.; Mujumdar, A.; Sun, J., Spray drying and agglomeration of instant bayberry powder. Drying Technology, 2008, 26, 116-121, DOI: 10.1080/07373930701781751.
487. Duan, X.; Zhang, M.; Li, X.; Mujumdar, A. S., Microwave freeze drying of sea cucumber coated with nanoscale silver. Drying Technology, 2008, 26, 413-419, DOI: 10.1080/07373930801929136.
488. Duan, X.; Zhang, M.; Li, X.; Mujumdar, A., Ultrasonically enhanced osmotic pretreatment of sea cucumber prior to microwave freeze drying. Drying Technology, 2008, 26, 420-426, DOI: 10.1080/07373930801929201.
489. Chung, L. L.; Waje, S. S.; Thorat, B. N.; Mujumdar, A. S., Advances and recent developments in thermal drying for bio-origin and agricultural products. Stewart Postharvest Review, 2008, 4, DOI: 10.2212/spr.2008.1.1.

490. Chin, S. K.; Law, C. L.; Supramaniam, C. V.; Cheng, P. G.; Mujumdar, A., Convective drying of *Ganoderma tsugae* Murrill and effect of temperature on basidiospores. *Drying Technology*, 2008, 26, 1524-1533, DOI: 10.1080/07373930802464018.
491. Chen, H. H.; Huang, T. C.; Tsai, C. H.; Mujumdar, A., Development and performance analysis of a new solar energy-assisted photocatalytic dryer. *Drying Technology*, 2008, 26, 503-507, DOI: 10.1080 07373930801929557.
492. Białobrzewski, I.; Zielińska, M.; Mujumdar, A. S.; Markowski, M., Heat and mass transfer during drying of a bed of shrinking particles - Simulation for carrot cubes dried in a spout-fluidized-bed drier. *International Journal of Heat and Mass Transfer*, 2008, 51, 4704-4716, DOI: 10.1016/j.ijheatmasstransfer.2008.02.031.
493. Banooni, S.; Hosseinalipour, S. M.; Mujumdar, A. S.; Taheran, E.; Mashaiekhi, M., Impingement heat transfer effects on baking of flat bread. *Drying Technology*, 2008, 26, 910-919, DOI: 10.1080/07373930802142564.
494. Banooni, S.; Hosseinalipour, S. M.; Mujumdar, A. S.; Taheran, E.; Bahiraei, M.; Taherkhani, P., Baking of flat bread in an impingement oven: An experimental study of heat transfer and quality aspects. *Drying Technology*, 2008, 26, 902-909, DOI: 10.1080/07373930802142614.
495. Zhonghua, W. Mujumdar, A. S., Simulation of the hydrodynamics and drying in a spouted bed dryer. *Drying Technology*, 2007, 25, 59-74, DOI: 10.1080/07373930601160775.
496. Zhang, Y.; Peng, X. F.; Su, A.; Mumjudar, A. S.; Lee, D. J., Drying of porous medium containing concentration sodium chloride solution. *Drying Technology*, 2007, 25, 171-175, DOI: 10.1080/01630560601184541.
497. Yang, G. Y.; Shi, Y. C.; Liu, X. D.; Mujumdar, A. S., TG-DTG Analysis of Chemically Bound Moisture Removal of $\text{AlF}_{3} \cdot 3\text{H}_2\text{O}$. *Drying Technology*, 2007, 25, 675-680, DOI: 10.1080 07373930701285993.
498. Xian, H.; Liu, D.; Shang, F.; Yang, Y.; Du, X.; Mujumdar, A. S.; Huang, L., Study on heat transfer enhancement of oscillating-flow heat pipe for drying. *Drying Technology*, 2007, 25, 723-729, DOI: 10.1080 07373930701291173.
499. Wang, X. Q.; Mujumdar, A. S.; Yap, C., Effect of orientation for phase change material (PCM)-based heat sinks for transient thermal management of electric components. *International Communications in Heat and Mass Transfer*, 2007, 34, 801-808, DOI: 10.1016/j.icheatmasstransfer.2007.03.008.
500. Wang, X. Q.; Mujumdar, A. S.; Yap, C., Effect of bifurcation angle in tree-shaped microchannel networks. *Journal of Applied Physics*, 2007, 102, DOI: 10.1063/1.2794379.
501. Wang, X. Q. Mujumdar, A. S., Heat transfer characteristics of nanofluids: a review. *International Journal of Thermal Sciences*, 2007, 46, 1-19, DOI: 10.1016/j.ijthermalsci.2006.06.010.
502. Wang, W.; Chen, G.; Mujumdar, A. S., Physical interpretation of solids drying: An overview on mathematical modeling research. *Drying Technology*, 2007, 25, 659-668, DOI: 10.1080/07373930701285936.

503. Wang, S. J. Mujumdar, A. S., Three-dimensional analysis of flow and mixing characteristics of a novel in-line opposing-jet mixer. *Industrial and Engineering Chemistry Research*, 2007, 46, 632-642, DOI: 10.1021 ie060659z.
504. Wang, S. J. Mujumdar, A. S., Flow and mixing characteristics of multiple and multi-set opposing jets. *Chemical Engineering and Processing: Process Intensification*, 2007, 46, 703-712, DOI: 10.1016 j.cep.2006.09.006.
505. Wang, B.; Zhang, W.; Zhang, W.; Yu, C.; Wang, G.; Huang, L.; Mujumdar, A. S., Influence of drying processes on agglomeration and grain diameters of magnesium oxide nanoparticles. *Drying Technology*, 2007, 25, 715-721, DOI: 10.1080/07373930701291108.
506. Waje, S. S.; Thorat, B. N.; Mujumdar, A. S., Screw conveyor dryer: Process and equipment design. *Drying Technology*, 2007, 25, 241-247, DOI: 10.1080/07373930601161112.
507. Waje, S. S.; Thorat, B. N.; Mujumdar, A. S., Hydrodynamic characteristics of a pilot-scale screw conveyor dryer. *Drying Technology*, 2007, 25, 609-616, DOI: 10.1080/07373930701250120.
508. Waje, S. S.; Patel, A. K.; Thorat, B. N.; Mujumdar, A. S., Study of residence time distribution in a pilot-Scale screw conveyor dryer. *Drying Technology*, 2007, 25, 249-259, DOI: 10.1080/07373930601161120.
509. Suvarnakuta, P.; Devahastin, S.; Mujumdar, A. S., A mathematical model for low-pressure superheated steam drying of a biomaterial. *Chemical Engineering and Processing: Process Intensification*, 2007, 46, 675-683, DOI: 10.1016/j.cep.2006.09.002.
510. Song, X. J.; Zhang, M.; Mujumdar, A. S., Optimization of vacuum microwave predrying and vacuum frying conditions to produce fried potato chips. *Drying Technology*, 2007, 25, 2027-2034, DOI: 10.1080 07373930701728638.
511. Song, X. J.; Zhang, M.; Mujumdar, A. S., Effect of vacuum-microwave predrying on quality of vacuum-fried potato chips. *Drying Technology*, 2007, 25, 2021-2026, DOI: 10.1080/07373930701728703.
512. Rahman, S. M. A. Mujumdar, A. S., Effect of osmotic treatment with concentrated sugar and salt solutions on kinetics and color in vacuum contact drying. *Journal of Food Processing and Preservation*, 2007, 31, 671-687, DOI: 10.1111/j.1745-4549.2007.00159.x.
513. Rahman, S. M. A.; Islam, M. R.; Mujumdar, A. S., A study of coupled heat and mass transfer in composite food products during convective drying. *Drying Technology*, 2007, 25, 1359-1368, DOI: 10.1080 07373930701438956.
514. Qgura, H.; Yasuda, S.; Otsubo, A.; Mujumdar, A. S., Continuous operation of a chemical heat pump. *Asia-Pacific Journal of Chemical Engineering*, 2007, 2, 118-123, DOI: 10.1002/apj.50.
515. Piacenitini, R. D. Mujumdar, A. S., Guest editorial. *Drying Technology*, 2007, 25, 1587-1588, DOI: 10.1080 07373930701539803.
516. Mujumdar, A. S. Huang, L. X., Global R&D needs in drying. *Drying Technology*, 2007, 25, 647-658, DOI: 10.1080/07373930701285886.

517. Mujumdar, A. S., An overview of innovation in industrial drying: Current status and R&D needs. *Transport in Porous Media*, 2007, 66, 3-18, DOI: 10.1007/s11242-006-9018-y.
518. Mujumdar, A. S., Editorial. *Drying Technology*, 2007, 25, 1-2, DOI: 10.1080/07373930601152236.
519. Mujumdar, A. S., Editorial. *Drying Technology*, 2007, 25, 519, DOI: 10.1080/07373930701249965.
520. Mujumdar, A. S., Editorial. *Drying Technology*, 2007, 25, 739, DOI: 10.1080/07373930701370068.
521. Mujumdar, A. S., Editorial. *Drying Technology*, 2007, 25, 943, DOI: 10.1080/07373930701399208.
522. Mujumdar, A. S., Editorial. *Drying Technology*, 2007, 25, 1585, DOI: 10.1080/07373930701539811.
523. Mujumdar, A. S., Editorial. *Drying Technology*, 2007, 25, 1591, DOI: 10.1080/07373930701595441.
524. Mujumdar, A. S., Editorial. *Drying Technology*, 2007, 25, 1799-1800, DOI: 10.1080/07373930701678049.
525. Mujumdar, A. S., Editorial. *Drying Technology*, 2007, 25, 1905, DOI: 10.1080/07373930701727150.
526. Liu-Ping, F.; Zhang, M.; Mujumdar, A. S., Storage stability of carrot chips. *Drying Technology*, 2007, 25, 1533-1539, DOI: 10.1080/07373930701539654.
527. Li, X. H.; Guohua, C.; Mujumdar, A. S., Asia-Pacific Journal of Chemical Engineering: Guest editorial. *Asia-Pacific Journal of Chemical Engineering*, 2007, 2, 1-2, DOI: 10.1002/apj.43.
528. Konstantopoulos, D. K.; Maroulis, V. Z.; Karoglou, M.; Moropoulou, A.; Mujumdar, A. S., Hygroscope: A moisture transfer a simulator for buildings. *Drying Technology*, 2007, 25, 1119-1125, DOI: 10.1080/07373930701396469.
529. Kandasamy, R.; Wang, X. Q.; Mujumdar, A. S., Application of phase change materials in thermal management of electronics. *Applied Thermal Engineering*, 2007, 27, 2822-2832, DOI: 10.1016/j.applthermaleng.2006.12.013.
530. Islam, M. R.; Thaker, K. S.; Mujumdar, A. S., A diffusion model for a drum dryer subjected to conduction, convection, and radiant heat input. *Drying Technology*, 2007, 25, 1033-1043, DOI: 10.1080/07373930701397467.
531. Huang, L. X. Mujumdar, A. S., A computational fluid dynamic study of a low-humidity co-current spray dryer. *Asia-Pacific Journal of Chemical Engineering*, 2007, 2, 12-19, DOI: 10.1002/apj.49.
532. Huang, L. Mujumdar, A. S., Simulation of an industrial spray dryer and prediction of off-design performance. *Drying Technology*, 2007, 25, 703-714, DOI: 10.1080/07373930701291033.
533. Hu, Q. G.; Zhang, M.; Mujumdar, A. S.; Xiao, G. N.; Sun, J. C., Performance evaluation of vacuum microwave drying of edamame in deep-bed drying. *Drying Technology*, 2007, 25, 731-736, DOI: 10.1080/07373930701291199.

534. Gong, Z. X. Mujumdar, A. S., Review of R&D in drying of refractories. *Drying Technology*, 2007, 25, 1917-1925, DOI: 10.1080/07373930701727200.
535. Duan, X.; Zhang, M.; Mujumdar, A. S., Studies on the microwave freeze drying technique and sterilization characteristics of cabbage. *Drying Technology*, 2007, 25, 1725-1731, DOI: 10.1080/07373930701591044.
536. Duan, X.; Zhang, M.; Mujumdar, A. S., Study on a combination drying technique of sea cucumber. *Drying Technology*, 2007, 25, 2011-2019, DOI: 10.1080/07373930701728497.
537. Cao, H.; Zhang, M.; Mujumdar, A. S.; Xiao, G. N.; Sun, J. C., Study on reduction of water activity and storage stability for dehydrated brassica parachinensis with intermediate moisture. *Drying Technology*, 2007, 25, 669-674, DOI: 10.1080/07373930701285969.
538. Basu, S.; Shrivhare, U. S.; Mujumdar, A. S., Moisture adsorption isotherms and glass transition temperature of xanthan gum. *Drying Technology*, 2007, 25, 1577-1582, DOI: 10.1080/07373930701539795.
539. Zhonghua, W. Mujumdar, A. S., R&D needs and opportunities in pulse combustion and pulse combustion drying. *Drying Technology*, 2006, 24, 1521-1523, DOI: 10.1080/07373930600961520.
540. Zhang, M.; Tang, J.; Mujumdar, A. S.; Wang, S., Trends in microwave-related drying of fruits and vegetables. *Trends in Food Science and Technology*, 2006, 17, 524-534, DOI: 10.1016/j.tifs.2006.04.011.
541. Yong, C. K.; Islam, M. R.; Mujumdar, A. S., Mechanical means of enhancing drying rates: Effect on drying kinetics and quality. *Drying Technology*, 2006, 24, 397-404, DOI: 10.1080/07373930600616678.
542. Xu, Y.; Zhang, M.; Mujumdar, A.; Duan, X.; Jin-cai, S., A two-stage vacuum freeze and convective air-drying method for strawberries. *Drying Technology*, 2006, 24, 1019-1023, DOI: 10.1080/07373930600776209.
543. Wu, Z. Mujumdar, A. S., A parametric study of spray drying of a solution in a pulsating high-temperature turbulent flow. *Drying Technology*, 2006, 24, 751-761, DOI: 10.1080/03602550600685267.
544. Wanjari, A. N.; Thorat, B. N.; Baker, C. G. J.; Mujumdar, A. S., Design and modeling of plug flow fluid bed dryers. *Drying Technology*, 2006, 24, 147-157, DOI: 10.1080/07373930600558946.
545. Wang, X. Q.; Yap, C.; Mujumdar, A. S., Laminar heat transfer in constructal Microchannel networks with loops. *Journal of Electronic Packaging, Transactions of the ASME*, 2006, 128, 273-280, DOI: 10.1115/1.2229228.
546. Wang, X. Q.; Mujumdar, A. S.; Yap, C., Numerical analysis of blockage and optimization of heat transfer performance of fractal-like microchannel nets. *Journal of Electronic Packaging, Transactions of the ASME*, 2006, 128, 38-45, DOI: 10.1115/1.2159007.
547. Wang, X. Q.; Mujumdar, A. S.; Yap, C., Thermal characteristics of tree-shaped microchannel nets for cooling of a rectangular heat sink. *International Journal of Thermal Sciences*, 2006, 45, 1103-1112, DOI: 10.1016/j.ijthermalsci.2006.01.010.

548. Wang, S. J.; Devahastin, S.; Mujumdar, A. S., Effect of temperature difference on flow and mixing characteristics of laminar confined opposing jets. *Applied Thermal Engineering*, 2006, 26, 519-529, DOI: 10.1016/j.applthermaleng.2005.07.029.
549. Waje, S. S.; Thorat, B. N.; Mujumdar, A. S., An experimental study of the thermal performance of a screw conveyor dryer. *Drying Technology*, 2006, 24, 293-301, DOI: 10.1080/07373930600564506.
550. Sablani, S. S.; Datta, A. K.; Rahman, M. S.; Mujumdar, A. S., Handbook of food and bioprocess modeling techniques. *Handbook of Food and Bioprocess Modeling Techniques*. 2006. 1-626.
551. Sablani, S. S.; Datta, A. K.; Rahman, M. S.; Mujumdar, A. S., Preface, in *Handbook of Food and Bioprocess Modeling Techniques*. 2006. p. vii-viii.
552. Qing-guo, H.; Min, Z.; Mujumdar, A.; Wei-hua, D.; Jin-cai, S., Effects of different drying methods on the quality changes of granular edamame. *Drying Technology*, 2006, 24, 1025-1032, DOI: 10.1080 07373930600776217.
553. Mujumdar, A. S., Some recent developments in drying technologies appropriate for postharvest processing. *International Journal of Postharvest Technology and Innovation*, 2006, 1, 76-92, DOI: 10.1504 IJPTI.2006.009185.
554. Mujumdar, A. S., Editorial. *Drying Technology*, 2006, 24, 1, DOI: 10.1080/07373930500538451.
555. Mujumdar, A. S., Editorial. *Drying Technology*, 2006, 24, 119, DOI: 10.1080/07373930600558862.
556. Mujumdar, A. S., Editorial. *Drying Technology*, 2006, 24, 253, DOI: 10.1080/07373930600616637.
557. Mujumdar, A. S., Editorial. *Drying Technology*, 2006, 24, 411, DOI: 10.1080/07373930600611612.
558. Mujumdar, A. S., Editorial. *Drying Technology*, 2006, 24, 537, DOI: 10.1080/07373930600626347.
559. Mujumdar, A. S., Editorial. *Drying Technology*, 2006, 24, 681, DOI: 10.1080/07373930600685699.
560. Mujumdar, A. S., Editorial. *Drying Technology*, 2006, 24, 793, DOI: 10.1080/07373930600733051.
561. Mujumdar, A. S., Editorial. *Drying Technology*, 2006, 24, 1197, DOI: 10.1080/07373930600820635.
562. Mujumdar, A. S., Editorial. *Drying Technology*, 2006, 24, 1327, DOI: 10.1080/07373930600951075.
563. Mujumdar, A. S., Editorial. *Drying Technology*, 2006, 24, 1539, DOI: 10.1080/07373930601030721.
564. Mujumdar, A., Editorial. *Drying Technology*, 2006, 24, 915, DOI: 10.1080/07373930600775912.
565. Mujumdar, A., Editorial. *Drying Technology*, 2006, 24, 1055, DOI: 10.1080/07373930600778023.
566. Lim, L. C.; Sablani, S. S.; Mujumdar, A. S., Dimensional analysis, in *Handbook of Food and Bioprocess Modeling Techniques*. 2006. p. 533-561.

567. Lee, D. J.; Lai, J. Y.; Mujumdar, A. S., Moisture distribution and dewatering efficiency for wet materials. *Drying Technology*, 2006, 24, 1201-1208, DOI: 10.1080/07373930600838041.
568. Kudra, T. Mujumdar, A. S., Guest editorial. *Drying Technology*, 2006, 24, 795, DOI: 10.1080 07373930600793691.
569. Huang, L. X.; Kumar, K.; Mujumdar, A. S., A comparative study of a spray dryer with rotary disc atomizer and pressure nozzle using computational fluid dynamic simulations. *Chemical Engineering and Processing: Process Intensification*, 2006, 45, 461-470, DOI: 10.1016/j.cep.2005.11.004.
570. Huang, L. Mujumdar, A. S., Numerical study of two-stage horizontal spray dryers using computational fluid dynamics. *Drying Technology*, 2006, 24, 727-733, DOI: 10.1080/07373930600685046.
571. Hu, Q. g.; Zhang, M.; Mujumdar, A. S.; Xiao, G. n.; Jin-cai, S., Drying of edamames by hot air and vacuum microwave combination. *Journal of Food Engineering*, 2006, 77, 977-982, DOI: 10.1016 j.jfoodeng.2005.08.025.
572. Fan, L. P.; Zhang, M.; Mujumdar, A. S., Effect of various pretreatments on the quality of vacuum-fried carrot chips. *Drying Technology*, 2006, 24, 1481-1486, DOI: 10.1080/07373930600952826.
573. Devahastin, S.; Suvarnakuta, P.; Mujumdar, A. S., Recent advances in drying technologies for carrot and sweetpotato, in *Acta Horticulturae*. 2006. p. 89-96.
574. Cao, H.; Zhang, M.; Mujumdar, A. S.; Du, W. H.; Sun, J. C., Optimization of osmotic dehydration of kiwifruit. *Drying Technology*, 2006, 24, 89-94, DOI: 10.1080/07373930500538741.
575. Birchal, V. S.; Huang, L.; Mujumdar, A. S.; Passos, M. L., Spray dryers: Modeling and simulation. *Drying Technology*, 2006, 24, 359-371, DOI: 10.1080/07373930600564431.
576. Basu, S.; Shivhare, U. S.; Mujumdar, A. S., Models for sorption isotherms for foods: A review. *Drying Technology*, 2006, 24, 917-930, DOI: 10.1080/07373930600775979.
577. Basu, S.; Shivhare, U. S.; Mujumdar, A. S., Erratum: Models for sorption isotherms for foods: A review (*Drying Technology* (2006) vol. 24 (917-930)). *Drying Technology*, 2006, 24, 1705, DOI: 10.1080/07373930601031711.
578. Zhao, W.; Kumar, K.; Mujumdar, A. S., Impingement heat transfer for a cluster of laminar impinging jets issuing from noncircular nozzles. *Drying Technology*, 2005, 23, 105-130, DOI: 10.1081/DRT-200047877.
579. Zhao, L.; Li, J.; Pan, Y.; Chen, G.; Mujumdar, A. S., Thermal dehydration methods for fruits and vegetables. *Drying Technology*, 2005, 23, 2249-2260, DOI: 10.1080/07373930500212768.
580. Xu, Y.; Zhang, M.; Tu, D.; Sun, J.; Zhou, L.; Mujumdar, A. S., A two-stage convective air and vacuum freeze-drying technique for bamboo shoots. *International Journal of Food Science and Technology*, 2005, 40, 589-595, DOI: 10.1111/j.1365-2621.2005.00956.x.
581. Wang, X. Q.; Yap, C.; Mujumdar, A. S., Effects of two-dimensional roughness in flow in microchannels. *Journal of Electronic Packaging, Transactions of the ASME*, 2005, 127, 357-361, DOI: 10.1115/1.1997164.

582. Wang, S. J. Mujumdar, A. S., A comparative study of five low Reynolds number k- ϵ models for impingement heat transfer. *Applied Thermal Engineering*, 2005, 25, 31-44, DOI: 10.1016/j.applthermaleng.2004.06.001.
583. Wang, S. J. Mujumdar, A. S., A numerical study of flow and mixing characteristics of three-dimensional confined turbulent opposing jets: Unequal jets. *Chemical Engineering and Processing: Process Intensification*, 2005, 44, 1068-1074, DOI: 10.1016/j.cep.2005.02.003.
584. Wang, S. J.; Devahastin, S.; Mujumdar, A. S., A numerical investigation of some approaches to improve mixing in laminar confined impinging streams. *Applied Thermal Engineering*, 2005, 25, 253-269, DOI: 10.1016/j.applthermaleng.2004.06.015.
585. Wang, B.; Zhang, W.; Zhang, W.; Mujumdar, A. S.; Huang, L., Progress in drying technology for nanomaterials. *Drying Technology*, 2005, 23, 7-32, DOI: 10.1081/DRT-200047900.
586. Suvarnakuta, P.; Devahastin, S.; Soponronnarit, S.; Mujumdar, A. S., Drying kinetics and inversion temperature in a low-pressure superheated steam-drying system. *Industrial and Engineering Chemistry Research*, 2005, 44, 1934-1941, DOI: 10.1021/ie049675r.
587. Suvarnakuta, P.; Devahastin, S.; Mujumdar, A. S., Drying kinetics and β -carotene degradation in carrot undergoing different drying processes. *Journal of Food Science*, 2005, 70, S520-S526.
588. Sun, L.; Islam, M. R.; Ho, J. C.; Mujumdar, A. S., A diffusion model for drying of a heat sensitive solid under multiple heat input modes. *Bioresource Technology*, 2005, 96, 1551-1560, DOI: 10.1016/j.biortech.2004.12.016.
589. Shi, Y. L.; Mujumdar, A. S.; Ray, M. B., Heat transfer in multiple-turbulent-slot impinging jets of gas-particle suspensions. *Numerical Heat Transfer; Part A: Applications*, 2005, 47, 147-164, DOI: 10.1080 10407780490517610.
590. Sablani, S. S.; Kacimov, A.; Perret, J.; Mujumdar, A. S.; Campo, A., Non-iterative estimation of heat transfer coefficients using artificial neural network models. *International Journal of Heat and Mass Transfer*, 2005, 48, 665-679, DOI: 10.1016/j.ijheatmasstransfer.2004.09.005.
591. Poh, H. J.; Kumar, K.; Mujumdar, A. S., Heat transfer from a pulsed laminar impinging jet. *International Communications in Heat and Mass Transfer*, 2005, 32, 1317-1324, DOI: 10.1016/j.icheatmasstransfer.2005.07.012.
592. Ogura, H.; Yamamoto, T.; Otsubo, Y.; Ishida, H.; Kage, H.; Mujumdar, A. S., A control strategy for a chemical heat pump dryer. *Drying Technology*, 2005, 23, 1189-1203, DOI: 10.1081/DRT-200059337.
593. Mujumdar, A. S., Editorial. *Drying Technology*, 2005, 23, 999-1000, DOI: 10.1081/DRT-200054945.
594. Mujumdar, A. S., Editorial. *Drying Technology*, 2005, 23, 413, DOI: 10.1081/DRT-200054112.
595. Mujumdar, A. S., Editorial. *Drying Technology*, 2005, 23, 1001, DOI: 10.1081/DRT-200059130.
596. Mujumdar, A. S., Editorial. *Drying Technology*, 2005, 23, 1165, DOI: 10.1081/DRT-200059321.

597. Mujumdar, A. S., Editorial. Drying Technology, 2005, 23, 1343-1344, DOI: 10.1081/DRT-200063471.
598. Mujumdar, A. S., Editorial. Drying Technology, 2005, 23, 1761-1762, DOI: 10.1080/07373930500209517.
599. Lou, Z. Q.; Yap, C.; Mujumdar, A. S. Numerical investigation of laminar impinging jet heat transfer to finned heat sinks. in Proceedings of the ASME Summer Heat Transfer Conference. 2005.
600. Lou, Z. Q.; Mujumdar, A. S.; Yap, C., Effects of geometric parameters on confined impinging jet heat transfer. Applied Thermal Engineering, 2005, 25, 2687-2697, DOI: 10.1016/j.applthermaleng.2004.10.014.
601. Li, H.; Elias, E.; Mujumdar, A. S., Theoretical simulation of explosive boiling. International Communications in Heat and Mass Transfer, 2005, 32, 612-619, DOI: 10.1016/j.icheatmasstransfer.2004.10.012.
602. Jumah, R. Mujumdar, A. S., Modeling intermittent drying using an adaptive neuro-fuzzy inference system. Drying Technology, 2005, 23, 1075-1092, DOI: 10.1081/DRT-200059138.
603. Huang, L. X.; Passos, M. L.; Kumar, K.; Mujumdar, A. S., A three-dimensional simulation of a spray dryer fitted with a rotary atomizer. Drying Technology, 2005, 23, 1859-1873, DOI: 10.1080/07373930500210176.
604. Huang, L. Mujumdar, A. S., Development of a new innovative conceptual design for horizontal spray dryer via mathematical modeling. Drying Technology, 2005, 23, 1169-1187, DOI: 10.1081/DRT-200059328.
605. Fan, L. P.; Zhang, M.; Mujumdar, A. S., Vacuum frying of carrot chips. Drying Technology, 2005, 23, 645-656, DOI: 10.1081/DRT-200054159.
606. Birchall, V. S.; Passos, M. L.; Wildhagen, G. R. S.; Mujumdar, A. S., Effect of spray-dryer operating variables on the whole milk powder quality. Drying Technology, 2005, 23, 611-636, DOI: 10.1081/DRT-200054153.
607. Zhao, W.; Kumar, K.; Mujumdar, A. S., Flow and heat transfer characteristics of confined noncircular turbulent impinging jets. Drying Technology, 2004, 22, 2027-2049, DOI: 10.1081/DRT-200034239.
608. Zhao, L.; Pan, Y.; Li, J.; Chen, G.; Mujumdar, A. S., Drying of a dilute suspension in a revolving flow fluidized bed of inert particles. Drying Technology, 2004, 22, 363-376, DOI: 10.1081/DRT-120028240.
609. Yanyang, X.; Min, Z.; Mujumdar, A. S.; Le-qun, Z.; Jin-cai, S., Studies on hot air and microwave vacuum drying of wild cabbage. Drying Technology, 2004, 22, 2201-2209, DOI: 10.1081/DRT-200034275.
610. Shi, Y.; Mujumdar, A. S.; Ray, M. B., Effect of large temperature difference on impingement heat transfer under a round turbulent jet. International Communications in Heat and Mass Transfer, 2004, 31, 251-260, DOI: 10.1016/S0735-1933(03)00230-6.
611. Ranjan, R.; Irudayaraj, J.; Reddy, J. N.; Mujumdar, A. S., Finite-element simulation and validation of stepwise drying of bananas. Numerical Heat Transfer; Part A: Applications, 2004, 45, 997-1012, DOI: 10.1080 10407780490453963.

612. Poh, H. J.; Kumar, K.; Chiang, H. S.; Mujumdar, A. S., Heat transfer from a laminar impinging jet of a power law fluid. *International Communications in Heat and Mass Transfer*, 2004, 31, 241-249, DOI: 10.1016 S0735-1933(03)00229-X.
613. Ogura, H.; Hamaguchi, N.; Kage, H.; Mujumdar, A. S., Energy and cost estimation for application of chemical heat pump dryer to industrial ceramics drying. *Drying Technology*, 2004, 22, 307-323, DOI: 10.1081 DRT-120028236.
614. Mujumdar, A. S., Editorial. *Drying Technology*, 2004, 22, vii-viii, DOI: 10.1081/DRT-200039975.
615. Mujumdar, A. S., Research and development in drying: Recent trends and future prospects. *Drying Technology*, 2004, 22, 1-26, DOI: 10.1081/DRT-120028201.
616. Markowski, A. S. Mujumdar, A. S., Drying risk assessment strategies. *Drying Technology*, 2004, 22, 395-412, DOI: 10.1081/DRT-120028242.
617. Huang, L.; Kumar, K.; Mujumdar, A. S., Simulation of a spray dryer fitted with a rotary disk atomizer using a three-dimensional computational fluid dynamic model. *Drying Technology*, 2004, 22, 1489-1515, DOI: 10.1081 DRT-120038737.
618. Huang, L.; Kumar, K.; Mujumdar, A. S., Spray evaporation of different liquids in a drying chamber - Effect on flow, heat and mass transfer performances. *Chinese Journal of Chemical Engineering*, 2004, 12, 737-743.
619. Goel, M.; Hongqiang, H.; Mujumdar, A. S.; Ray, M. B., Sonochemical decomposition of volatile and non-volatile organic compounds - A comparative study. *Water Research*, 2004, 38, 4247-4261, DOI: 10.1016 j.watres.2004.08.008.
620. Devahastin, S.; Suvarnakuta, P.; Soponronnarit, S.; Mujumdar, A. S., A comparative study of low-pressure superheated steam and vacuum drying of a heat-sensitive material. *Drying Technology*, 2004, 22, 1845-1867, DOI: 10.1081/DRT-200032818.
621. Chua, K. J.; Chou, S. K.; Mujumdar, A. S.; Ho, J. C.; Hon, C. K., Radiant-convective drying of osmotic treated agro-products: Effect on drying kinetics and product quality. *Food Control*, 2004, 15, 145-158, DOI: 10.1016 S0956-7135(03)00026-4.
622. Shi, Y. L.; Mujumdar, A. S.; Ray, M. B., Parametric Study of Heat Transfer in Turbulent Gas-Solid Flow in Multiple Impinging Jets. *Industrial and Engineering Chemistry Research*, 2003, 42, 6223-6231, DOI: 10.1021 ie0303451.
623. Shi, Y.; Ray, M. B.; Mujumdar, A. S., Numerical study on the effect of cross-flow on turbulent flow and heat transfer characteristics under normal and oblique semi-confined impinging slot jets. *Drying Technology*, 2003, 21, 1923-1939, DOI: 10.1081/DRT-120026425.
624. Perera, C. O.; Jasinghe, V. J.; Ng, F. L.; Mujumdar, A. S., The effect of moisture content on the conversion of ergosterol to vitamin D in shiitake mushrooms. *Drying Technology*, 2003, 21, 1091-1099, DOI: 10.1081 DRT-120021876.
625. Pan, Y. K.; Zhao, L. J.; Zhang, Y.; Chen, G.; Mujumdar, A. S., Osmotic dehydration pretreatment in drying of fruits and vegetables. *Drying Technology*, 2003, 21, 1101-1114, DOI: 10.1081/DRT-120021877.
626. Ogura, H.; Ishida, H.; Kage, H.; Mujumdar, A. S., Enhancement of energy efficiency of a chemical heat pump-assisted convective dryer. *Drying Technology*, 2003, 21, 279-292, DOI: 10.1081/DRT-120017749.

627. Mujumdar, A. S., Drying Technology: Editorial. *Drying Technology*, 2003, 21, vii-viii, DOI: 10.1081 DRT-120017741.
628. Li, J.; Mason, D. J.; Mujumdar, A. S., A numerical study of heat transfer mechanisms in gas-solids flows through pipes using a coupled CFD and DEM model. *Drying Technology*, 2003, 21, 1839-1866, DOI: 10.1081 DRT-120025511.
629. Li, J.; Campbell, G. M.; Mujumdar, A. S., Discrete modeling and suggested measurement of heat transfer in gas-solids flows. *Drying Technology*, 2003, 21, 979-994, DOI: 10.1081/DRT-120021851.
630. Jia, L. W.; Raisul Islam, M.; Mujumdar, A. S., A simulation study on convection and microwave drying of different food products. *Drying Technology*, 2003, 21, 1549-1574, DOI: 10.1081/DRT-120024679.
631. Islam, R.; Sablani, S. S.; Mujumdar, A. S., An artificial neural network model for prediction of drying rates. *Drying Technology*, 2003, 21, 1867-1884, DOI: 10.1081/DRT-120025512.
632. Islam, R. Mujumdar, A. S., Role of product shrinkage in drying rate predictions using a liquid diffusion model. *International Communications in Heat and Mass Transfer*, 2003, 30, 391-400, DOI: 10.1016 S0735-1933(03)00057-5.
633. Islam, M. R.; Ho, J. C.; Mujumdar, A. S., Simulation of liquid diffusion-controlled drying of shrinking thin slabs subjected to multiple heat sources. *Drying Technology*, 2003, 21, 413-438, DOI: 10.1081/DRT-120018455.
634. Islam, M. R.; Ho, J. C.; Mujumdar, A. S., Convective drying with time-varying heat input: Simulation results. *Drying Technology*, 2003, 21, 1333-1356, DOI: 10.1081/DRT-120023187.
635. Huang, L.; Kumar, K.; Mujumdar, A. S., Use of computational fluid dynamics to evaluate alternative spray dryer chamber configurations. *Drying Technology*, 2003, 21, 385-412, DOI: 10.1081/DRT-120018454.
636. Huang, L.; Kumar, K.; Mujumdar, A. S., A parametric study of the gas flow patterns and drying performance of co-current spray dryer: Results of a computational fluid dynamics study. *Drying Technology*, 2003, 21, 957-978, DOI: 10.1081/DRT-120021850.
637. Dedic, A. D.; Mujumdar, A. S.; Voronjec, D. K., A three-dimensional model for heat and mass transfer in convective wood drying. *Drying Technology*, 2003, 21, 1-15, DOI: 10.1081/DRT-120017280.
638. Chua, K. J.; Mujumdar, A. S.; Chou, S. K., Intermittent drying of bioproducts - An overview. *Bioresource Technology*, 2003, 90, 285-295, DOI: 10.1016/S0960-8524(03)00133-0.
639. Wang, W.; Thorat, B. N.; Chen, G.; Mujumdar, A. S., Simulation of fluidized-bed drying of carrot with microwave heating. *Drying Technology*, 2002, 20, 1855-1867, DOI: 10.1081/DRT-120015418.
640. Uddin, M. S.; Hawlader, M. N. A.; Ding, L.; Mujumdar, A. S., Degradation of ascorbic acid in dried guava during storage. *Journal of Food Engineering*, 2002, 51, 21-26, DOI: 10.1016/S0260-8774(01)00031-0.

641. Shi, Y.; Ray, M. B.; Mujumdar, A. S., Effect of large temperature differences on local nusselt number under turbulent slot impingement jet. *Drying Technology*, 2002, 20, 1803-1825, DOI: 10.1081/DRT-120015415.
642. Shi, Y.; Ray, M. B.; Mujumdar, A. S., Computational study of impingement heat transfer under a turbulent slot jet. *Industrial and Engineering Chemistry Research*, 2002, 41, 4643-4651, DOI: 10.1021/ie020120a.
643. Shi, Y.; Ray, M. B.; Mujumdar, A. S., Effects of prandtl number on impinging jet heat transfer under a semi-confined turbulent slot jet. *International Communications in Heat and Mass Transfer*, 2002, 29, 929-938, DOI: 10.1016/S0735-1933(02)00413-X.
644. Sanga, E. C. M.; Mujumdar, A. S.; Raghavan, G. S. V., Simulation of convection-microwave drying for a shrinking material. *Chemical Engineering and Processing*, 2002, 41, 487-499, DOI: 10.1016/S0255-2701(01)00170-2.
645. Rostami, A. A.; Mujumdar, A. S.; Saniei, N., Flow and heat transfer for gas flowing in microchannels: A review. *Heat and Mass Transfer/Waerme- und Stoffuebertragung*, 2002, 38, 359-367, DOI: 10.1007/s002310100247.
646. Ogura, H.; Yamamoto, T.; Kage, H.; Matsuno, Y.; Mujumdar, A. S., Effects of heat exchange condition on hot air production by a chemical heat pump dryer using CaO/H₂O/Ca(OH)₂ reaction. *Chemical Engineering Journal*, 2002, 86, 3-10, DOI: 10.1016/S1385-8947(01)00265-0.
647. Nishimura, A.; Deguchi, S.; Matsuda, H.; Hasatani, M.; Mujumdar, A. S., Heat transfer characteristics in a pulsating fluidized bed in relation to bubble characteristics. *Heat Transfer - Asian Research*, 2002, 31, 307-319, DOI: 10.1002/htj.10038.
648. Mujumdar, A. S. Chen, G., Special theme issue: Developments in dewatering and drying. *Developments in Chemical Engineering and Mineral Processing*, 2002, 10, 223-224.
649. Mujumdar, A. S., Drying research - Current state and future trends. *Developments in Chemical Engineering and Mineral Processing*, 2002, 10, 225-246.
650. Ho, J. C.; Chou, S. K.; Chua, K. J.; Mujumdar, A. S.; Hawlader, M. N. A., Analytical study of cyclic temperature drying: Effect on drying kinetics and product quality. *Journal of Food Engineering*, 2002, 51, 65-75, DOI: 10.1016/S0260-8774(01)00038-3.
651. Elustondo, D. M.; Mujumdar, A. S.; Urbicain, M. J., Optimum operating conditions in drying foodstuffs with superheated steam. *Drying Technology*, 2002, 20, 381-402, DOI: 10.1081/DRT-120002548.
652. Devahastin, S. Mujumdar, A. S., A numerical study of flow and mixing characteristics of laminar confined impinging streams. *Chemical Engineering Journal*, 2002, 85, 215-223, DOI: 10.1016/S1385-8947(01)00163-2.
653. Chua, K. J.; Chou, S. K.; Hawlader, M. N. A.; Mujumdar, A. S.; Ho, J. C., Modelling the moisture and temperature distribution within an agricultural product undergoing time-varying drying schemes. *Biosystems Engineering*, 2002, 81, 99-111, DOI: 10.1006/bioe.2001.0026.
654. Chen, G.; Yue, P. L.; Mujumdar, A. S., Sludge dewatering and drying. *Drying Technology*, 2002, 20, 883-916, DOI: 10.1081/DRT-120003768.

655. Chen, G. Mujumdar, A. S., Application of electrical fields in dewatering and drying. *Developments in Chemical Engineering and Mineral Processing*, 2002, 10, 429-441, DOI: 10.1002/apj.5500100413.
656. Zhao, W.; Mujumdar, A. S.; Ray, M. B., Collection efficiencies of various designs of post-cyclone. *Canadian Journal of Chemical Engineering*, 2001, 79, 708-716, DOI: 10.1002/cjce.5450790502.
657. Tan, M.; Chua, K. J.; Mujumdar, A. S.; Chou, S. K., Effect of osmotic pre-treatment and infrared radiation on drying rate and color changes during drying of potato and pineapple. *Drying Technology*, 2001, 19, 2193-2207, DOI: 10.1081/DRT-100107494.
658. Pan, Y. K.; Li, J. G.; Zhao, L. J.; Ye, W. H.; Mujumdar, A. S.; Kudra, T., Performance characteristics of the vibrated fluid bed of inert particles for drying of liquid feeds. *Drying Technology*, 2001, 19, 2003-2018, DOI: 10.1081 DRT-100107285.
659. Ogura, H.; Ishida, H.; Yokooji, R.; Kage, H.; Matsuno, Y.; Mujumdar, A. S., Experimental studies on a novel chemical heat pump dryer using a gas-solid reaction. *Drying Technology*, 2001, 19, 1461-1477, DOI: 10.1081 DRT-100105300.
660. Mujumdar, A. S., Recent developments in the drying technologies for the production of particulate materials, in *Handbook of Powder Technology*. 2001. p. 533-545.
661. Jumah, R. Y. Mujumdar, A. S., Natural convection heat and mass transfer from a vertical flat plate with variable wall temperature and concentration to power-law fluids with yield stress in a porous medium. *Chemical Engineering Communications*, 2001, 185, 165-182, DOI: 10.1080/00986440108912861.
662. Ho, J. C.; Chou, S. K.; Mujumdar, A. S.; Hawlader, M. N. A.; Chua, K. J., An optimisation framework for drying of heat-sensitive products. *Applied Thermal Engineering*, 2001, 21, 1779-1798, DOI: 10.1016 S1359-4311(01)00047-3.
663. Hawlader, M. N. A.; Chou, S. K.; Chua, K. J.; Ho, J. C.; Mujumdar, A. S., On the Steady-state modelling of a two-stage evaporator system. *International Journal of Energy Research*, 2001, 25, 859-880, DOI: 10.1002 er.725.
664. Devahastin, S. Mujumdar, A. S., A numerical study of mixing in a novel impinging stream in-line mixer. *Chemical Engineering and Processing*, 2001, 40, 459-470, DOI: 10.1016/S0255-2701(00)00145-8.
665. Devahastin, S. Mujumdar, A. S., Some hydrodynamic and mixing characteristics of a pulsed spouted bed dryer. *Powder Technology*, 2001, 117, 189-197, DOI: 10.1016/S0032-5910(00)00380-6.
666. Devahastin, S. Mujumdar, A. S., A study of turbulent mixing of confined impinging streams using a new composite turbulence model. *Industrial and Engineering Chemistry Research*, 2001, 40, 4998-5004, DOI: 10.1021/ie010153a.
667. Chua, K. J.; Mujumdar, A. S.; Hawlader, M. N. A.; Chou, S. K.; Ho, J. C., Batch drying of banana pieces - Effect of stepwise change in drying air temperature on drying kinetics and product colour. *Food Research International*, 2001, 34, 721-731, DOI: 10.1016/S0963-9969(01)00094-1.
668. Chua, K. J.; Mujumdar, A. S.; Hawlader, M. N. A.; Chou, S. K.; Ho, J. C., Convective drying of agricultural products. Effect of continuous and stepwise change in drying air temperature. *Drying Technology*, 2001, 19, 1949-1960, DOI: 10.1081/DRT-100107282.

669. Chen, G.; Wang, W.; Mujumdar, A. S., Theoretical study of microwave heating patterns on batch fluidized bed drying of porous material. *Chemical Engineering Science*, 2001, 56, 6823-6835, DOI: 10.1016 S0009-2509(01)00320-7.
670. Sanga, E.; Mujumdar, A. S.; Raghavan, G. S. V. Experimental results of combined microwave-convection drying of non-homogeneous (composite) materials. in 2000 ASAE Annual International Meeting, Technical Papers: Engineering Solutions for a New Century. 2000.
671. Rostami, A.; Saniei, N.; Mujumdar, A. S., Liquid flow and heat transfer in microchannels: A review. *International Journal of Heat and Technology*, 2000, 18, 59-68.
672. Passos, M. L. Mujumdar, A. S., Effect of cohesive forces on fluidized and spouted beds of wet particles. *Powder Technology*, 2000, 110, 222-238, DOI: 10.1016/S0032-5910(99)00278-8.
673. Ogura, H. Mujumdar, A. S., Proposal for a novel chemical heat pump dryer. *Drying Technology*, 2000, 18, 1033-1053, DOI: 10.1080/07373930008917752.
674. Nishimura, A.; Deguchi, S.; Matsuda, H.; Hasatani, M.; Mujumdar, A. S., Bubble characteristics in a pulsated fluidized bed under intermittent fluidization. *Kagaku Kogaku Ronbunshu*, 2000, 26, 92-93.
675. Nishimura, A.; Deguchi, S.; Matsuda, H.; Hasatani, M.; Mujumdar, A. S., Heat transfer characteristics in a pulsated fluidized bed in relation to bubble characteristics. *Kagaku Kogaku Ronbunshu*, 2000, 26, 835-836.
676. Nebra, S. A.; Silva, M. A.; Mujumdar, A. S., Drying in cyclones - A review. *Drying Technology*, 2000, 18, 791-832, DOI: 10.1080/07373930008917738.
677. Mujumdar, A. S., Analysis of recent patent literature on drying and dryers. *Drying Technology*, 2000, 18, 1147-1156, DOI: 10.1080/07373930008917761.
678. Khillarkar, D. B.; Gong, Z. X.; Mujumdar, A. S., Melting of a phase change material in concentric horizontal annuli of arbitrary cross-section. *Applied Thermal Engineering*, 2000, 20, 893-912, DOI: 10.1016 S1359-4311(99)00058-7.
679. Jumah, R. Y. Mujumdar, A. S., Free convection heat and mass transfer of non-Newtonian power law fluids with yield stress from a vertical flat plate in saturated porous media. *International Communications in Heat and Mass Transfer*, 2000, 27, 485-494, DOI: 10.1016/S0735-1933(00)00131-7.
680. Devahastin, S. Mujumdar, A. S., Evaluation of some transport and thermodynamic properties of superheated steam: Effects of steam temperature and pressure. *Drying Technology*, 2000, 18, 1055-1071, DOI: 10.1080 07373930008917753.
681. Chua, K. J.; Mujumdar, A. S.; Chou, S. K.; Hawlader, M. N. A.; Ho, J. C., Convective drying of banana, guava and potato pieces: Effect of cyclical variations of air temperature on drying kinetics and color change. *Drying Technology*, 2000, 18, 907-936, DOI: 10.1080/07373930008917744.
682. Chua, K. J.; Chou, S. K.; Ho, J. C.; Mujumdar, A. S.; Hawlader, M. N. A., Cyclic air temperature drying of guava pieces: Effects on moisture and ascorbic acid contents. *Food and Bioproducts Processing: Transactions of the Institution of Chemical Engineers, Part C*, 2000, 78, 72-78, DOI: 10.1205/096030800532761.

683. Chou, S. K.; Chua, K. J.; Mujumdar, A. S.; Hawlader, M. N. A.; Ho, J. C., On the intermittent drying of an agricultural product. *Food and Bioproducts Processing: Transactions of the Institution of Chemical Engineers, Part C*, 2000, 78, 193-203, DOI: 10.1205/09603080051065296.
684. Pan, Y. K.; Zhao, L. J.; Dong, Z. X.; Mujumdar, A. S.; Kudra, T., Intermittent drying of carrot in a vibrated fluid bed: Effect on product quality. *Drying Technology*, 1999, 17, 2323-2340, DOI: 10.1080/07373939908917686.
685. Ogura, H.; Shimojyo, R.; Kage, H.; Matsuno, Y.; Mujumdar, A. S., Simulation of hydration/dehydration of CaO Ca(OH)₂ chemical heat pump reactor for cold/hot heat generation. *Drying Technology*, 1999, 17, 1579-1592, DOI: 10.1080/07373939908917637.
686. Nishimura, A.; Deguchi, S.; Matsuda, H.; Hasatani, M.; Mujumdar, A. S., Effects of pulse cycle and bed height on hydrodynamic characteristics in a pulsated fluidized bed. *Kagaku Kogaku Ronbunshu*, 1999, 25, 398-399.
687. Ng, K. W.; Devahastin, S.; Mujumdar, A. S.; Arai, N., Passive enhancement technique for free convection-dominated melting of phase change material in horizontal cylindrical annulus. *Journal of Chemical Engineering of Japan*, 1999, 32, 353-357, DOI: 10.1252/jcej.32.353.
688. Mujumdar, A. S., International drying symposium series (ids): A personal perspective. *Drying Technology*, 1999, 17, XI-XX.
689. Gong, Z. X.; Devahastin, S.; Mujumdar, A. S., Enhanced heat transfer in free convection-dominated melting in a rectangular cavity with an isothermal vertical wall. *Applied Thermal Engineering*, 1999, 19, 1237-1251, DOI: 10.1016/S1359-4311(99)00003-4.
690. Devahastin, S.; Mujumdar, A. S.; Raghavan, Hydrodynamic characteristics of a rotating jet annular spouted bed. *Powder Technology*, 1999, 103, 169-174, DOI: 10.1016/S0032-5910(98)00231-9.
691. Devahastin, S. Mujumdar, A. S., Batch drying of grains in a well-mixed dryer-effect of continuous and stepwise change in drying air temperature. *Transactions of the American Society of Agricultural Engineers*, 1999, 42, 421-425.
692. Shiravi, A. H.; Mujumdar, A. S.; Kubes, G. J., A mathematical model for drum drying of black liquor slurry using superheated steam impinging jets. *Canadian Journal of Chemical Engineering*, 1998, 76, 1069-1077, DOI: 10.1002/cjce.5450760613.
693. Raghavan, G. S. V.; Kalwar, M. I.; Mujumdar, A. S., Static vertical pressure of grains on air inlets of two-dimensional non-aerated spouted beds. *Powder Handling and Processing*, 1998, 10, 21-26.
694. Ng, K. W.; Gong, Z. X.; Mujumdar, A. S., Heat transfer in free convection-dominated melting of a phase change material in a horizontal annulus. *International Communications in Heat and Mass Transfer*, 1998, 25, 631-640, DOI: 10.1016/S0735-1933(98)00050-5.
695. Jumah, R. Y.; Mujumdar, A. S.; Raghavan, G. S. V., Aerodynamics of a novel rotating jet spouted bed. *Chemical Engineering Journal*, 1998, 70, 209-219, DOI: 10.1016/S1385-8947(98)00091-6.

696. Gong, Z. X.; Mujumdar, A. S.; Itaya, Y.; Mori, S.; Hasatani, M., Drying of clay and nonclay media: heat and mass transfer and quality aspects. *Drying Technology*, 1998, 16, 1119-1152, DOI: 10.1080 07373939808917457.
697. Gong, Z. X. Mujumdar, A. S., A finite element model for convection-dominated melting and solidification problems. *International Journal of Numerical Methods for Heat and Fluid Flow*, 1998, 8, 393-408, DOI: 10.1108/09615539810213179.
698. Gong, Z. X. Mujumdar, A. S., Flow and heat transfer in convection-dominated melting in a rectangular cavity heated from below. *International Journal of Heat and Mass Transfer*, 1998, 41, 2573-2580, DOI: 10.1016 S0017-9310(97)00374-8.
699. Devahastin, S.; Mujumdar, A. S.; Raghavan, G. S. V., Diffusion-controlled batch drying of particles in a novel rotating jet annular spouted bed. *Drying Technology*, 1998, 16, 525-543, DOI: 10.1080/07373939808917422.
700. Devahastin, S.; Bassila, S.; Mujumdar, A. S., A colorimetric technique to quantify wheat grain damage during drying. *Drying Technology*, 1998, 16, 341-349, DOI: 10.1080/07373939808917409.
701. Shiravi, A. H.; Mujumdar, A. S.; Kubes, G. J., Drum drying of black liquor using superheated steam impinging jets. *Drying Technology*, 1997, 15, 1571-1584, DOI: 10.1080/07373939708917308.
702. Sablani, S. S.; Ramaswamy, H. S.; Mujumdar, A. S., Dimensionless correlations for convective heat transfer to liquid and particles in cans subjected to end-over-end rotation. *Journal of Food Engineering*, 1997, 34, 453-472, DOI: 10.1016/S0260-8774(97)00088-5.
703. Ratti, C. Mujumdar, A. S., Solar drying of foods: Modeling and numerical simulation. *Solar Energy*, 1997, 60, 151-157, DOI: 10.1016/S0038-092X(97)00002-9.
704. Passos, M. L.; Massarani, G.; Freire, J. T.; Mujumdar, A. S., Drying of pastes in spouted beds of inert particles: Design criteria and modeling. *Drying Technology*, 1997, 15, 605-624, DOI: 10.1080/07373939708917249.
705. Parrouffe, J. M.; Dostie, M.; Navarri, P.; Andrieu, J.; Mujumdar, A. S., Heat and mass transfer relationship in combined infrared and convective drying. *Drying Technology*, 1997, 15, 399-425, DOI: 10.1080 07373939708917239.
706. Pan, Y. K.; Wu, H.; Li, Z. Y.; Mujumdar, A. S.; Kudra, T., Effect of a tempering period on drying of carrot in a vibro-fluidized bed. *Drying Technology*, 1997, 15, 2037-2043, DOI: 10.1080/07373939708917348.
707. Pan, Y. K.; Li, Z. Y.; Mujumdar, A. S.; Kudra, T., Drying of a root crop in vibro-fluidized beds. *Drying Technology*, 1997, 15, 215-223, DOI: 10.1080/07373939708917227.
708. Hosseinalipour, S. M. Mujumdar, A. S., Flow and thermal characteristics of steady two-dimensional confined laminar opposing jets: Part I. Equal jets. *International Communications in Heat and Mass Transfer*, 1997, 24, 27-38, DOI: 10.1016/S0735-1933(96)00103-0.
709. Hosseinalipour, S. M. Mujumdar, A. S., Flow and thermal characteristics of steady two-dimensional confined laminar opposing jets: part II. Unequal jets. *International Communications in Heat and Mass Transfer*, 1997, 24, 39-50, DOI: 10.1016/S0735-1933(96)00104-2.

710. Grabowski, S.; Mujumdar, A. S.; Ramaswamy, H. S.; Strumillo, C., Evaluation of fluidized versus spouted bed drying of baker's yeast. *Drying Technology*, 1997, 15, 625-634, DOI: 10.1080/07373939708917250.
711. Gong, Z. X. Mujumdar, A. S., Finite-element analysis of cyclic heat transfer in a shell-and-tube latent heat energy storage exchanger. *Applied Thermal Engineering*, 1997, 17, 583-591.
712. Gong, Z. X. Mujumdar, A. S., Thermodynamic optimization of the thermal process in energy storage using multiple phase change materials. *Applied Thermal Engineering*, 1997, 17, 1067-1083.
713. Gong, Z. X. Mujumdar, A. S., Non-convergence versus non-conservation in effective heat capacity methods for phase change problems. *International Journal of Numerical Methods for Heat and Fluid Flow*, 1997, 7, 565-579.
714. Gong, Z. X.; Devahastin, S.; Mujumdar, A. S., A two-dimensional finite element model for wheat drying in A novel rotating jet spouted bed. *Drying Technology*, 1997, 15, 575-592, DOI: 10.1080/07373939708917247.
715. Etemad, S. G.; Mujumdar, A. S.; Nassef, R., Viscous non-Newtonian forced convection heat transfer in semi-circular and equilateral triangular ducts: An experimental study. *International Communications in Heat and Mass Transfer*, 1997, 24, 609-620, DOI: 10.1016/S0735-1933(97)00047-X.
716. Eccles, E. R. A. Mujumdar, A. S., Bubble phenomena in aerated vibrated beds of small particles. *Drying Technology*, 1997, 15, 95-116, DOI: 10.1080/07373939708917220.
717. Beke, J.; Mujumdar, A. S.; Giroux, M., Some fundamental attributes of corn and potato drying in microwave fields. *Drying Technology*, 1997, 15, 539-554, DOI: 10.1080/07373939708917245.
718. Mujumdar, A. S., Innovation in drying. *Drying Technology*, 1996, 14, 1459-1475, DOI: 10.1080 07373939608917156.
719. Jumah, R. Y.; Mujumdar, A. S.; Raghavan, G. S. V., Batch Drying Kinetics of Corn in a Novel Rotating Jet Spouted Bed. *Canadian Journal of Chemical Engineering*, 1996, 74, 479-486, DOI: 10.1002/cjce.5450740407.
720. Jumah, R. Y.; Mujumdar, A. S.; Raghavan, G. S. V., A mathematical model for constant and intermittent batch drying of grains in a novel rotating jet spouted bed. *Drying Technology*, 1996, 14, 765-802.
721. Gopalakrishnan, S.; Mujumdar, A. S.; Weber, M. E.; Pirkonen, P. M., Electrokinetically enhanced vacuum dewatering of mineral slurries. *Filtration and Separation*, 1996, 33, 929-932.
722. Gopalakrishnan, S.; Mujumdar, A. S.; Weber, M. E., Optimal off-time in interrupted electroosmotic dewatering. *Separations Technology*, 1996, 6, 197-200, DOI: 10.1016/0956-9618(96)00153-1.
723. Gong, Z. X. Mujumdar, A. S., Enhancement of energy charge-discharge rates in composite slabs of different phase change materials. *International Journal of Heat and Mass Transfer*, 1996, 39, 725-733, DOI: 10.1016 0017-9310(95)00179-4.
724. Gong, Z. X. Mujumdar, A. S., Development of drying schedules for one-side-heating drying of refractory concrete slabs based on a finite element model. *Journal of the*

American Ceramic Society, 1996, 79, 1649-1658, DOI: 10.1111/j.1151-2916.1996.tb08777.x.

725. Gong, Z. X. Mujumdar, A. S., Exergetic analysis of energy storage using multiple phase-change materials. *Journal of Energy Resources Technology, Transactions of the ASME*, 1996, 118, 242-248, DOI: 10.11151.2793869.
726. Gong, Z. X. Mujumdar, A. S., Cyclic heat transfer in a novel storage unit of multiple phase change materials. *Applied Thermal Engineering*, 1996, 16, 807-815, DOI: 10.1016/1359-4311(95)00088-7.
727. Gong, Z. X. Mujumdar, A. S., Finite element analysis of a multistage latent heat thermal storage system. *Numerical Heat Transfer; Part A: Applications*, 1996, 30, 669-684, DOI: 10.1080/10407789608913864.
728. Etemad, S. G.; Mujumdar, A. S.; Nassef, R., Simultaneously developing flow and heat transfer of non-Newtonian fluids in equilateral triangular duct. *Applied Mathematical Modelling*, 1996, 20, 898-908, DOI: 10.1016/S0307-904X(96)00104-7.
729. Chen, H.; Mujumdar, A. S.; Raghavan, G. S. V., Laboratory experiments on electroosmotic dewatering of vegetable sludge and mine tailings. *Drying Technology*, 1996, 14, 2435-2445, DOI: 10.1080 07373939608917215.
730. Zhen-Xiang, G. Mujumdar, A. S., A new solar receiver thermal store for space-based activities using multiple composite phase-change materials. *Journal of Solar Energy Engineering, Transactions of the ASME*, 1995, 117, 215-220, DOI: 10.1115/1.2847798.
731. Tulasidas, T. N.; Raghavan, G. S. V.; Mujumdar, A. S., Microwave drying of grapes in a single mode cavity at 2450 MHz - II: Quality and energy aspects. *Drying Technology*, 1995, 13, 1973-1992, DOI: 10.1080 07373939508917059.
732. Tulasidas, T. N.; Raghavan, G. S. V.; Mujumdar, A. S., Microwave drying of grapes in a single mode cavity at 2450 mhz - i: Drying kinetics. *Drying Technology*, 1995, 13, 1949-1971, DOI: 10.1080/07373939508917058.
733. Somorjai, G. A. Mujumdar, A. S., Introduction to surface chemistry and catalysis. *Drying Technology*, 1995, 13, 507-508, DOI: 10.1080/07373939508916972.
734. Shiravi, A. H.; Mujumdar, A. S.; Kubes, G. J., Numerical study of heat transfer and fluid flow in multiple turbulent impinging jets. *Drying Technology*, 1995, 13, 1359-1375, DOI: 10.1080/07373939508917027.
735. Seyedein, S. H.; Hasan, M.; Mujumdar, A. S., Turbulent flow and heat transfer from confined multiple impinging slot jets. *Numerical Heat Transfer; Part A: Applications*, 1995, 27, 35-51, DOI: 10.1080 10407789508913687.
736. Ratti, C. Mujumdar, A. S., Simulation of packed bed drying of foodstuffs with airflow reversal. *Journal of Food Engineering*, 1995, 26, 259-271, DOI: 10.1016/0260-8774(94)00007-V.
737. Poirier, N. A.; Crotogino, R. H.; Mujumdar, A. S.; Douglas, W. J. M., Effect of superheated steam drying on the properties of paper from chemical pulp. *Journal of Pulp and Paper Science*, 1995, 21, J374-J378.
738. Pan, Y. K.; Pang, J. Z.; Li, Z. Y.; Mujumdar, A. S.; Kudra, T., Drying of photosynthetic bacteria in a vibrated fluid bed of solid carriers. *Drying Technology*, 1995, 13, 395-404, DOI: 10.1080/07373939508916959.

739. Mujumdar, A. S. karlsson, M., Professor mauri soininen-a biographical sketch. *Drying Technology*, 1995, 13, 1013-1015, DOI: 10.1080/07373939508916997.
740. Mujumdar, A. S., Editorial. *Drying Technology*, 1995, 13, ix, DOI: 10.1080/07373939508902364.
741. Mujumdar, A. S., Editorial. *Drying Technology*, 1995, 13, xi, DOI: 10.1080/07373939508902587.
742. Mujumdar, A. S., Instructions for preparation of manuscripts for direct reproduction (revised, 1992). *Drying Technology*, 1995, 13, 822, DOI: 10.1080/07373939508916986.
743. Mujumdar, A. S., Instructions for preparation of manuscripts for direct reproduction (revised, 1992). *Drying Technology*, 1995, 13, x-xv, DOI: 10.1080/07373939508917044.
744. Mujumdar, A. S., Drying Technology: An International Journal. *Drying Technology*, 1995, 13, v, DOI: 10.1080 07373939508902366.
745. Hosseinalipour, S. M. Mujumdar, A. S., Superheated steam drying of a single particle in an impinging stream dryer. *Drying Technology*, 1995, 13, 1279-1303, DOI: 10.1080/07373939508917022.
746. Hosseinalipour, S. M. Mujumdar, A. S., Flow, heat transfer and particle drying characteristics in confined opposing turbulent jets: A numerical study. *Drying Technology*, 1995, 13, 753-781, DOI: 10.1080 07373939508916982.
747. Hosseinalipour, S. M. Mujumdar, A. S., Comparative evaluation of different turbulence models for confined impinging and opposing jet flows. *Numerical Heat Transfer; Part A: Applications*, 1995, 28, 647-666, DOI: 10.1080/10407789508913767.
748. Gong, Z. X. Mujumdar, A. S., The influence of an impermeable surface on pore steam pressure during drying of refractory concrete slabs. *International Journal of Heat and Mass Transfer*, 1995, 38, 1297-1303, DOI: 10.1016/0017-9310(94)00239-R.
749. Gong, Z. X. Mujumdar, A. S., Noniterative procedure for the finite-element solution of the enthalpy model for phase-change heat conduction problems. *Numerical Heat Transfer, Part B: Fundamentals*, 1995, 27, 437-446, DOI: 10.1080/10407799508914966.
750. Gong, Z. X. Mujumdar, A. S., A two-dimensional finite element model for kiln-drying of refractory concrete. *Drying Technology*, 1995, 13, 585-605, DOI: 10.1080/07373939508916976.
751. Gong, Z. X. Mujumdar, A. S., A simultaneous iteration procedure for the finite element solution of the enthalpy model for phase change heat conduction problems. *International Journal of Numerical Methods for Heat & Fluid Flow*, 1995, 5, 589-600, DOI: 10.1108/EUM0000000004078.
752. Etemad, S. G. Mujumdar, A. S., Effects of variable viscosity and viscous dissipation on laminar convection heat transfer of a power law fluid in the entrance region of a semi-circular duct. *International Journal of Heat and Mass Transfer*, 1995, 38, 2225-2238, DOI: 10.1016/0017-9310(94)00333-Q.
753. Beke, J.; Mujumdar, A. S.; Bosisio, R. G., Drying of fresh and rewetted shelled corn in microwave fields. *Drying Technology*, 1995, 13, 463-475, DOI: 10.1080/07373939508916966.

754. Shibata, H. Mujumdar, A. S., Steam drying technologies: Japanese r & d. Drying Technology, 1994, 12, 1485-1524, DOI: 10.1080/07373939408961017.
755. Seyedein, S. H.; Hasan, M.; Mujumdar, A. S., Laminar flow and heat tranfer from multiple impinging slot jets with an inclined confinement surface. International Journal of Heat and Mass Transfer, 1994, 37, 1867-1875, DOI: 10.1016/0017-9310(94)90327-1.
756. Seyedein, S. H.; Hasan, M.; Mujumdar, A. S., Modelling of a single confined turbulent slot jet impingement using various $k - \epsilon$ {lunate} turbulence models. Applied Mathematical Modelling, 1994, 18, 526-537, DOI: 10.1016/0307-904X(94)90138-4.
757. Rabie, H. R.; Mujumdar, A. S.; Weber, M. E., Interrupted electroosmotic dewatering of clay suspensions. Separations Technology, 1994, 4, 38-46, DOI: 10.1016/0956-9618(94)80004-9.
758. Rabie, H. R.; Mujumdar, A. S.; Weber, M. E., Electroosmotic dewatering of bentonite in thin beds. Separations Technology, 1994, 4, 180-182, DOI: 10.1016/0956-9618(94)80021-9.
759. Poirier, N. A.; Crotogino, R. H.; Mujumdar, A. S.; Douglas, W. J. M., Effect of superheated steam drying on the properties of TMP paper. Journal of Pulp and Paper Science, 1994, 20, J97-J102.
760. Passos, M. L.; Hujumdar, A. S.; Massarani, G., Scale-up of spouted bed dryers: Criteria and applications. Drying Technology, 1994, 12, 351-391, DOI: 10.1080/07373939408959961.
761. Mujumdar, A. S., Editorial. Drying Technology, 1994, 12, ix, DOI: 10.1080/07373939408962185.
762. Mujumdar, A. S., Editorial. Drying Technology, 1994, 12, vii-viii, DOI: 10.1080/07373939408961002.
763. Mujumdar, A. S., Editorial. Drying Technology, 1994, 12, v, DOI: 10.1080/07373939408959992.
764. Mujumdar, A. S., Editorial. Drying Technology, 1994, 12, v, DOI: 10.1080/07373939408959973.
765. Mujumdar, A. S., Editorial. Drying Technology, 1994, 12, VII-VIII, DOI: 10.1080/07373939408960984.
766. Grabowski, S.; Ramaswamy, H. S.; Strummilo, C.; Mujumdar, A. S., Osmo-convective drying of grapes. Drying Technology, 1994, 12, 1211-1219, DOI: 10.1080/07373939408960996.
767. Etemad, S. G. Mujumdar, A. S., The effect of aspect ratio and rounded corners on the laminar forced convection heat transfer of a non-Newtonian fluid in the entrance region of a rectangular duct. International Communications in Heat and Mass Transfer, 1994, 21, 283-296, DOI: 10.1016/0735-1933(94)90026-4.
768. Etemad, S. G.; Majumdar, A. S.; Huang, B., Viscous dissipation effects in entrance region heat transfer for a power law fluid flowing between parallel plates. International Journal of Heat and Fluid Flow, 1994, 15, 122-131, DOI: 10.1016/0142-727X(94)90066-3.

769. Bond, J. F.; Mujumdar, A. S.; van Heiningen, A. R. P.; Douglas, W. J. M., Drying paper by impinging jets of superheated steam. Part 1: Constant drying rate in superheated steam. *The Canadian Journal of Chemical Engineering*, 1994, 72, 446-451, DOI: 10.1002/cjce.5450720309.
770. Bond, J. F.; Mujumdar, A. S.; van Heiningen, A. R. P.; Douglas, W. J. M., Drying paper by impinging jets of superheated steam. Part 2: Comparison of steam and air as drying fluids. *The Canadian Journal of Chemical Engineering*, 1994, 72, 452-456, DOI: 10.1002/cjce.5450720310.
771. Tulasidas, T. N.; Kudra, T.; Raghavan, G. S. V.; Mujumdar, A. S., Effect of bed height on simultaneous heat and mass transfer in a two-dimensional spouted bed dryer. *International Communications in Heat and Mass Transfer*, 1993, 20, 79-88, DOI: 10.1016/0735-1933(93)90009-K.
772. Ratti, C. Mujumdar, A. S., Fixed-bed batch drying of shrinking particles with time varying drying air conditions. *Drying Technology*, 1993, 11, 1311-1335, DOI: 10.1080/07373939308916901.
773. Passos, M. L.; Mujumdar, A. S.; Raghavan, V. S. G., Prediction of the maximum spoutable bed height in two-dimensional spouted beds. *Powder Technology*, 1993, 74, 97-105, DOI: 10.1016/0032-5910(93)87002-6.
774. Mujumdar, A. S., Influence of drying conditions on the fragility of corn kernels. *Drying Technology*, 1993, 11, 603-614, DOI: 10.1080/07373939308916847.
775. Mujumdar, A. S., Editorial. *Drying Technology*, 1993, 11, vii, DOI: 10.1080/07373939308902583.
776. Mujumdar, A. S., Editorial. *Drying Technology*, 1993, 11, ix, DOI: 10.1080/07373939308956374.
777. Mujumdar, A. S., Editorial. *Drying Technology*, 1993, 11, ix-x, DOI: 10.1080/07373939308902585.
778. Mujumdar, A. S., Instructions for preparation of manuscripts for direct reproduction (revised, 1992). *Drying Technology*, 1993, 11, 742-746, DOI: 10.1080/07373939308916857.
779. Mujumdar, A. S., Instructions for preparation of manuscripts for direct reproduction (revised, 1992). *Drying Technology*, 1993, 11, 1225-1228, DOI: 10.1080/07373939308916892.
780. Mujumdar, A. S., ElectrotecH '92 Summary of Papers presented in Session I.5.: Infrared and Dielectric Processes. *Drying Technology*, 1993, 11, 257-258, DOI: 10.1080/07373939308916814.
781. Mujumdar, A. S., Instructions for preparation of manuscripts for direct reproduction (revised, 1992). *Drying Technology*, 1993, 11, 1598-1601, DOI: 10.1080/07373939308916915.
782. Mujumdar, A. S., Drying technology: An international journal instruction for preparation of manuscripts for direct reproduction (revised, 1992). *Drying Technology*, 1993, 11, 937-940, DOI: 10.1080/07373939308916873.
783. Kalwar, M. I.; Raghavan, G. S. V.; Mujumdar, A. S., Circulation of particles in two-dimensional spouted beds with draft plates. *Powder Technology*, 1993, 77, 233-242, DOI: 10.1016/0032-5910(93)85016-3.

784. Jumah, R. Y. Mujumdar, A. S., A PC Program for Preliminary Design of a Continuous Well-Mixed Fluid Bed Dryer. *Drying Technology*, 1993, 11, 831-846, DOI: 10.1080/07373939308916866.
785. Huang, B. Mujumdar, A. S., Use of neural network to predict industrial dryer performance. *Drying Technology*, 1993, 11, 525-541, DOI: 10.1080/07373939308916842.
786. Hirosue, H. Mujumdar, A. S., Effect of particle cascade from flights on heat transfer and pressure drop in rotary dryers and coolers. *Drying Technology*, 1993, 11, 195-207, DOI: 10.1080/07373939308916809.
787. Gong, Z. X. Mujumdar, A. S., A Model for Kiln-Drying of Refractory Concrete Slabs. *Drying Technology*, 1993, 11, 1617-1639, DOI: 10.1080/07373939308916921.
788. Beke, J.; Vas, A.; Mujumdar, A. S., Impact of process parameters on the nutritional value of convectively dried grains. *Drying Technology*, 1993, 11, 1415-1428, DOI: 10.1080/07373939308916907.
789. Zhang, D. Mujumdar, A. S., Deformation and stress analysis of porous capillary bodies during intermittent volumetric thermal drying. *Drying Technology*, 1992, 10, 421-443, DOI: 10.1080/07373939208916444.
790. Shihhare, U. S.; Raghavan, G. S. V.; Bosisio, R. G.; Mujumdar, A. S., Microwave drying of corn III. Constant power intermittent operation. *Transactions of the American Society of Agricultural Engineers*, 1992, 35, 959-962.
791. Shi-Ruo, C.; Jin-Yong, C.; Mujumdar, A. S., A preliminary study of steam drying of silkworm cocoons. *Drying Technology*, 1992, 10, 251-260, DOI: 10.1080/07373939208916425.
792. Mujumdar, A. S. Mashelkar, R. A., Advances in transport processes VIII. 1992.
793. Mujumdar, A. S., Editorial. *Drying Technology*, 1992, 10, ix, DOI: 10.1080/07373939208916483.
794. Mujumdar, A. S., Advances in drying. Vol. 5. 1992.
795. Mujumdar, A. S., Instructions for Preparation of Manuscripts for Direct Reproduction (Revised, 1992). *Drying Technology*, 1992, 10, 593-596, DOI: 10.1080/07373939208916462.
796. Malhotra, K. Mujumdar, A. S., Particle flow and contact heat transfer characteristics of stirred granular beds. *Drying Technology*, 1992, 10, 51-80, DOI: 10.1080/07373939208916414.
797. Lawal, A. Mujumdar, A. S., The effects of viscous dissipation on heat transfer to power law fluids in arbitrary cross-sectional ducts. *Wärme- und Stoffübertragung*, 1992, 27, 437-446, DOI: 10.1007/BF01637058.
798. Kalwar, M. I.; Raghavan, G. S. V.; Mujumdar, A. S., Spouting of two-dimensional beds with draft plates. *The Canadian Journal of Chemical Engineering*, 1992, 70, 887-894, DOI: 10.1002/cjce.5450700509.
799. Eccles, E. R. A. Mujumdar, A. S., Cylinder-to-bed heat transfer in aerated vibrated beds of small particles. *Drying Technology*, 1992, 10, 139-164, DOI: 10.1080/07373939208916418.

800. Eccles, E. R. A. Mujumdar, A. S., A correllation for cylinder-to-bed heat transfer in aerated vibrated beds of small particles. *Drying Technology*, 1992, 10, 165-187, DOI: 10.1080/07373939208916419.
801. Eccles, E. R. A. Mujumdar, A. S., Particle flow patterns and mixing in aerated vibrated beds of small particles. *POWDER HANDLING & PROCESSING*, 1992, 4, 39-45.
802. Shihhare, U. S.; Raghavan, G. S. V.; Mujumdar, A. S.; Van de Voort, F. R.; Bosisio, R. G., Particulate drying in microwave environment with varying initial moisture contents. *POWDER HANDLING & PROCESSING*, 1991, 3, 153-157.
803. Shihhare, U. S.; Raghavan, G. S. V.; Kundra, T.; Mujumdar, A. S.; van de Voort, F. R. Through-circulation microwave drying of corn. in *Drying '91*. 1991.
804. Shihhare, U. S.; Raghavan, G. S. V.; Kudra, T.; Mujumdar, A. S.; Van de Voort, F. R., Through-circulation microwave drying of corn. 1991.
805. Polat, S.; Mujumdar, A. S.; Van Heiningen, A. R. P.; Douglas, W. J. M., Numerical model for turbulent jets impinging on a surface with throughflow. *Journal of Thermophysics and Heat Transfer*, 1991, 5, 172-180, DOI: 10.2514/3.245.
806. Polat, S.; Mujumdar, A. S.; Douglas, W. J. M., Impingement heat transfer under a confined slot jet. Part II: Effects of surface motion and throughflow. *The Canadian Journal of Chemical Engineering*, 1991, 69, 274-280, DOI: 10.1002/cjce.5450690133.
807. Polat, S.; Mujumdar, A. S.; Douglas, W. J. M., Impingement heat transfer under a confined slot jet. Part I: Effect of surface throughflow. *The Canadian Journal of Chemical Engineering*, 1991, 69, 266-273, DOI: 10.1002/cjce.5450690132.
808. Pan, Y. K.; Gan, Y. M.; Liu, X. D.; Wei, Z.; Mujumdar, A. S., Drying of sticky granular materials during the constant rate period in a vibrated fluidized bed. *Drying Technology*, 1991, 9, 1067-1079, DOI: 10.1080 07373939108916733.
809. Mujumdar, A. S. Filkova, I., Drying '91. Proceedings of 7th International Drying Symposium, Prague, August, 1990. 1991.
810. Mujumdar, A. S., Drying technologies of the future. *Drying Technology*, 1991, 9, 325-347, DOI: 10.1080 07373939108916669.
811. Mujumdar, A. S., Instructions for preparation of manuscripts for direct reproduction. *Drying Technology*, 1991, 9, 1353-1354, DOI: 10.1080/07373939108916764.
812. Mujumdar, A. S., Announcement and call for papers. *Drying Technology*, 1991, 9, 825, DOI: 10.1080 07373939108916719.
813. Malhotraf, K. Mujumdar, A. S., Model for contact heat transfer in mechanically stirred granular beds. *International Journal of Heat and Mass Transfer*, 1991, 34, 415-425, DOI: 10.1016/0017-9310(91)90261-C.
814. Malhotraf, K. Mujumdar, A. S., Wall-to-bed contact heat transfer rates in mechanically stirred granular beds. *International Journal of Heat and Mass Transfer*, 1991, 34, 427-435, DOI: 10.1016/0017-9310(91)90262-D.
815. Lefebvre, A. H.; Doraiswamy, L. K.; Kulkarni, B. D.; Kamal, M. R.; Mashelkar, R. A.; Mujumdar, A. S.; Rockland, L. B.; Beuchat, L. R.; Coleman, H. W.; Steele, W. G.; Reznicek, R., Books received. *Drying Technology*, 1991, 9, 529-530, DOI: 10.1080/07373939108916687.

816. Kudra, T.; Pan, Y. K.; Mujumdar, A. S., Evaporation from single droplets impinging on heated surfaces. *Drying Technology*, 1991, 9, 693-707, DOI: 10.1080/07373939108916704.
817. Ju, S.; Weber, M. E.; Mujumdar, A. S., Electroosmotic dewatering of bentonite suspensions. *Separations Technology*, 1991, 1, 214-221, DOI: 10.1016/0956-9618(91)80016-S.
818. Hasan, M.; Mujumdar, A. S.; Weber, M. E., Cyclic melting and freezing. *Chemical Engineering Science*, 1991, 46, 1573-1587, DOI: 10.1016/0009-2509(91)87006-X.
819. Gong, Z. X.; Zhang, Y. F.; Mujumdar, A. S. Efficient finite element procedure for the solution of enthalpy model for phase change heat conduction problems. in *Computational Modelling of Free and Moving Boundary Problems*. 1991.
820. Gong, Z. X.; Zhang, Y. F.; Mujumdar, A. S. Cyclic phase change heat conduction in thin composite slabs. in *Computational Modelling of Free and Moving Boundary Problems*. 1991.
821. Gong, Z. X.; Song, B.; Mujumdar, A. S., Numerical simulation of drying of refractory concrete. *Drying Technology*, 1991, 9, 479-500, DOI: 10.1080/07373939108916677.
822. Dong, Z. X.; Pan, Y. K.; Deng, W. Y.; Wei, Z.; Mujumdar, A. S., Effect of vibration on the drying rate during the falling rate period. *Drying Technology*, 1991, 9, 723-733, DOI: 10.1080/07373939108916706.
823. Chergan, M.; Mujumdar, A. S.; Gupta, J. P., Books received. *Drying Technology*, 1991, 9, 823, DOI: 10.1080 07373939108916718.
824. Chen, S.-R.; Cherr, J.-Y.; Mujumdar, A. S. Preliminary study on silkworm cocoons drying. in *Drying '91*. 1991.
825. Polat, S.; Muiumdal, A. S.; van Heiningen, A. R. P.; Douglas, W. J. M., Effect of near-wall modelling on prediction of impingement heat transfer. *Drying Technology*, 1990, 8, 705-730, DOI: 10.1080 07373939008959911.
826. Mujumdar, A. S., Editorial. *Drying Technology*, 1990, 8, ix, DOI: 10.1080/07373939008959860.
827. Malhotra, K.; Mujumdar, A. S.; Okazaki, M., Particle flow patterns in a mechanically stirred two-dimensional cylindrical vessel. *Powder Technology*, 1990, 60, 179-189, DOI: 10.1016/0032-5910(90)80142-L.
828. Malhotra, K.; Mujumdar, A. S.; Miyahara, M., Estimation of particle renewal rates along the wall in a mechanically stirred granular bed. *Chemical Engineering and Processing*, 1990, 27, 121-130, DOI: 10.1016 0255-2701(90)87001-Y.
829. Malhotra, K. Mujumdar, A. S., Particle mixing and solids flowability in granular beds stirred by paddle-type blades. *Powder Technology*, 1990, 61, 155-164, DOI: 10.1016/0032-5910(90)80150-W.
830. Malhotra, K. Mujumdar, A. S., Effect of particle shape on particle-surface thermal contact resistance. *Journal of Chemical Engineering of Japan*, 1990, 23, 510-513, DOI: 10.1252/jcej.23.510.
831. Kumar, P.; Mujumdar, A. S.; Koran, Z., Microwave Drying: Effects on Paper Properties. *Drying Technology*, 1990, 8, 1061-1087, DOI: 10.1080/07373939008959936.

832. Kumar, P.; Mujumdar, A. S.; Koran, Z. Effect of microwave drying on paper properties. in Annual Meeting Technical Section, Canadian Pulp and Paper Association, Preprints. 1990.
833. Kumar, P. Mujumdar, A. S., Superheated Steam Drying a Bibliography. *Drying Technology*, 1990, 8, 195-205, DOI: 10.1080/07373939008959871.
834. Kumar, P. Mujumdar, A. S., Effect of drying on pulp & paper properties. A bibliography. *Drying Technology*, 1990, 8, 543-569.
835. Kudra, T.; Mujumdar, A. S.; Raghavan, G. S. V.; Kalwar, M. I., Two-dimensional spouted beds for thermal processing of particulates. *Powder Handling & PROCESSING*, 1990, 2, 347-353.
836. Sazhin, B. S.; Erdesz, K.; Mujumdar, A. S., Fundamentals of drying techniques. *Drying Technology*, 1989, 7, 401-410, DOI: 10.1080/07373938908916595.
837. Poirier, N. A. Mujumdar, A. S., Numerical solution to the Graetz problem: Achieving accuracy in the entrance region. *International Communications in Heat and Mass Transfer*, 1989, 16, 205-214, DOI: 10.1016 0735-1933(89)90022-5.
838. Passos, M. L.; Mujumdar, A. S.; Raghavan, V. G., Spouted and spout-fluidized beds for grain drying. *Drying Technology*, 1989, 7, 663-696, DOI: 10.1080/07373938908916621.
839. Mujumdar, A. S., International Heat and Mass Transfer Forum. *Drying Technology*, 1989, 7, 399-400, DOI: 10.1080/07373938908916594.
840. Malhotra, K. Mujumdar, A. S., Indirect heat transfer and drying in mechanically agitated granular beds-an annotated bibliography. *Drying Technology*, 1989, 7, 153-171, DOI: 10.1080/07373938908916583.
841. Lawal, A. Mujumdar, A. S., Viscous dissipation effects on thermal entrance heat transfer to power-law fluids in arbitrary cross-sectional ducts. *The Chemical Engineering Journal*, 1989, 41, 57-66, DOI: 10.1016 0300-9467(89)80072-3.
842. Kudra, T.; Mujumdar, A. S.; Raghavan, G. S. V., Gas-to-particle heat transfer in two-dimensional spouted beds. *International Communications in Heat and Mass Transfer*, 1989, 16, 731-741, DOI: 10.1016 0735-1933(89)90078-X.
843. Kudra, T. Mujumdar, A. S., Impingement stream dryers for particles and pastes. *Drying Technology*, 1989, 7, 219-266, DOI: 10.1080/07373938908916588.
844. Erdész, K. Mujumdar, A. S., Numerical investigation of a phenomenological model for vibrated fluidized beds. *Drying Technology*, 1989, 7, 487-502, DOI: 10.1080/07373938908916605.
845. Eccles, E. R. A.; Erdesz, K.; Mujumdar, A. S., Resonance phenomenon in aerated vibrated beds of particles. 1989.
846. Parrouffe, J. M. Mujumdar, A. S., Bibliography on Mathematical Models of Drying and Dryers. *Drying Technology*, 1988, 6, 305, DOI: 10.1080/07373938808916379.
847. Mujumdar, A. S. Passos, M. L., Dryer design project - a tool to teach drying and design to undergraduates. *Drying Technology*, 1988, 6, 275-290, DOI: 10.1080/07373938808916376.

848. Mujumdar, A. S. Hasan, M., Binary diffusion and heat transfer in laminar free convection boundary layers around spheroids. *Current Research in Heat and Mass Transfer*, 1988, 197-210.
849. Mujumdar, A. S. Erdesz, K., Applications of vibration techniques for drying and agglomeration in food processing. *Drying Technology*, 1988, 6, 255-274, DOI: 10.1080/07373938808916375.
850. Malhotra, K.; Mujumdar, A. S.; Imakoma, H.; Okazaki, M., Fundamental particle mixing studies in an agitated bed of granular materials in a cylindrical vessel. *Powder Technology*, 1988, 55, 107-114, DOI: 10.1016 0032-5910(88)80093-7.
851. David, M.; Mujumdar, A. S.; Crotogino, R. H.; Douglas, W. J. M. Effect of Superheated Steam Drying on Paper Properties. in Annual Meeting - Technical Section, Canadian Pulp and Paper Association, Preprints. 1988.
852. Weber, M. E.; Witwit, S. M.; Mujumdar, A. S., A model for electroosmotic dewatering under constant voltage. *Drying Technology*, 1987, 5, 467-474, DOI: 10.1080/07373938708916552.
853. Sazhin, B. S.; Erdesz, D. K.; Mujumdar, A. S., Review of Fundamentals of drying techniques. *Drying Technology*, 1987, 5, 297-304, DOI: 10.1080/07373938708916542.
854. Pazhy, D. G.; Galustov, V. S.; Erdesz, K.; Mujumdar, A. S., Review of Fundamentals of liquid spray techniques. *Drying Technology*, 1987, 5, 305-310, DOI: 10.1080/07373938708916543.
855. Passos, M. L.; Mujumdar, A. S.; Raghavan, G. S. V., Pressure drop in slotted spouted beds of grains: Comparison of data with models. *Powder Technology*, 1987, 52, 131-137, DOI: 10.1016 0032-5910(87)80143-2.
856. Malhotra, K. Mujumdar, A. S., Immersed Surface Heat Transfer in a Vibrated Fluidized Bed. *Industrial and Engineering Chemistry Research*, 1987, 26, 1983-1992, DOI: 10.1021/ie00070a009.
857. Majumdar, A. S., Spouted bed technology - a brief review. *Chemical Age of India*, 1987, 38, 589-594.
858. Lawal, A. Mujumdar, A. S., Experimental study of heat transfer to pseudoplastic fluids in square and circular pipes. *Chemical Engineering Communications*, 1987, 59, 309-324, DOI: 10.1080/00986448708912003.
859. Jariwala, V. G.; Mujumdar, A. S.; Weber, M. E., The periodic steady state for cyclic energy storage in paraffin wax. *The Canadian Journal of Chemical Engineering*, 1987, 65, 899-906, DOI: 10.1002/cjce.5450650603.
860. Hasan, M. Mujumdar, A. S., Laminar boundary-layer analysis of simultaneous mass and heat transfer in natural convection around A horizontal cylinder. *International Journal of Energy Research*, 1987, 11, 359-371, DOI: 10.1002/er.4440110306.
861. Filkova, I.; Lawal, A.; Koziskova, B.; Mujumdar, A. S., Heat transfer to a power-law fluid in tube flow: Numerical and experimental studies. *Journal of Food Engineering*, 1987, 6, 143-151, DOI: 10.1016 0260-8774(87)90036-7.
862. Fallavollita, J. A.; Mujumdar, A. S.; Avedesian, M. M., Kraft black liquor recovery in a fluidized bed: Part I — A review. *The Canadian Journal of Chemical Engineering*, 1987, 65, 812-817, DOI: 10.1002/cjce.5450650515.

863. Erdesz, K. Mujumdar, A. S., Bibliography of Literature on Fundamentals and Applications of Vibration in Particle Processing. *Drying Technology*, 1987, 5, 311-332, DOI: 10.1080/07373938708916544.
864. Erdesz, K. Mujumdar, A. S., Soviet books on drying and related processes (Covers 1972–1986). *Drying Technology*, 1987, 5, 475-480, DOI: 10.1080/07373938708916553.
865. Mujumdar, A. S. Holik, H., Editorial. *Drying Technology*, 1986, 4, v-vi, DOI: 10.1080/07373938608916321.
866. Mujumdar, A. S., Guest editorial. *Drying Technology*, 1986, 4, iii-v, DOI: 10.1080/07373938608916306.
867. Law-Kwet-Cheong, L.; Malhotra, K.; Mujumdar, A. S., Some aerodynamic and solids circulation measurements in a slotted spouted bed of grains. *Powder Technology*, 1986, 46, 141-148, DOI: 10.1016/0032-5910(86)80020-1.
868. Erdész, K. Mujumdar, A. S., Hydrodynamic aspects of conventional and vibrofluidized beds -a comparative evaluation. *Powder Technology*, 1986, 46, 167-172, DOI: 10.1016/0032-5910(86)80023-7.
869. van Heiningen, A. R. P.; Douglas, W. J. M.; Mujumdar, A. S., A high sensitivity, fast response heat flux sensor. *International Journal of Heat and Mass Transfer*, 1985, 28, 1657-1667, DOI: 10.1016/0017-9310(85)90140-1.
870. Ringer, D. U. Mujumdar, A. S. Heat Transfer in Vibro-Fluidized Beds. in Proceedings of the Technical Program - Powder & Bulk Solids Conference/Exhibition. 1985.
871. Ringer, D. U. Mujumdar, A. S., Heat transfer in vibro-fluidized beds. 1985.
872. Polat, S.; Mujumdar, A. S.; Douglas, W. J. M., Heat transfer distribution under a turbulent impinging jet - a numerical study. *Drying Technology*, 1985, 3, 15-38, DOI: 10.1080/07373938508916253.
873. Mujumdar, A. S. Lampinen, M., Editorial. *Drying Technology*, 1985, 3, 171-172, DOI: 10.1080/07373938508916264.
874. Mujumdar, A. S., A report on the seminar on industrial drying systems. *Drying Technology*, 1985, 3, 121-122, DOI: 10.1080/07373938508916259.
875. Malhotra, K. Mujumdar, A. S., Flow patterns for cylinders immersed in an aerated vibrated bed. *The Canadian Journal of Chemical Engineering*, 1985, 63, 22-28, DOI: 10.1002/cjce.5450630105.
876. Malhotra, K. Mujumdar, A. S. Single Tube Heat Transfer in Aerated Vibrated Beds. 1985.
877. Lawal, A. Mujumdar, A. S., Developing flow and heat transfer to power law fluids in square, trapezoidal and pentagonal ducts. *International Communications in Heat and Mass Transfer*, 1985, 12, 23-31, DOI: 10.1016/0735-1933(85)90004-1.
878. Lawal, A. Mujumdar, A. S., Laminar flow and heat transfer in power-law fluids flowing in arbitrary cross-sectional ducts. *Numerical Heat Transfer*, 1985, 8, 217-244, DOI: 10.1080/01495728508961851.
879. Lawal, A. Mujumdar, A. S., Extended Graetz Problem-A Comparison of Various Solution Techniques. *Chemical Engineering Communications*, 1985, 39, 91-100, DOI: 10.1080/00986448508911664.

880. Hasan, M. Mujumdar, A. S., Transpiration-induced buoyancy effect around a horizontal cylinder embedded in a porous medium. International Journal of Energy Research, 1985, 9, 151-163, DOI: 10.1002/er.4440090206.
881. Hasan, M. Mujumdar, A. S., Simultaneous mass and heat transfer under mixed convection along a vertical cone. International Journal of Energy Research, 1985, 9, 129-140, DOI: 10.1002/er.4440090204.
882. Hasan, M. Mujumdar, A. S., Combined heat and mass transfer in free convection about a sphere. The Canadian Journal of Chemical Engineering, 1985, 63, 412-421, DOI: 10.1002/cjce.5450630309.
883. Hasan, M. Mujumdar, A. S., Simultaneous heat and mass transfer in free convection from a horizontal cylinder. AIAA Journal, 1985, 23, 1602-1608, DOI: 10.2514/3.9130.
884. Hasan, M. Mujumdar, A. S., Simultaneous heat and mass transfer in mixed convection along a vertical cone under uniform heat and uniform mass fluxes. Chemical Engineering Communications, 1985, 36, 281-298, DOI: 10.1080/00986448508911260.
885. Hasan, M. Mujumdar, A. S., Combined heat and mass transfer in free convection along a rotating plate under uniform heat and uniform mass fluxes. Chemical Engineering Communications, 1985, 35, 211-222, DOI: 10.1080/00986448508911228.
886. Gupta, R. Mujumdar, A. S., Recent Developments in Fluidized Bed Drying. Advances in Drying. Vol. 2. 1985. 155-192.
887. Cui, W. K.; Douglas, W. J. M.; Mujumdar, A. S., Impingement Steam Drying of Paper. Drying Technology, 1985, 3, 307-320, DOI: 10.1080/07373938508916272.
888. Conley, N.; Lawal, A.; Mujumdar, A. S., An assessment of the accuracy of numerical solutions to the graetz problem. International Communications in Heat and Mass Transfer, 1985, 12, 209-218, DOI: 10.1016/0735-1933(85)90069-7.
889. Swaminathan, R. Mujumdar, A. S., Some Aerodynamic Aspects of Spouted Beds of Grains. Drying, 1984, 197-204.
890. Mujumdar, A. S. Raghavan, G. S. V., Canadian Research and Development in Drying - A Survey. Drying. 1984. 1-10.
891. Mujumdar, A. S. Pakowski, Z. Heat Transfer in Vibrated Fluid Beds - Basic Principles and Design Considerations. 1984.
892. Mujumdar, A. S., Discussion. Journal of Engineering for Gas Turbines and Power, 1984, 106, 244-245, DOI: 10.1115/1.3239542.
893. Mujumdar, A. S., Spouted Bed Technology - A Brief Review. Drying, 1984, 151-157.
894. Mujumdar, A. S., Aerodynamic Characteristics of a Vibrated Bed of Particles. Drying, 1984, 178-185.
895. Malhotra, K. Mujumdar, A. S. Single Tube Heat Transfer in Aerated Vibrated Beds. 1984.
896. Malhotra, K.; Law-Kwet-Cheong, L.; Mujumdar, A. S., Pressure-drop characteristics for vibrated beds of dry and sticky particles. Powder Technology, 1984, 39, 101-105, DOI: 10.1016/0032-5910(84)85026-3.
897. Loo, E. Mujumdar, A. S., Simulation Model for Combined Impingement and Through Drying Using Superheated Steam as The Drying Medium. Drying, 1984, 264-280.

898. Lawal, A. Mujumdar, A. S., Forced convection heat transfer to a power-law fluid in arbitrary cross-section ducts. *The Canadian Journal of Chemical Engineering*, 1984, 62, 326-333, DOI: 10.1002/cjce.5450620306.
899. Law, L. K. C.; Ziaie, B.; Malhotra, K.; Mujumdar, A. S., Pressure Drop and Particle Circulation Studies in Modified Slot Spouted Beds. *Drying*, 1984, 386-389.
900. Jaussaud, J. P.; Douglas, W. J. M.; Mujumdar, A. S., Evaporation under an obliquely impinging laminar ducted slot jet - a numerical model. *International Communications in Heat and Mass Transfer*, 1984, 11, 335-344, DOI: 10.1016/0735-1933(84)90061-7.
901. Huang, P. G.; Mujumdar, A. S.; Douglas, W. J. H. Numerical Prediction of Fluid Flow and Heat Transfer Under A Turbulent Impinging Slot Jet with Surface Motion and Crossflow. in *American Society of Mechanical Engineers (Paper)*. 1984.
902. Hasan, M. Mujumdar, A. S., Coupled heat and mass transfer in natural convection under flux condition along a vertical cone. *International Communications in Heat and Mass Transfer*, 1984, 11, 157-172, DOI: 10.1016/0735-1933(84)90019-8.
903. Hasan, M. Mujumdar, A. S., Effect of spatially varying acceleration on the combined heat and mass transfer in free convection along a plate. *International Communications in Heat and Mass Transfer*, 1984, 11, 591-604, DOI: 10.1016/0735-1933(84)90011-3.
904. Cui, W. K. Mujumdar, A. S., Novel Steam Jet and Double-Effect Evaporation Dryer. Part II: Simulation Results and Discussion. *Drying*, 1984, 474-479.
905. Cui, W. K. Mujumdar, A. S., Novel Steam Jet and Double-Effect Evaporation Dryer. Part I Mathematical Model. *Drying*, 1984, 468-473.
906. Cui, W. K. Mujumdar, A. S., Drying of Paper-A Summary of Recent Developments. *Drying*, 1984, 292-295.
907. Anderson, K.; Raghavan, G. S. V.; Mujumdar, A. S., Characteristics of Asymmetric Two-Dimensional Slot Spouted Beds for Grains. *Drying*, 1984, 205-209.
908. Ringer, D. U. Mujumdar, A. S., Analysis of Aerodynamics and Heat Transfer in Vibro-Fluidized Beds. *Drying Technology*, 1983, 2, 449-470, DOI: 10.1080/07373938408959848.
909. Obot, N. T.; Douglas, W. J. M.; Mujumdar, A. S., Influence of suction on the developing wall flow of an impinging jet. *AIAA Journal*, 1983, 21, 1774-1776, DOI: 10.2514/3.8330.
910. Mujumdar, A. S. Pakowski, Z. Effect of Vibration on Immersed Surface Heat Transfer in A Fluidized Bed. 1983.
911. Mujumdar, A. S., Editorial. *Drying Technology*, 1983, 2, iii-iv, DOI: 10.1080/07373938308959822.
912. Mujumdar, A. S., Advances in drying. Volume 2. 1983.
913. Mujumdar, A. S. Flow and Immersed Surface Heat Transfer in Vibrated Fluidized Beds. 1983.
914. Menon, A. S.; Weber, M. E.; Mujumdar, A. S., The dynamics of energy storage for paraffin wax in cylindrical containers. *The Canadian Journal of Chemical Engineering*, 1983, 61, 647-653, DOI: 10.1002/cjce.5450610505.
915. Menon, A. S.; Mujumdar, A. S.; Weber, M. E. Heat Transfer in Freezing of a Phase Change Material in Containers of Various Configurations. 1983.

916. Jariwalla, V.; Weber, M. E.; Mujumdar, A. S. Experimental Study of Heat Transfer from An Immersed Coil to A Pool of Pcm: Effect of Cycling. in Proceedings of Condensed Papers - Miami International Conference on Alternative Energy Sources. 1983.
917. Hasan, M.; Mujumdar, A. S.; Weber, M. E. Cyclic Phase Change in A Cylindrical Thermal Energy Storage Capsule. in Proceedings of Condensed Papers - Miami International Conference on Alternative Energy Sources. 1983.
918. Hasan, M. Majumdar, A. S., Effect of finite normal interfacial velocity on free convection heat and mass transfer rates from an inclined plate. International Communications in Heat and Mass Transfer, 1983, 10, 477-490, DOI: 10.1016/0735-1933(83)90055-6.
919. Hall, C. W. Mujumdar, A., Si Units, Conversions, Symbols for Drying. Drying Technology, 1983, 1, 285-298, DOI: 10.1080/07373938308916784.
920. Ringer, D. U. Mujumdar, A. S., Modellvorstellungen zur Auslegung von Trocknern und Wärmeaustauschern mit vibriertem und gasdurchströmtem Schüttgut. Chemie Ingenieur Technik, 1982, 54, 686-687, DOI: 10.1002/cite.330540714.
921. Menon, A. S.; Weber, M. E.; Mujumdar, A. S. Dynamics of Energy Storage for Paraffin Wax in Cylindrical Containers. in Alternative energy sources Washington, D.C. 1982.
922. Khalid, M. Mujumdar, A. S., Aerodynamic and drying characteristics of an agitated fluidized bed dryer. 1982.
923. Jariwalla, V.; Weber, M. E.; Mujumdar, A. S. Heat Transfer Characteristics of a Coiled Tube Immersed in A Phase Change Material Store. in Alternative energy sources Washington, D.C. 1982.
924. Mujumdar, A. S. Gulek, M., Vortex Shedding from Single and Compound Prisms of Various Configurations. American Society of Mechanical Engineers (Paper), 1981.
925. Huang, B.; Mujumdar, A. S.; Douglas, W. J. M., Flow characteristics of a laminar swirling impinging jet: A numerical study. The Canadian Journal of Chemical Engineering, 1981, 59, 423-429, DOI: 10.1002/cjce.5450590403.
926. Saad, N. R.; Mujumdar, A. S.; Messeh, W. A.; Douglas, W. J. M., Local Heat Transfer Characteristics for Staggered Arrays of Circular Impinging Jets with Cross-Flow of Spent Air. American Society of Mechanical Engineers (Paper), 1980.
927. Saad, N. R.; Mujumdar, A. S.; Douglas, W. J. M. Heat Transfer Under Multiple Turbulent Slot Jets Impinging on A Flat Plate. in IEE Conference Publication. 1980.
928. Obot, N. T.; Mujumdar, A. S.; Douglas, W. J. M. Design Correlations for Heat and Mass Transfer Under Various Turbulent Impinging Jet Configurations. in IEE Conference Publication. 1980.
929. Mujumdar, A. S.; Li, Y. K.; Jog, V. Simulation Model for Freeze Drying. in IEE Conference Publication. 1980.
930. Mujumdar, A. S.; Li, Y. K.; Douglas, W. J. M., Evaporation under an impinging jet: A numerical model. The Canadian Journal of Chemical Engineering, 1980, 58, 448-453, DOI: 10.1002/cjce.5450580405.

931. Mujumdar, A. S. Li, Y. K., Optimal fin-side design of compact tube-in-fin heat exchangers with rippled fins. *Journal of Heat Transfer*, 1980, 102, 395, DOI: 10.1115/1.3244306.
932. Gupta, R. Mujumdar, A. S., Aerodynamics of a vibrated fluid bed. *The Canadian Journal of Chemical Engineering*, 1980, 58, 332-338, DOI: 10.1002/cjce.5450580309.
933. Gupta, R. Mujumdar, A. S. Aerodynamic and Thermal Characteristics of Vibrated Fluid Beds - A Review. in IEE Conference Publication. 1980.
934. Gupta, R.; Leung, P.; Mujumdar, A. S., Drying of Granular Materials in A Vibrated Fluidized Bed. *Transactions of the International Conference on Structural Mechanics in Reactor Technology*, 1980, 2, 201-207.
935. Tovar, J. N. Mujumdar, A. S., Turbulence Parameters in An Axisymmetric Double Expansion. AGARD Conference Proceedings, 1979, 54-63.
936. Tovar, J. N. Mujumdar, A. S., Turbulence parameters in an axisymmetric double expansion. 1979.
937. Obot, N. T.; Majumdar, A. S.; Douglas, W. J. M., Effect of Nozzle Geometry on Impingement Heat Transfer Under A Round Turbulent Jet. American Society of Mechanical Engineers (Paper), 1979.
938. Li, Y. K. Mujumdar, A. S., Prediction of Developing Turbulent Flow in Two-Dimensional Asymmetric Channels. AGARD Conference Proceedings, 1979, 64-73.
939. Li, Y. K. Mujumdar, A. S., Prediction of developing turbulent flow in two-dimensional asymmetric channels. 1979.
940. Baliga, B. R. Mujumdar, A. S., On the numerical prediction of confined flows in irregular-shaped domains. 1979.
941. Baliga, B. R. Mujumdar, A. S., On the Numerical Prediction of Confined Flows in Irregular-Shaped Domains. AGARD Conference Proceedings, 1979, 74-83.
942. Li, Y. K.; Mujumdar, A. S.; Douglas, W. J. M., Coupled Heat and Mass Transfer Under A Laminar Impinging Jet. 1978, 175-184.
943. Khokhar, M. I. Mujumdar, A. S., Fluid Bed Drying - Design Considerations. *Journal of the Institution of Engineers (India): Chemical Engineering Division*, 1978, 58, 28-32.
944. van Heiningen, A. R. P.; Mujumdar, A. S.; Douglas, W. J. M., Flow and Heat Transfer Characteristics of a Turbulent Slot Jet Impinging on A Moving Wall. 1977, 3, 9-3. 15.
945. Saad, N. R.; Douglas, W. J. M.; Mujumdar, A. S., Prediction of Heat Transfer under an Axisymmetric Laminar Impinging Jet. *Industrial and Engineering Chemistry Fundamentals*, 1977, 16, 148-154, DOI: 10.1021/i160061a027.
946. Mujumdar, A. S. Li, Y. K., The numerical prediction of the turbulent flow and heat transfer in the entrance region of a parallel plate duct. *Journal of Heat Transfer*, 1977, 99, 348-349, DOI: 10.1115/1.3450700.
947. Mujumdar, A. S. Jog, V., Simple Procedure for Design of a Spray Dryer. *Journal of the Institution of Engineers (India): Chemical Engineering Division*, 1977, 57, 134-138.
948. Mujumdar, A. S., Heat transfer from spheres in naturally turbulent, outdoor environment. *Journal of Heat Transfer*, 1977, 99, 346-347, DOI: 10.1115/1.3450696.
949. Jog, V. Mujumdar, A. S., Heat Pipe - Applications. *Journal of the Institution of Engineers (India): Chemical Engineering Division*, 1977, 57, 83-88.

950. Jog, V. Mujumdar, A. S., HEAT PIPE - Theory and Performance Characteristics. Journal of the Institution of Engineers (India): Chemical Engineering Division, 1977, 57, 78-82.
951. Januszewski, J.; Khokhar, M. I.; Mujumdar, A. S., Thermal conductivity of some porous metals. Letters in Heat and Mass Transfer, 1977, 4, 417-423, DOI: 10.1016/0094-4548(77)90100-X.
952. Van Heiningen, A. R. P.; Mujumdar, A. S.; Douglas, W. J. M., Numerical prediction of the flow field and impingement heat transfer caused by a laminar slot jet. Journal of Heat Transfer, 1976, 98, 654-658, DOI: 10.1115/1.3450615.
953. van Heiningen, A. R. P.; Mujumdar, A. S.; Douglas, W. J. M., On the use of hot and cold-film sensors for skin friction and heat transfer measurements in impingement flows. Letters in Heat and Mass Transfer, 1976, 3, 523-528, DOI: 10.1016/0094-4548(76)90007-2.
954. van Heiningen, A. R. P.; Douglas, W. J. M.; Mujumdar, A. S., Study of Two Finite Difference Schemes and Matrix Inversion Techniques to Solve the Vorticity Stream Function Equations. 1976, 159-179.
955. Policastro, A. J.; Dunn, W. E.; Van Heiningen, A. R. P.; Mujumdar, A. S.; Douglas, W. J. M., Numerical solution of the three-dimensional navier-stokes equations with applications to channel flows and a buoyant jet in a crossflow. Journal of Applied Mechanics, Transactions ASME, 1976, 43, 379-381, DOI: 10.1115/1.3423867.
956. Biceroglu, O.; Mujumdar, A. S.; van Heiningen, A. R. P.; Douglas, W. J. M., Thermal conductivity of sintered metal powders at room temperature. Letters in Heat and Mass Transfer, 1976, 3, 183-191, DOI: 10.1016/0094-4548(76)90070-9.
957. van Heiningen, A. R. P.; Mujumdar, A. S.; Douglas, W. J. M., Numerical prediction of the flow field and impingement heat transfer due to a laminar slot jet. 1975.
958. van Heiningen, A. R. P.; Mujumdar, A. S.; Douglas, W. J. M., NumericaW1 prediction of the flow field and impingement heat transfer due to a laminar slot jet. 1975.
959. van Heiningen, A. R. P.; Mujumdar, A. S.; Douglas, W. J. M., Numerical Prediction of The Flow Field and Impingement Heat Transfer Due to A Laminar Slot Jet. American Society of Mechanical Engineers (Paper), 1975.
960. Mujumdar, A. S. Douglas, W. J. M., On A Test of The Resonance Hypothesis. Journal of Fluids Engineering, Transactions of the ASME, 1974, 96, 180-181.
961. Mujumdar, A. S. Douglas, W. J. M., On a test of the resonance hypothesis. Journal of Fluids Engineering, Transactions of the ASME, 1974, 96, 180-181, DOI: 10.1115/1.3447125.
962. Mujumdar, A. S. Douglas, W. J. M., Vortex shedding from slender cylinders of various cross sections. Journal of Fluids Engineering, Transactions of the ASME, 1973, 95, 474-476, DOI: 10.1115/1.3447052.
963. Mujumdar, A. S. Douglas, W. J. M., Streaming Potential Fluctuation around a Cylinder in Water. Industrial and Engineering Chemistry Fundamentals, 1973, 12, 140-141, DOI: 10.1021/i160045a026.
964. Mujumdar, A. S. Douglas, W. J. M., Streaming Potential Fluctuation around a Cylinder in Water. Industrial and Engineering Chemistry Fundamentals, 1971, 10, 323, DOI: 10.1021/i160038a028.

965. Mujumdar, A. S., Taylor-goertler vortices and their effect on heat transfer. *Journal of Heat Transfer*, 1971, 93, 125-126, DOI: 10.1115/1.3449747.
966. Kuethe, A. M.; Mujumdar, A. S.; Douglas, W. J. M., Discussion. *Journal of Heat Transfer*, 1971, 93, 326-327, DOI: 10.1115/1.3449824.
967. Mujumdar, A. S. Douglas, W. J. M., Eddy-shedding from a sphere in turbulent free-streams. *International Journal of Heat and Mass Transfer*, 1970, 13, 1627-1629, DOI: 10.1016/0017-9310(70)90059-1.
968. Mujumdar, A. S. Douglas, W. J. M., The vortex wakes of stationary cylinders exposed to an oscillating turbulent stream. *Journal of Fluids Engineering, Transactions of the ASME*, 1970, 92, 665-666, DOI: 10.11151.3425099.
969. Mujumdar, A. S. Douglas, W. J. M., Autocorrelation measurements in the near wake of square cylinders in turbulent free streams. *Physics of Fluids*, 1970, 13, 1635-1637, DOI: 10.1063/1.1693126.
970. Mujumdar, A. S., A new integral method for analyzing the turbulent boundary layer with arbitrary pressure gradient. *Journal of Fluids Engineering, Transactions of the ASME*, 1970, 92, 195-196, DOI: 10.1115/1.3424932.
971. Mujumdar, A. S. Douglas, W. J. M., The near-wake of a circular cylinder in crossflow. *Journal of Fluids Engineering, Transactions of the ASME*, 1969, 91, 328-329, DOI: 10.1115/1.3571105.

Dec, 2019